

Data	Comments
=====	=====
0x15	Control Byte for outermost container (structure) - Tag control 000xxxxxb: Anonymous tag - Elem type xxx10101b: Structure
0x2C	Control Byte for next TLV - Tag control 001xxxxxb: Context-specific tag - Elem type xxx01100b: UTF-8 String, 1-byte length
0x81	Context-specific vendor tag - Matter-common versus vendor tag 1xxxxxxb: Vendor tag - Tag number x0000001b: Vendor tag #1 ----- 10000001b = 0x81
0x06	Length of vendor string (e.g. 6 bytes)
0x56 0x65 0x6E 0x64 0x6F 0x72	UTF-8 encoded vendor string "Vendor"
0x2C	Control byte for next TLV - Tag control 001xxxxxb: Context-specific tag - Elem type xxx01100b: UTF-8 String, 1-byte length ----- 00101100b = 0x2C
0x00	Context-specific Matter-common Serial Number tag - Matter-common versus vendor tag 0xxxxxxb: Matter-common tag - Tag number x0000000b: kTag_SerialNumber ----- 00000000b = 0x00
0x0A	Length of Serial Number string (10 bytes)
0x31 0x32 0x33 0x34 0x35 0x36 0x37 0x38 0x39 0x30	UTF-8 encoded Serial Number string "1234567890"
0x18	End of container

Matter-common elements only

```
{
    kTag_SerialNumber (0) = "1234567890"
}
```

The above notation encodes to the following bytes: