

know how to locate the onboarding payload (it may be hidden behind a panel, pin-protected in a settings menu, or inaccessible on a device already physically installed).

Example User interactions with the Commissioner include pushing a "Discover New Devices" button, or speaking to a voice agent "Agent, discover new devices".

5.2.2.2.2. High Level Flow

1. User initiates an interaction with a Commissioner.
2. User indicates an intention to commission devices without providing additional information about them.
3. Commissioner determines which technologies to use for [Device Discovery](#). When attempting to locate the device on IP-bearing networks, the [Commissionable Node Discovery](#) method is used.
4. Commissioner constructs a list of Commissionees discovered, using as much information as possible from the Commissionee advertisement. When a Vendor ID and Product ID is provided in the advertisement, the Commissioner may obtain human readable descriptions of the Vendor and Product in order to assist the user with selection by using fields such as [ProductName](#) and [ProductLabel](#) from the [Distributed Compliance Ledger](#) or any other data set available to it. The ledger entry may also include additional URLs which the Commissioner can offer to the user to help in locating the Onboarding Material or otherwise assist in setting up the device such as the [UserManualUrl](#), [SupportUrl](#), and [ProductUrl](#). The Commissioner may have additional data sets available for assisting the user.
5. User selects Commissionee from list.
6. Commissioner instructs the user to locate and input the onboarding payload.
7. Commissioner begins the Commissioning process (see [Section 5.5, "Commissioning Flows"](#)).

5.2.2.2.3. Variation - Filter by Device Type

The user may indicate the type of device to the Commissioner when initiating this flow. For example, the user might speak the following to a voice agent: "Agent, Discover TVs".

When discovering TVs or any other specific device type on the IP network, this flow will be the same except that a subtype which specifies the device type identifier (see [Section 7.16.5, "Primary Device"](#)) is passed to the [Commissionable Node Discovery](#) method (see [Section 4.3.1.3, "Commissioning Subtypes"](#)).

5.2.2.2.4. Misuse Considerations

In addition to the Misuse Considerations described in [Section 5.2.2.2, "User-Initiated Beacon Detection, Not Yet Commissioned Device"](#), a Commissioner which performs [Device Discovery](#) without knowledge of the Onboarding Payload may discover advertisements from devices that the user did not intend to commission with the given Commissioner. This additional information collected by the Commissioner can be associated with the user in ways that the user did not intend.

5.2.2.3. User-Initiated Beacon Detection, Already Commissioned Device

"Launch Commissioner, Discover My Devices"