

- Discovery to determine vid, pid, rotating ID, Device name, PASE IP, PASE Port
5. Commissioner prompts user for permission to commission Device name
 6. User approves
 7. Commissioner checks for apps granting access to the vid of the client, applies a filter on this list if the VidList in the IdentificationDeclaration is populated, and attempts to use Account Login on any resulting apps in order to obtain Passcode using rotatingID
 8. If no Passcode is obtained, Commissioner displays a Passcode
 9. Commissioner sends CommissionerDeclaration with PasscodeDialogDisplayed and CommissionerPasscode set to true, and PasscodeLength set to the number of digits in the displayed Passcode. If a QR code is also displayed, then QRCodeDisplayed is also set to true.
 10. Commissionee prompts user to input Passcode from Commissioner, taking into account PasscodeLength field when provided in the CommissionerDeclaration
 11. Commissionee generates a PAKE verifier using input Passcode, enters commissioning mode using this PAKE verifier
 12. Commissionee sends IdentificationDeclaration to Commissioner containing CommissionerPasscode and CommissionerPasscodeReady set to true
 13. Commissioner attempts to commission Commissionee using Passcode

5.4. Device Discovery

5.4.1. Purpose and Scope

The purpose of this section is to describe the process by which a device is discovered in order to commission it onto an operational Fabric or to fix its operational network configuration. A device is discovered when the commissioner has received information about the device which can be used to trigger the establishment of a point-to-point communication channel with the device which can be used to exchange commissioning messages. For NFC-based commissioning, when the user brings the NFC reader in close proximity to the NFC tag, an activity defined by the NFC Forum will allow the NFC reader to discover the NFC tag.

Depending on the communication interfaces supported by a device and a commissioner, discovering and commissioning a device onto an operational Fabric are possible using Bluetooth Low Energy (BLE), Wi-Fi ([IEEE 802.11-2020](#)), NFC, or over IP if a device is already on an IP network.

Devices that utilize Thread networking technology SHALL support BLE and MAY additionally support NFC for the purpose of discovery and commissioning. Thread network commissioning procedures as defined in [Thread](#) are not used to perform Matter discovery and commissioning.

5.4.1.1. Using BLE

BLE-based commissioning utilizes the Generic Access Profile (GAP) for device discovery, and [Bluetooth Transport Protocol \(BTP\)](#) for message exchange during commissioning.