

nostics information to be provided to end-users if a revoked entity is found.

- Algorithm:

- For each **entry** in the **Device Attestation PKI Revocation Distribution Points**

1. If **entry.RevocationType** is not equal to 1 (not of type **RFC 5280 CRL**), stop further processing of the entry, and continue to next entry, as it is a format not defined in this Specification.
2. Parse the certificate found **entry.CRLSignerCertificate** from its PEM encoding, keeping it as **CRLSignerCertificate**.
3. If **entry.IsPAA** is TRUE:
 - a. If **CRLSignerCertificate** encoded a VendorID, validate that it matches **entry.VendorID**. In case of mismatch, stop further processing of the entry, and continue to next entry, if any.
4. Else if **entry.IsPAA** is FALSE:
 - a. If the **CRLSignerCertificate** is a PAI certificate (rather than a PAI-delegated certificate), validate that the **CRLSignerCertificate** 's VendorID, matches **entry.VendorID**. Else validate that the 'CRLSignerDelegator' 's VendorID, matches **entry.VendorID**. In case of mismatch, stop further processing of the entry, and continue to next entry, if any.
 - b. If the **CRLSignerCertificate** is a PAI certificate (rather than a PAI-delegated certificate), validate that the **CRLSignerCertificate** 's ProductID matches **entry.ProductID**, if present in the certificate's subject. Else, validate that the 'CRLSignerDelegator' 's ProductID matches **entry.ProductID**, if present in the certificate's subject. In case of mismatch, stop further processing of the entry, and continue to next entry, if any.
5. Validate the certification path containing **CRLSignerCertificate** and 'CRLSignerDelegator' (when present), using the approved PAAs currently in force in the Distributed Compliance Ledger as the trust anchors. In case of failure, stop further processing of the entry, and continue to next entry, if any.
6. Obtain the CRL at **entry.DataUrl**, keeping it as **CRLFile**.
7. Perform **CRLFile** validation:
 - a. Validate that the **crlExtensions** field of **CRLFile** has an **Authority Key Identifier** extension matching the **CRLSignerCertificate** 's **Subject Key Identifier**. In case of mismatch, stop further processing of the entry, and continue to next entry, if any.
 - b. If more than one entry exists in the Distributed Compliance Ledger where the **entry.VendorID** and **entry.IssuerSubjectKeyID** are matching, then:
 - i. Validate that the **CRLFile** has the Issuing Distribution Point critical CRL extension present (see **RFC 5280** section 5.2.5), and then:
 - A. Validate that the **distributionPoint** field of the extension has a single **GeneralName** of type **uniformResourceIdentifier**.
 - B. Validate that the **uniformResourceIdentifier** in the **GeneralName** field matches exactly, byte-for-byte, the value found in the **entry.DataUrl** field.