

```

version_number [7]      : UNSIGNED INTEGER [ range 16-bits ]
certification_type [8]   : UNSIGNED INTEGER [ range 8-bits]
dac_origin_vendor_id [9, optional] : UNSIGNED INTEGER [ range 16-bits ]
dac_origin_product_id [10, optional] : UNSIGNED INTEGER [ range 16-bits ]
authorized_paa_list [11, optional] : ARRAY [ length 1..10 ] OF OCTET STRING [
length 20 ]
}

```

The Certification Elements TLV is encoded with data to form a **cd_content** message to be signed.

```

cd_content =
{
    format_version (0)      = 1,
    vendor_id (1)           = <vendor_id>,
    product_id_array (2)    = <array of product_id values>,
    device_type_id (3)      = <primary device type identifier>,
    certificate_id (4)      = <globally unique certificate ID issued by
Connectivity Standards Alliance>,
    security_level (5)      = 0,
    security_information (6) = 0,
    version_number (7)      = <version_number>,
    certification_type (8)  = <certification_type>,
    dac_origin_vendor_id (9) = <Vendor ID associated with the DAC, optional>,
    dac_origin_product_id (10) = <Product ID associated with the DAC, optional>,
    authorized_paa_list (11) = <array of PAA SKIs, optional>
}

```

The **format_version** field SHALL contain the value 1.

The **vendor_id** field SHALL contain the **Vendor ID** associated with the Certification Declaration.

The **product_id_array** field SHALL contain an array of a number of **Product IDs** which are covered by the same certification (e.g. certification by similarity). All other fields of a Certification Declaration apply to all products in this array.

The **device_type_id** field SHALL contain the **device type** identifier for the primary function of the device. For example, if **device_type_id** is 10 (0x000A), it would indicate that the device has a primary function of a Door Lock device type. See also the **_T** subtype in [Section 4.3.1.3, “Commissioning Subtypes”](#).

The **device_type_id** field in a given Certification Declaration indicates the **primary device type** and SHOULD match the **device_type_id** value in the **DCL entries** associated with the VendorID and ProductID combinations present in that Certification Declaration.

The **certificate_id** field SHALL contain a globally unique serial number allocated by the Connectivity Standards Alliance for this Certification Declaration.