

Quality Column	Name	Elements	Description
X	Nullable	data fields	The data type of the data field is nullable

7.7.1. Changes Omitted Quality

This quality MAY be given to attribute data that is deemed to have a high rate of change or where changes are not meaningful or too large to convey as part of [Subscribe interaction](#).

Attribute data with this quality SHALL support [Read Access](#), but SHALL NOT have delta changes published as part of a [Subscribe interaction](#).

7.7.2. Fixed Quality

Data with this quality is read-only and SHALL only change in the following cases:

- The program image changes.
- The functionality changes due to installation or configuration changes of the device.

A [Node Configuration Change](#) that affects one or multiple attributes (on any endpoint of the node) marked with this quality, SHALL cause an increase of the value of the [ConfigurationVersion](#) attribute in the [Basic Information Cluster](#) cluster when that attribute is supported.

A [Node Configuration Change](#) that affects one or multiple attributes (on any endpoint) of a **bridged** node which are marked with this quality, SHALL cause an increase of the value of the [ConfigurationVersion](#) attribute in the [Bridged Device Basic Information Cluster](#) cluster when that attribute is supported, and SHALL also cause an increase of the value of the [ConfigurationVersion](#) attribute in the [Basic Information Cluster](#) cluster of the bridge when that attribute is supported.

Additional considerations regarding the update of ConfigurationVersion are:

- If a configuration change on a node affects multiple attributes with this quality, the change SHOULD be considered as a single change, by only causing the [ConfigurationVersion](#) attribute to increase once.
- If the configuration change includes the addition of a new bridged node or removal of an existing bridged node, it is considered as a configuration change on the bridge itself and the value of the [ConfigurationVersion](#) attribute in [Basic Information Cluster](#) cluster, for the bridge, SHALL be increased.

7.7.3. Singleton Quality

This quality indicates that a cluster is a singleton on the node, representing the entire node.

7.7.4. Diagnostics Quality

This quality is given to Clusters which contain very large amounts of seldom-consulted attributes.

Such a cluster SHALL be omitted from [Request Path Expansion](#) when the [WildcardSkipDiagnostic-](#)