

Status Code	Value	Summary
0xC6	NEEDS_TIMED_INTERACTION	A Untimed Write or Untimed Invoke interaction was used for an attribute or command that requires a Timed Write or Timed Invoke.
0xC7	UNSUPPORTED_EVENT	The indicated event ID is not supported on the cluster instance.
0xC8	PATHS_EXHAUSTED	The receiver has insufficient resources to support the specified number of paths in the request
0xC9	TIMED_REQUEST_MISMATCH	A request with TimedRequest field set to TRUE was issued outside a Timed transaction or a request with TimedRequest set to FALSE was issued inside a Timed transaction.
0xCA	FAILSAFE_REQUIRED	A request requiring a Fail-safe context was invoked without the Fail-Safe context.
0xCB	INVALID_IN_STATE	The received request cannot be handled due to the current operational state of the device
0xCC	NO_COMMAND_RESPONSE	A CommandDataIB is missing a response in the InvokeResponses of an Invoke Response action.
0xCD	TERMS_AND_CONDITIONS_CHANGED	The node requires updated TC acceptance. The user MAY be directed to visit the Enhanced-SetupFlowMaintenanceUrl to complete this.
0xCE	MAINTENANCE_REQUIRED	The node requires the user to visit the EnhancedSetupFlow-MaintenanceUrl for instructions on further action.
0xCF	DYNAMIC_CONSTRAINT_ERROR	The value for the data type was not accepted due to runtime validation issues. Command or action not carried out.