

TLV Type: Structure					
→ EpochTime-stamp		Context Tag	3	Unsigned Int	64 bits
→ SystemTime-stamp		Context Tag	4	Unsigned Int	64 bits
→ DeltaEpochTimestamp	Optional	Context Tag	5	Unsigned Int	64 bits
→ DeltaSystemTimestamp	Optional	Context Tag	6	Unsigned Int	64 bits
}					
Data		Context Tag	7	Variable (see below)	-

10.6.9.1. DeltaEpochTimestamp

This tag is present when delta encoding the UTC timestamp relative to a prior event in a given stream of events.

When this tag is present, all other timestamp tags SHALL be omitted.

This SHALL have the same units as EpochTimestamp.

10.6.9.2. DeltaSystemTimestamp

This tag is present when delta encoding the System timestamp relative to a prior event in a given stream of events.

When this tag is present, all other timestamp tags SHALL be omitted.

This SHALL have the same units as SystemTimestamp.

10.6.9.3. Data

This contains the cluster-specific payload of the Event.

The entirety of the Event is represented as a TLV Structure type.

The TLV encoding of each field in the event SHALL follow the rules of encoding as provided in Data Types.

If the cluster does not define any payload for the given event instance, this Data field SHALL be encoded as a struct with no member elements.

10.6.9.4. Examples

Single event:

```
EventDataElement = {
    Path = [[ Endpoint = 10, Cluster = Disco Ball, EventID = Started ]],
```