

NetworkNamePresent Field

This field SHALL be True if the Node has the Thread network's name, else False.

ExtendedPanIdPresent Field

This field SHALL be True if the Node has an extended Pan ID, else False.

MeshLocalPrefixPresent Field

This field SHALL be True if the Node has the mesh local prefix, else False.

DelayPresent Field

This field SHALL be True if the Node has the Thread network delay set, else False.

PanIdPresent Field

This field SHALL be True if the Node has a Pan ID, else False.

ChannelPresent Field

This field SHALL be True if the Node has configured an operational channel for the Thread network, else False.

PskcPresent Field

This field SHALL be True if the Node has been configured with the Thread network Pskc, else False.

SecurityPolicyPresent Field

This field SHALL be True if the Node has been configured with the Thread network security policies, else False.

ChannelMaskPresent Field

This field SHALL be True if the Node has available a mask of available channels, else False.

11.14.6. Attributes

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0x0000	Channel	uint16	all	X		R V	M
0x0001	Routing-Role	RoutingRoleEnum	all	X		R V	M
0x0002	Network-Name	string	max 16	X		R V	M
0x0003	PanId	uint16	all	X		R V	M
0x0004	Extended-PanId	uint64	all	X		R V	M