

Node Discovery". The commissioning into a new Fabric completes when the Node successfully receives a [Section 11.10.7.6, "CommissioningComplete"](#) command, see [Section 5.5, "Commissioning Flows"](#).

The parameters for OpenCommissioningWindow command are as follows:

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Commissioning-Timeout	uint16	desc			M
1	PAKEPass-codeVerifier	octstr	97			M
2	Discriminator	uint16	0 to 4095			M
3	Iterations	uint32	1000 to 100000			M
4	Salt	octstr	16 to 32			M

A current Administrator MAY invoke this command to put a node in commissioning mode for the next Administrator. On completion, the command SHALL return a cluster specific status code from the [Section 11.19.6, "Status Codes"](#) below reflecting success or reasons for failure of the operation. The new Administrator SHALL discover the Node on the IP network using DNS-based Service Discovery (DNS-SD) for commissioning.

If any format or validity errors related to the PAKEPasscodeVerifier, Iterations or Salt arguments arise, this command SHALL fail with a cluster specific status code of PAKEParameterError.

If a commissioning window is already currently open, this command SHALL fail with a cluster specific status code of Busy.

If the [fail-safe timer](#) is currently armed, this command SHALL fail with a cluster specific status code of Busy, since it is likely that concurrent commissioning operations from multiple separate Commissioners are about to take place.

In case of any other parameter error, this command SHALL fail with a status code of COMMAND_INVALID.

CommissioningTimeout Field

This field SHALL specify the time in seconds during which commissioning session establishment is allowed by the Node. This timeout value SHALL follow guidance as specified in the initial [Section 5.4.2.3, "Announcement Duration"](#). The CommissioningTimeout applies only to cessation of any announcements and to accepting of new commissioning sessions; it does not apply to abortion of connections, i.e., a commissioning session SHOULD NOT abort prematurely upon expiration of this timeout.