

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	GroupID	group-id	all			M
1	Friendly-Name	string	max 32			M
2	GroupKey-SetID	uint16	1 to 65534	X		M
3	GroupCAT	uint16	desc	X		M
4	Group-CATVersion	uint16	1 to 65534	X		M
5	GroupPermission	DatastoreAccessControlEntryPrivilegeEnum				M

GroupInformationEntry represents the group to be added to the [Joint Fabric](#) Datastore Cluster.

GroupCAT values SHALL fall within the range 1 to 65534. Attempts to add a group with a GroupCAT value of [Administrator CAT](#) or [Anchor CAT](#) SHALL fail with CONSTRAINT_ERROR.

Upon receipt of this command, the Datastore SHALL:

1. Ensure there are no Groups in the GroupList attribute with the given GroupID. If a match is found, return CONSTRAINT_ERROR.
2. Add the [DatastoreGroupInformationEntryStruct](#) for the Group with the given GroupID to the GroupList attribute.

11.24.7.5. UpdateGroup Command

This command SHALL be used to update a group in the [Joint Fabric](#) Datastore Cluster of the access-fabric.

The data for this command is as follows:

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	GroupID	group-id	all			M
1	Friendly-Name	string	max 32	X		M
2	GroupKey-SetID	uint16	1 to 65535	X		M
3	GroupCAT	uint16	desc	X		M
4	Group-CATVersion	uint16	1 to 65535	X		M