

1.3.7.2.1. Effect on Receipt

On receipt of the ViewGroup command, the server SHALL perform the following procedure:

1. If the command fields are not within constraints, the status SHALL be CONSTRAINT_ERROR and the server continues from step 4.
2. If the server endpoint is a member of the group indicated by the GroupID, the status SHALL be SUCCESS, and the server continues from step 4.
3. Else the status SHALL be NOT_FOUND.
4. If the ViewGroup command was received as a unicast, the server SHALL generate a ViewGroupResponse command for the group, and the Status field set to the evaluated status. If the ViewGroup command was received as a groupcast, the server SHALL NOT generate a ViewGroupResponse command.

See [ViewGroupResponse](#) for a description of the response command.

1.3.7.3. GetGroupMembership Command

The GetGroupMembership command allows a client to inquire about the group membership of the server endpoint, in a number of ways.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	GroupList	list[group-id]	all[min 1]			M

1.3.7.3.1. Effect on Receipt

On receipt of the GetGroupMembership command, the server SHALL respond with group membership information using the GetGroupMembershipResponse command as follows:

If the GroupList field is empty, the server SHALL respond with all group IDs indicating the groups of which the server endpoint is a member.

If the GroupList field contains at least one group ID indicating a group of which the server endpoint is a member, the server SHALL respond with each group ID indicating a group of which the server endpoint is a member that matches a group in the GroupList field.

If the GroupList field contains one or more group IDs but does not contain any group ID indicating a group of which the server endpoint is a member, the server SHALL only respond if the command is unicast. The response SHALL return with an empty GroupList field.

1.3.7.4. RemoveGroup Command

The RemoveGroup command allows a client to request that the server removes the membership for the server endpoint, if any, in a particular group.