

1.4.9.10.1. GroupID Field

This field SHALL indicate the group identifier in the Group Table.

1.4.9.10.2. SceneID Field

This field SHALL indicate the scene identifier in the Scene Table.

1.4.9.10.3. Effect on Receipt

On receipt of this command, the server SHALL perform the following procedure:

1. If the value of the GroupID field is non-zero, the server verifies that the endpoint has an entry for that GroupID in the Group Table. If there is no such entry in the Group Table, the status SHALL be INVALID_COMMAND and the server continues from step 4.
2. If a scene already exists under the same group/scene identifier pair, in step 3 the already existing scene entry SHALL be used to store the current state.
If a scene cannot be created due to the lack of Scene Table capacity for the given fabric, the status SHALL be RESOURCE_EXHAUSTED and the server continues from step 4.
3. If a scene already exists under the same group/scene identifier pair, the ExtensionFieldSets of the stored scene SHALL be replaced with the ExtensionFieldSets corresponding to the current state of other clusters on the same endpoint and the other fields of the scene table entry SHALL remain unchanged.
Otherwise, a new entry SHALL be added to the scene table, using the provided GroupID and SceneID, with SceneTransitionTime set to 0, with SceneName set to the empty string, and with ExtensionFieldSets corresponding to the current state of other clusters on the same endpoint.
The status SHALL be SUCCESS.
4. If the StoreScene command was received as a unicast, the server SHALL then generate a StoreSceneResponse command with the Status field set to the evaluated status.

Note that if a scene to be stored requires a TransitionTime field and/or a SceneName field, these must be set up by a prior AddScene command, e.g., with no scene extension field sets.

1.4.9.11. StoreSceneResponse Command

This command is sent in response to the [StoreScene](#) command.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Status	status	desc			M
1	GroupID	group-id	all			M
2	SceneID	uint8	max 254			M

1.4.9.11.1. Status Field

This field SHALL be set according to the Effect on Receipt section for [StoreScene](#) command.