

ID	Name	Type	Constraint	Quality	Fallback	Conformance
3	GroupIdentifierTo	group-id	all			M
4	SceneIdentifierTo	uint8	max 254			M

1.4.9.15.1. Mode Field

This field SHALL contain the information of how the scene copy is to proceed.

The CopyAllScenes bit of the Mode indicates whether all scenes are to be copied. If this value is set to 1, all scenes are to be copied and the SceneIdentifierFrom and SceneIdentifierTo fields SHALL be ignored. Otherwise this bit is set to 0.

1.4.9.15.2. GroupIdentifierFrom Field

This field SHALL indicate the identifier of the group from which the scene is to be copied. Together with the SceneIdentifierFrom field, this field uniquely identifies the scene to copy from the Scene Table.

1.4.9.15.3. SceneIdentifierFrom Field

This field SHALL indicate the identifier of the scene from which the scene is to be copied. Together with the GroupIdentifierFrom field, this field uniquely identifies the scene to copy from the Scene Table.

1.4.9.15.4. GroupIdentifierTo Field

This field SHALL indicate the identifier of the group to which the scene is to be copied. Together with the SceneIdentifierTo field, this field uniquely identifies the scene to copy to the Scene Table.

1.4.9.15.5. SceneIdentifierTo Field

This field SHALL indicate the identifier of the scene to which the scene is to be copied. Together with the GroupIdentifierTo field, this field uniquely identifies the scene to copy to the Scene Table.

1.4.9.15.6. Effect on Receipt

On receipt of this command, the server SHALL perform the following procedure:

1. If the value of either the GroupIdentifierFrom field or the Group Identifier To field is non-zero, the server verifies that the endpoint has an entry for these non-zero group identifiers in the Group Table. If there are no such entries in the Group Table, the status SHALL be INVALID_COMMAND and the server continues from step 5.
2. If the CopyAllScenes sub-field of the Mode field is set to 0, the server verifies that the scene entry corresponding to the GroupIdentifierFrom and SceneIdentifierFrom fields exists in its Scene Table. If there is no such entry in its Scene Table, the status SHALL be NOT_FOUND and the server continues from step 5.