

to omit publication of deltas considered not meaningful.

The server SHALL NOT mark this attribute ready for report if the last time this was done was more recently than 1 second ago.

The server MAY delay marking this attribute ready for report for longer periods if needed, however the server SHALL NOT delay marking this attribute as ready for report for longer than 60 seconds.

If the periodic energy exported cannot currently be determined, a value of null SHALL be returned.

2.12.6.6. CumulativeEnergyReset Attribute

This attribute SHALL indicate when cumulative measurements were most recently zero.

2.12.7. Events

This cluster SHALL support these events:

ID	Name	Priority	Quality	Access	Conformance
0	CumulativeEnergyMeasured	INFO		V	CUME
1	PeriodicEnergyMeasured	INFO		V	PERE

2.12.7.1. CumulativeEnergyMeasured Event

This event SHALL be generated when the server takes a snapshot of the cumulative energy imported by the server, exported from the server, or both, but not more frequently than the rate mentioned in the description above of the related attribute.

The data of this event SHALL contain the following information:

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	EnergyImported	EnergyMeasurementStruct				CUME & IMPE
1	EnergyExported	EnergyMeasurementStruct				CUME & EXPE

2.12.7.1.1. EnergyImported Field

This field SHALL be the value of [CumulativeEnergyImported](#) attribute at the timestamp indicated in its [EndTimestamp](#) field, [EndSystemtime](#) field, or both.