

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
3	MaxMeasuredValue	int64	-2^{62} to 2^{62}				M
4	AccuracyRanges	list[MeasurementAccuracyRangeStruct]	min 1				M

2.13.5.2.2.1. MeasurementType Field

This field SHALL indicate the type of measurement for the accuracy provided.

2.13.5.2.2.2. Measured Field

This field SHALL indicate whether the associated measurement was directly measured. If this field is not set to true, then the associated measurement was estimated.

2.13.5.2.2.3. MinMeasuredValue Attribute

This field SHALL indicate the minimum value that can be measured.

2.13.5.2.2.4. MaxMeasuredValue Attribute

This field SHALL indicate the maximum value that can be measured.

2.13.5.2.2.5. AccuracyRanges Field

This field SHALL indicate a list of measurement ranges and their associated accuracies.

The value of the [RangeMin](#) field on the first [MeasurementAccuracyRangeStruct](#) in this list SHALL be equal to the value of the [MinMeasuredValue](#) field.

The value of the [RangeMax](#) field on the last [MeasurementAccuracyRangeStruct](#) in this list SHALL be less than or equal to the value of the [MaxMeasuredValue](#) field.

The value of the [RangeMin](#) field on each [MeasurementAccuracyRangeStruct](#) in this list other than the first SHALL be one more the value of the [RangeMax](#) field on the previous [MeasurementAccuracyRangeStruct](#) in this list (i.e. there SHALL be no gaps in the accuracy ranges, and the ranges SHALL be in increasing order).

2.13.5.3. MeasurementRangeStruct Type

This struct SHALL indicate the maximum and minimum values of a given [measurement type](#) during a measurement period, along with the observation times of these values.

A server which does not have the ability to determine the time in UTC, or has not yet done so,