

5.2.10.34.2. UserName Field

This field SHALL contain a string to use as a human readable identifier for the user.

5.2.10.34.3. UserUniqueID Field

See [UserUniqueID](#).

5.2.10.34.4. UserStatus Field

This field SHALL indicate the UserStatus assigned to the user when created or modified.

5.2.10.34.5. UserType Field

This field SHALL indicate the UserType assigned to this user when created or modified.

5.2.10.34.6. CredentialRule Field

This field SHALL indicate the CredentialRule set for this user.

5.2.10.34.7. Credentials Field

This field SHALL contain a list of credentials for this user.

5.2.10.34.8. CreatorFabricIndex Field

This field SHALL indicate the user's creator fabric index. CreatorFabricIndex SHALL be null if UserStatus is set to Available or when the creator fabric cannot be determined (for example, when user was created outside the Interaction Model) and SHALL NOT be null otherwise. This value SHALL be set to 0 if the original creator fabric was deleted.

5.2.10.34.9. LastModifiedFabricIndex Field

This field SHALL indicate the user's last modifier fabric index. LastModifiedFabricIndex SHALL be null if UserStatus is set to Available or when the modifier fabric cannot be determined (for example, when user was modified outside the Interaction Model) and SHALL NOT be null otherwise. This value SHALL be set to 0 if the last modifier fabric was deleted.

5.2.10.34.10. NextUserIndex Field

This field SHALL indicate the next occupied UserIndex in the database which is useful for quickly identifying occupied user slots in the database. This SHALL NOT be null if there is at least one occupied entry after the requested UserIndex in the User database and SHALL be null if there are no more occupied entries.

5.2.10.35. ClearUser Command

Clears a user or all Users.