

results. This field can represent a past or future value but SHALL be greater than the StartTime.

6.6.7.5.3. ChannelList Field

This field SHALL indicate the set of channels for which program guide entries should be fetched. By providing a list of channels in this field, the response will only include entries corresponding to the specified channels.

6.6.7.5.4. PageToken Field

This field SHALL indicate the pagination token used for managing pagination progression.

6.6.7.5.5. RecordingFlag Field

This field SHALL indicate the flags of the programs for which entries should be fetched.

6.6.7.5.6. ExternalIDList Field

This field SHALL indicate the list of additional external content identifiers.

6.6.7.5.7. Data Field

This field SHALL indicate Optional app-specific data.

6.6.7.6. ProgramGuideResponse Command

This command is a response to the GetProgramGuide command.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Paging	ChannelPagingStruct				M
1	Program-List	list[Program-Struct]			empty	M

6.6.7.6.1. Paging Field

This field SHALL indicate the necessary pagination attributes that define information for both the succeeding and preceding data pages.

6.6.7.6.2. ProgramList Field

This field SHALL indicate the list of programs.

6.6.7.7. RecordProgram Command

Record a specific program or series when it goes live. This functionality enables DVR recording features.