

6.10.7. Commands

ID	Name	Direction	Response	Access	Conformance
0x00	Play	client ⇒ server	PlaybackResponse	O	M
0x01	Pause	client ⇒ server	PlaybackResponse	O	M
0x02	Stop	client ⇒ server	PlaybackResponse	O	M
0x03	StartOver	client ⇒ server	PlaybackResponse	O	O
0x04	Previous	client ⇒ server	PlaybackResponse	O	O
0x05	Next	client ⇒ server	PlaybackResponse	O	O
0x06	Rewind	client ⇒ server	PlaybackResponse	O	VS
0x07	FastForward	client ⇒ server	PlaybackResponse	O	VS
0x08	SkipForward	client ⇒ server	PlaybackResponse	O	O
0x09	SkipBackward	client ⇒ server	PlaybackResponse	O	O
0x0A	PlaybackResponse	client ⇐ server	N		M
0x0B	Seek	client ⇒ server	PlaybackResponse	O	AS
0x0C	ActivateAudioTrack	client ⇒ server	Y	O	AT
0x0D	ActivateTextTrack	client ⇒ server	Y	O	TT
0x0E	DeactivateTextTrack	client ⇒ server	Y	O	TT

6.10.7.1. Play Command

This command is used to start playback of the media.

Upon receipt, this SHALL play media. If content is currently in a FastForward or Rewind state. Play SHALL return media to normal playback speed.