

9.3.5.1. Diagnostic Event logs

It is quite common that users may experience issues charging their vehicle, which, without logs to understand what happened, makes it very difficult to resolve the root cause.

Matter supports events (see Matter specification section 7.14) which includes a buffered log of previous events including a Timestamp (see Matter specification 7.14.2.2).

This Timestamp can be the System Time (since boot) or Epoch Time. It is recommended to use Epoch time (which can be set using the Time Synchronization cluster), which would allow remote support operatives to retrieve the event logs and analyze them against a user reported actual time.

9.3.6. Definitions

EVSE Session - An EVSE session starts when an EV is plugged in. It ends when it is unplugged.

9.3.7. Data Types

9.3.7.1. TargetDayOfWeekBitmap Type

This data type is derived from map8.

Bit	Name	Summary	Conformance
0	Sunday	Sunday	M
1	Monday	Monday	M
2	Tuesday	Tuesday	M
3	Wednesday	Wednesday	M
4	Thursday	Thursday	M
5	Friday	Friday	M
6	Saturday	Saturday	M

9.3.7.2. StateEnum Type

This data type is derived from enum8.

Value	Name	Summary	Conformance
0	NotPluggedIn	The EV is not plugged in.	M
1	PluggedInNoDemand	The EV is plugged in, but not demanding current.	M