

9.3.9.4. StartDiagnostics Command

Allows a client to put the EVSE into a self-diagnostics mode.

9.3.9.4.1. Effect on Receipt

On receipt of this command, the EVSE SHALL enter a Diagnostics state only if the SupplyState attribute is in the Disabled state.

If the EVSE cannot start diagnostics, a response SHALL be generated with a status of FAILURE.

If successful, the SupplyState attribute SHALL be set to DisabledDiagnostics, and a response with status of SUCCESS SHALL be returned.

The diagnostics are at the discretion of the manufacturer and usually include internal checks. Upon completion of the diagnostics, the EVSE SHALL restore SupplyState to the Disabled state (see [Section 9.3.8.2, “SupplyState Attribute”](#) for further details).

9.3.9.5. SetTargets Command

Allows a client to set the user specified charging targets.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	ChargingTargetSchedules	list[ChargingTargetScheduleStruct]	max 7			M

9.3.9.5.1. ChargingTargetSchedules Field

This field SHALL indicate a list of up to 7 sets of daily charging targets together with their associated days of the week. Each of the days of the week may only be included in a single ChargingTargetSchedule within this list field.

9.3.9.5.2. Effect on Receipt

On receipt of this command, the EVSE SHALL validate that all of the charging targets are within a valid range, and that each day of the week is included in at most one of the ChargingTargetSchedule, if they are not then the response SHALL be CONSTRAINT_ERROR.

When a command is received that requires a total number of charging targets greater than the device supports, the status of the response SHALL be RESOURCE_EXHAUSTED.

If the charging targets are accepted, then the charging targets SHALL be stored for all of days that are set in the DayOfWeekForSequence bitmap fields in all the ChargingTargetSchedules. If a ChargingTargetSchedule is defined with no ChargingTargets then the ChargingTargets are cleared for those days defined in the DayOfWeekForSequence

The SetTargets command is used to update the EVSE’s weekly charging schedule. If the EVSE already has some stored weekly charging targets, then it SHALL replace each daily charging target