

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Extended-PanID	octstr	8			M

10.4.6.2.1. Effect on Receipt

1. If no network with the given Extended PAN ID exists in the ThreadNetworks attribute, the command SHALL be rejected with a status of NOT_FOUND.
2. If the given Extended PAN ID matches the PreferredExtendedPanID attribute, the command SHALL be rejected with a status of CONSTRAINT_ERROR.
3. Otherwise, the network with the matching Extended PAN ID SHALL be removed from the ThreadNetworks attribute.

10.4.6.3. GetOperationalDataset Command

Retrieves the Thread Operational Dataset with the given Extended PAN ID.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Extended-PanID	octstr	8			M

10.4.6.3.1. Effect on Receipt

1. If the command is not executed via a CASE session, the command SHALL be rejected with a status of UNSUPPORTED_ACCESS.
2. If no network with the given Extended PAN ID exists in the ThreadNetworks attribute, the command SHALL be rejected with a status of NOT_FOUND.
3. Otherwise, an OperationalDatasetResponse command containing the operational dataset for the requested network SHALL be generated.

10.4.6.4. OperationalDatasetResponse Command

Contains the Thread Operational Dataset for the Extended PAN specified in [GetOperationalDataset](#).

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Operational-Dataset	octstr	max 254			M

10.4.7. Guidance for Fabrics / Commissioners

This cluster allows fabrics (via their Administrators or Nodes with Manage privilege) to collaboratively share and manage a directory of [ThreadNetworks](#), as well as a designation of one of those