

11.2.6.12.4. ChannelCount Field

This field SHALL indicate the number of independent channels or tracks being used by the corresponding audio stream. e.g., 1 for mono, 2 for stereo

11.2.6.12.5. SampleRate Field

This field SHALL indicate the audio sample rate, in hertz (Hz).

11.2.6.12.6. BitRate Field

This field SHALL indicate the target bit rate in bits per second of the audio stream.

11.2.6.12.7. BitDepth Field

This field SHALL indicate the bit depth (8, 16, 24 or 32 bits) of the audio stream. It represents the number of bits of information used to represent each sample of the audio signal, and affects the resolution and dynamic range of the audio.

11.2.6.12.8. ReferenceCount Field

This field SHALL indicate the number of entities currently using this audio stream. The node SHALL recompute this field to reflect the correct value at runtime (e.g., when restored from a persisted value after a reboot).

11.2.6.13. SnapshotStreamStruct Type

This struct is used to capture all constituent parameters of a snapshot stream in order to fully characterize it.

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0x00	Snapshot-StreamID	Snapshot-StreamID-Type	all				M
0x01	Image-Codec	Image-CodecEnum	all				M
0x02	FrameRate	uint16	min 1				M
0x03	MinResolution	VideoResolution-Struct					M
0x04	MaxResolution	VideoResolution-Struct					M
0x05	Quality	uint8	1 to 100				M