

### 7.13.4. Cluster Requirements

Each endpoint supporting this device type SHALL include these clusters based on the conformance defined below.

| Cluster ID | Cluster Name                | Client/Server | Quality | Conformance |
|------------|-----------------------------|---------------|---------|-------------|
| 0x0003     | Identify                    | Server        |         | M           |
| 0x0045     | Boolean State               | Server        |         | M           |
| 0x0080     | Boolean State Configuration | Server        |         | O           |

#### 7.13.4.1. Identify Cluster

This is used to identify the endpoint.

#### 7.13.4.2. Boolean State Cluster

This is used to indicate the state of the sensor/detector.

The state of the Boolean State cluster SHALL reflect the sensor detection using this scheme of:

| Value | State            |
|-------|------------------|
| True  | Rain detected    |
| False | No rain detected |

#### 7.13.4.3. Boolean State Configuration Cluster

This is used to configure the sensor/detector and is for this device type linked to the configuration of the Boolean State cluster.

### 7.13.5. Element Requirements

The following table lists qualities and conformance that override the cluster specification requirements. A blank table cell means there is no change to that item and the value from the cluster specification applies.

| Cluster ID | Cluster Name  | Element | Name        | Constraint | Access | Conformance |
|------------|---------------|---------|-------------|------------|--------|-------------|
| 0x0045     | Boolean State | Event   | StateChange |            |        | M           |

## 7.14. Soil Sensor Device Type

A Soil Sensor device reports measurements of soil values, such as moisture and (optionally) temperature.