




Figure 5. Example of a Closure as standalone device type

8.5.2. Revision History

Revision	Description
1	Initial revision

8.5.3. Classification

Device Type ID	Device Type Name	Superset Of	Class	Scope
0x0230	Closure		Simple	Endpoint

8.5.4. Device Type Requirements

A Closure device MAY be composed of other device types listed in the table below subject to the conformance column of the table. All devices used in compositions SHALL adhere to the disambiguation and superset requirements of the System Model.

Note that the On/Off Light listed in the table below is part of a Superset Device Type relationship as defined by the System Model (see Superset Device Types in [MatterCore]), and so the rules defined in that section apply to the use of an On/Off Light or its Superset device types when included on separate child endpoints.

The use of semantic tags in the Descriptor cluster TagList SHALL adhere to the disambiguation and superset requirements of the System Model. Other semantic tags from other namespaces MAY be used to convey additional configuration information.

All instances of Closure Panel devices included in a composition SHALL reflect the current state of the associated panels, and operate in relation to the ClosureControl cluster at the top of the hierarchy. In other words, successfully opening/closing the closure via the ClosureControl cluster SHALL be followed by appropriate attribute updates in the ClosureDimension cluster that reflect the panels being in the state requested. Similarly, operating the ClosureDimension cluster instances SHALL cause the attributes of the ClosureControl instance at the top of the hierarchy to reflect the correct