

Register	Offset	TZ	Description
DMA.TX.AMOUNT	0x744		Number of bytes transferred in the last transaction, updated after the END event. Also updated after each MATCH event.
DMA.TX.TERMINATEONBUSERRO	0x754		Terminate the transaction if a BUSERRO event is detected.
DMA.TX.BUSERROADDRESS	0x758		Address of transaction that generated the last BUSERRO event.

## 8.24.10.1 TASKS STOP

Address offset: 0x004

## Stop TWI transaction

#### **8.24.10.2 TASKS\_SUSPEND**

Address offset: 0x00C

## Suspend TWI transaction

### 8.24.10.3 TASKS RESUME

Address offset: 0x010

## Resume TWI transaction

Bit number	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
ID																															A	
<b>Reset 0x00000000</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ID	R/W	Field	Value ID	Value	Description																											
A	W	TASKS_RESUME			Resume TWI transaction																											
		Trigger	1		Trigger task																											

#### 8.24.10.4 TASKS\_PREPARERX

Address offset: 0x020

Prepare the TWI slave to respond to a write command