

## 8.19.8.6 SUBSCRIBE\_START

Address offset: 0x080

Subscribe configuration for task **START**

Bit number		31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0			
ID	B	A A A A A A A A			
<b>Reset 0x00000000</b>		<b>0 0</b>			
ID	R/W	Field	Value ID	Value	Description
A	RW	CHIDX	[0..255]	DPPI channel that task <b>START</b> will subscribe to	
B	RW	EN			
			Disabled	0	Disable subscription
			Enabled	1	Enable subscription

## 8.19.8.7 SUBSCRIBE\_STOP

Address offset: 0x084

Subscribe configuration for task **STOP**

Bit number		31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0			
ID	B	A A A A A A A A			
<b>Reset 0x00000000</b>		<b>0 0</b>			
ID	R/W	Field	Value ID	Value	Description
A	RW	CHIDX	[0..255]	DPPI channel that task <b>STOP</b> will subscribe to	
B	RW	EN			
			Disabled	0	Disable subscription
			Enabled	1	Enable subscription

## 8.19.8.8 SUBSCRIBE\_SUSPEND

Address offset: 0x08C

Subscribe configuration for task **SUSPEND**

Bit number		31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0			
ID	B	A A A A A A A A			
<b>Reset 0x00000000</b>		<b>0 0</b>			
ID	R/W	Field	Value ID	Value	Description
A	RW	CHIDX	[0..255]	DPPI channel that task <b>SUSPEND</b> will subscribe to	
B	RW	EN			
			Disabled	0	Disable subscription
			Enabled	1	Enable subscription

## 8.19.8.9 SUBSCRIBE\_RESUME

Address offset: 0x090

Subscribe configuration for task **RESUME**