

8.10.7.11 EVENTS_PWMREADY

Address offset: 0x174

Event on STATUS.PWM.READY status changed to ready

Bit number	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
ID																														A		
Reset 0x00000000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ID	R/W	Field	Value ID	Value	Description																											
A	RW	EVENTS_PWMREADY			Event on STATUS.PWM READY status changed to ready																											
		NotGenerated	0		Event not generated																											
		Generated	1		Event generated																											

8.10.7.12 EVENTS CLKOUTREADY

Address offset: 0x178

Event on STATUS.CLKOUT.READY status changed to ready

Bit number	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
ID																															A	
Reset 0x00000000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ID	R/W	Field	Value ID	Value	Description																											
A	RW	EVENTS_CLKOUTREADY			Event on STATUS.CLKOUT.READY status changed to ready																											
		NotGenerated	0		Event not generated																											
		Generated	1		Event generated																											

8.10.7.13 PUBLISH_COMPARE[n] (n=0..11)

Address offset: $0x180 + (n \times 0x4)$

Publish configuration for event **COMPARE[n]**

8.10.7.14 PUBLISH_PWMREADY

Address offset: 0x1F4

Publish configuration for event `PWMREADY`