

#### **7.8.3.3.6 EVENTS\_PROVISIONED**

Address offset: 0x100

## Key slot successfully provisioned

Bit number	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
ID	A																															
<b>Reset 0x00000000</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ID	R/W	Field	Value ID	Value	Description																											
A	RW	EVENTS_PROVISIONED			Key slot successfully provisioned																											
		NotGenerated	0		Event not generated																											
		Generated	1		Event generated																											

#### **7.8.3.3.7 EVENTS\_PUSHED**

Address offset: 0x104

Key slot successfully pushed

#### **7.8.3.3.8 EVENTS REVOKED**

Address offset: 0x108

Key slot has been revoked and can no longer be used

### 7.8.3.3.9 EVENTS ERROR

Address offset: 0x10C

Error generated during PROVISION, PUSH, READMETADATA or REVOKE operations. Triggering the PROVISION, PUSH and REVOKE tasks on a BLOCKED keyslot will also generate this event.