September 1	ETAILS Name Notice Control of the Property of the Control of the Property of the Control of the Property of t	EDISTEMPE ESEDIS
	A MANOJ	
F25.	A MANOJ Roll Number Character CSE015	
EX	PERIMENT DE L'ANDRE LE CONTRA LE CONTRA LE CONTRA LE L'ANDRE LE CONTRA LE CO	ASTELLAR BY CO.
on cst ^{ol}	Description NRB Confestion of the Children Confe	, ecl
,	Problem Statement:	MPBTech
EMPBIE	You are given an array arr and a product m. Your task is to find the number of possible unique triplets whose product of elements is m.	
EM	Input Format:	5E0151E
cst0151	 The first line contains the integer, n The second line contains space seperated integers of the array, arr The third line contains the product m. 	\$Techics
	The input will be read from the STDIN by the candidate	\$Tec.
ch'	Output Format:	4
Whatechi	The output consists of a single integer, i.e. the count of unique triplets having product m.	15 TEMP
	The output will be matched to the candidate's output printed on the STDOUT	1/5
FOLEK	Example:	
(60)	Input:	ech.cstc
<	7	ec.
stectices	5 3 20 10 1 4 2	-4
500	60	THE REPORT
~8	Output:	John Red Comment of the Comment of t
LEMPR	3	Ś
	Explanation:	S. E. S. C.
	Product m:60	£,,
	Possible triplets for product m: (5,4,3),(20,3,1), (10,3,2)	کی
	The count of unique triplets is 3.	A BRIDE
\$	Source Code: \[\text{Link}^{\text{Phi}} \\ \text{Link}^{	, XX

```
def count_triplets(arr, n, m):
       unique_triplets = set()
       for i in range(n):
           for j in range(i + 1, n):
               for k in range(j + 1, n):
                   if arr[i] * arr[j] * arr[k] == m:
                       triplet = tuple(sorted([arr[i], arr[j], arr[k]]))
                       unique_triplets.add(triplet)
       return len(unique_triplets)
   # Input Reading
   n = int(input())
   arr = list(map(int, input().split()))
   m = int(input())
   result = count_triplets(arr, n, m)
   print(result)
RESULT
 6 / 6 Test Cases Passed | 100 %
```

objec