c (	Logo  Negli cell fent chic vetti.	PATE
p to the chiral control of the chiral contro	THE REPORT FOR THE PORT OF THE	
DETA		015/16/1
Nan	\$\rightarrow\rightarro	CSK
	MANOJ Number Na <sup>®</sup> Co <sup>SE</sup> LE <sup>M</sup> 2007 And	lec'h'
ech. TE	EMPBTech-CSE015	
	CESES TEMPS SOLICE STORES TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	LEMPP
Title	ERIMENT  ACED SUB ARRAY PROBLEM  ACED SUB ARRAY PROBLE	5 SEON
Des	cription Next Catholic Catholi	<sup>2</sup> ,C <sub>2</sub>
fr di	ou are competing in a basketball contest. In this contest the score for each successful shot depends on both the distance om the basket and the player's position. The ball is shot N times, successfully. You are given an array A containing the istance of a player from basket for N shots. The index of array represents the position of the player. Score is calculated by	MPBTes
Y	our task is to find and return an integer value, representing the maximum possible score you can achieve by choosing a ontiguous subarray of size K from the given array.	,sto151
N S	ote:	
() N	A subarray is a contiguous part of array.	28Tech
	Assume 1 based indexing.	30,
*	The array contains both negative and positive values.	, 1
*	Assume the player is standing on a cartesian plane.	OTSTEN
In		0
-i	input1:An integer value N representing the number of shots made by the player	S
	input2 : An integer K representing the size of subarray	(ech.cs
- i	inputs: All alray of integers	`
- 1 Si	ample Input	RE
5 2		3 SEBA
	2345	
S	ample Output	4.2
14		No By Co.
Sou	rice Code: The process of the contest of the contes	SERVE TE

```
goals=int(input())
   size=int(input())
   l=list(map(int,input().split()))
   for i in range(0,len(1)):
       sub=l[i:i+size]
       k=1
       s=0
       for j in sub:
           s+=(j*k)
           k+=1
           if s>max:
                                                                                                   CSEDISTEMP81
               max=s
   print(max)
RESULT
 5 / 5 Test Cases Passed | 100 \%
```