



Student Name: Aman Raj Ojha

Branch: AIT-CSE (AI-ML)

Semester: 4

Subject Name: Database Management System

UID: 24BAI70520

Section/Group: 24AIT_KRG-G1

Date of Performance: 01/04/2026

Subject Code: 24CSH-298

WORKSHEET-8

AIM: To design and implement a stored procedure that accepts gender as an input parameter and returns the total number of employees based on the gender passed, thereby demonstrating procedural programming and parameterized logic in PL/SQL.

S/W Requirement:

- Database Management System: PostgreSQL / Oracle Database Express Edition
- Database Administration Tool: pgAdmin

OBJECTIVES:

- Understand the structure and components of a stored procedure.
- Implement **IN** and **OUT** parameters in PL/SQL procedures.
- Pass dynamic input values to stored procedures.
- Apply aggregate functions within procedures for data analysis.

PROBLEM STATEMENT:

Organizations often require flexible reporting mechanisms to analyze workforce distribution based on gender for compliance and internal analytics. A reusable database logic is needed to dynamically compute these counts based on user input.

TABLE STRUCTURE:

```
CREATE TABLE employeedata(  
  emp_id SERIAL PRIMARY KEY,  
  emp_name VARCHAR(50),  
  gender VARCHAR(10),  
  salary NUMERIC(10,2)  
);
```

```
INSERT INTO employeedata(emp_name, gender, salary)
VALUES
('Amit', 'Male', 30000),
('Riya', 'Female', 35000),
('John', 'Male', 28000),
('Sneha', 'Female', 40000);
```

1. PROBLEM STATEMENT – Stored Procedure Design

Create a stored procedure that accepts a gender string as input and returns the count of employees matching that gender.

PROGRAM:

```
CREATE OR REPLACE PROCEDURE count_emp(
    IN p_gen VARCHAR(20),
    OUT emp_count INT,
    INOUT status VARCHAR
)
AS $$
BEGIN
    SELECT COUNT(*)
    INTO emp_count
    FROM employeedata
    WHERE gender = p_gen;

    status := 'SUCCESS';
END;
$$ LANGUAGE plpgsql;
```

OUTPUT:

```
CREATE PROCEDURE
```

```
Query returned successfully in 168 msec.
```

2. PROBLEM STATEMENT – Procedure Execution

Execute the stored procedure using a PL/SQL block to retrieve and display the count for a specific gender (e.g., 'Male').

PROGRAM:

```
DO $$  
DECLARE  
    GEN VARCHAR(20) := 'Male';  
    COUNT_BY_GEN INT;  
    STATUS VARCHAR(20) := 'Fail';  
BEGIN  
  
    CALL COUNT_EMP(GEN, COUNT_BY_GEN, STATUS);  
  
    RAISE NOTICE  
    'YOUR GENDER IS % YOUR COUNT IS % AND STATUS IS %',  
    GEN, COUNT_BY_GEN, STATUS;  
END;  
$$;
```

OUTPUT:

```
NOTICE:  YOUR GENDER IS Male YOUR COUNT IS 2 AND STATUS IS SUCCESS  
DO
```

LEARNING OUTCOMES:

1. Understood the structure and components of a stored procedure.
2. Learned to implement **IN** parameters for input and **OUT** parameters for returning values.
3. Successfully passed dynamic input values to filter database results.
4. Applied the COUNT() aggregate function within a procedural block.
5. Developed reusable database logic applicable to real-world scenarios at companies like CData and Toddle.

CONCLUSION:

This experiment demonstrated the effectiveness of parameterized stored procedures in PL/SQL. By using **IN** and **OUT** parameters, we created a flexible and reusable logic that can dynamically analyze workforce data, improving efficiency and reducing code redundancy in database management systems.