ExamGOAL
PYQ PDF

Free · With answer key

JEE MAIN · MATHEMATICS · CHAPTER-WISE PYQS

Area Under The Curves

JEE Main Mathematics · Previous Year Questions with Answer Key

182	171	2002 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	135 questions
Numerical	47 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 135 questions

Q1. JEE Main 2026 (Online) 8th April Evening Shift

Let $f:(1,\infty)\to\mathbf{R}$ be a function defined as $f(x)=\frac{x-1}{x+1}$. Let $f^{i+1}(x)=f\left(f^{i}(x)\right), i=1,2,\ldots,25$, where $f^{1}(x)=f(x)$. If $g(x)+f^{26}(x)=0, x\in(1,\infty)$, then the area of the region bounded by the curves $y=g(x), 2y=2x-3, y=0$ and $x=4$ is :

(A) $\frac{1}{8}+\log_e 2$ (B) $\frac{1}{4}+\log_e 2$ (C) $\frac{5}{6}+3\log_e 2$ (D) $\frac{5}{6}+\log_e 2$

Open solution

Q2. JEE Main 2026 (Online) 6th April Evening Shift

The area of the region $\left\{(x,y): x^2-8x\le y\le -x\right\}$ is :

(A) $\frac{343}{6}$ (B) $\frac{637}{6}$ (C) $\frac{437}{6}$ (D) $\frac{523}{6}$

Open solution

Q3. JEE Main 2026 (Online) 6th April Morning Shift

The area of the region $\left\{(x,y): 0\le y\le 6-x, y^2\ge 4x-3, x\ge 0\right\}$ is :

(A) 8 (B) 9 (C) 12 (D) 15

Open solution

Q4. JEE Main 2026 (Online) 6th April Morning Shift

Let e be the base of natural logarithm and let $f:\{1,2,3,4\}\to\left\{1,e,e^2,e^3\right\}$ and $g:\left\{1,e,e^2,e^3\right\}\to\left\{1,\frac{1}{2},\frac{1}{3},\frac{1}{4}\right\}$ be two bijective functions such that f is strictly decreasing and g is strictly increasing. If $\phi(x)=\left[f^{-1}\left\{g^{-1}\left(\frac{1}{2}\right)\right\}\right]^x$, then the area of the region $\mathrm{R}=\left\{(x,y): x^2\le y\le\phi(x), 0\le x\le 1\right\}$ is :

(A) $\frac{3-\log_e(2)}{3\log_e(2)}$ (B) $\frac{1}{3\log_e(2)}$

(C) $3+\log_e(2)$ (D) $\frac{3+\log_e(2)}{2+\log_e(3)}$

Open solution

Q5. JEE Main 2026 (Online) 5th April Morning Shift

The area of the region $\mathrm{R}=\left\{(x,y): xy\le 27, 1\le y\le x^2\right\}$ is equal to :

(A) $78\log_e 3-\frac{52}{3}$ (B) $54\log_e 3-\frac{52}{3}$ (C) $54\log_e 3-\frac{26}{3}$ (D) $54\log_e 3+\frac{26}{3}$

Open solution

Q6. JEE Main 2026 (Online) 4th April Evening Shift

The area of the region bounded by the curves $x+3y^2=0$ and $x+4y^2=1$ is equal to :

(A) $\frac{1}{3}$ (B) $\frac{2}{3}$ (C) $\frac{4}{3}$ (D) $\frac{5}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q7. JEE Main 2026 (Online) 4th April Morning Shift

The area of the region $\{(x, y) : y \leq \pi - |x|, y \leq |x \sin x|, y \geq 0\}$ is:

(A) $1 + \frac{\pi^2}{8}$ (B) $2 + \frac{\pi^2}{4}$ (C) $\frac{\pi^2}{8} - 1$ (D) $4 + \frac{\pi^2}{2}$

Open solution

Q8. JEE Main 2026 (Online) 28th January Evening Shift

Let $P_1 : y = 4x^2$ and $P_2 : y = x^2 + 27$ be two parabolas. If the area of the bounded region enclosed between P_1 and P_2 is six times the area of the bounded region enclosed between the line $y = \alpha x$, $\alpha > 0$ and P_1, then α is equal to :

(A) 12 (B) 15 (C) 8 (D) 6

Open solution

Q9. JEE Main 2026 (Online) 28th January Morning Shift

The area of the region $\mathrm{R} = \{(x, y) : xy \leq 8, 1 \leq y \leq x^2, x \geq 0\}$ is

(A) $\frac{2}{3}(20 \log_e(2) + 9)$ (B) $\frac{1}{3}(40 \log_e(2) + 27)$

(C) $\frac{1}{3}(49 \log_e(2) - 15)$ (D) $\frac{2}{3}(24 \log_e(2) - 7)$

Open solution

Q10. JEE Main 2026 (Online) 24th January Evening Shift

Let $f(\alpha)$ denote the area of the region in the first quadrant bounded by $x = 0, x = 1, y^2 = x$ and $y = |\alpha x - 5| - |1 - \alpha x| + \alpha x^2$. Then $(f(0) + f(1))$ is equal to

(A) 12 (B) 14 (C) 9 (D) 7

Open solution

Q11. JEE Main 2026 (Online) 24th January Morning Shift

Let A_1 be the bounded area enclosed by the curves $y = x^2 + 2, x + y = 8$ and y-axis that lies in the first quadrant. Let A_2 be the bounded area enclosed by the curves $y = x^2 + 2, y^2 = x, x = 2$, and y-axis that lies in the first quadrant. Then $\mathrm{A}_1 - \mathrm{A}_2$ is equal to

(A) $\frac{2}{3}(2\sqrt{2} + 1)$ (B) $\frac{2}{3}(3\sqrt{2} + 1)$ (C) $\frac{2}{3}(\sqrt{2} + 1)$ (D) $\frac{2}{3}(4\sqrt{2} + 1)$

Open solution

Q12. JEE Main 2026 (Online) 23rd January Evening Shift

The area of the region enclosed between the circles $x^2 + y^2 = 4$ and $x^2 + (y - 2)^2 = 4$ is:

(A) $\frac{2}{3}(4\pi - 3\sqrt{3})$ (B) $\frac{4}{3}(2\pi - \sqrt{3})$ (C) $\frac{4}{3}(2\pi - 3\sqrt{3})$ (D) $\frac{2}{3}(2\pi - 3\sqrt{3})$

Open solution

Q13. JEE Main 2026 (Online) 22nd January Evening Shift

The area of the region $\mathrm{A} = \{(x, y) : 4x^2 + y^2 \leqslant 8 \text{ and } y^2 \leqslant 4x\}$ is:

(A) $\pi + \frac{2}{3}$ (B) $\frac{\pi}{2} + 2$ (C) $\pi + 4$ (D) $\frac{\pi}{2} + \frac{1}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. JEE Main 2026 (Online) 22nd January Morning Shift

Let the line $x = -1$ divide the area of the region $\{(x, y) : 1 + x^2 \le y \le 3 - x\}$ in the ratio $m : n, \gcd(m, n) = 1$. Then $m + n$ is equal to

(A) 27 (B) 28 (C) 25 (D) 26

Open solution

Q15. JEE Main 2026 (Online) 21st January Evening Shift

If the area of the region $\{(x, y) : 1 - 2x \le y \le 4 - x^2,\ x \ge 0,\ y \ge 0\}$ is $\frac{\alpha}{\beta}$, $\alpha, \beta \in \mathbb{N}, \gcd(\alpha, \beta) = 1$, then the value of $(\alpha + \beta)$ is:

(A) 73 (B) 85 (C) 67 (D) 91

Open solution

Q16. JEE Main 2026 (Online) 21st January Morning Shift

The area of the region, inside the ellipse $x^2 + 4y^2 = 4$ and outside the region bounded by the curves $y = |x| - 1$ and $y = 1 - |x|$, is :

(A) $2\pi - 1$ (B) $3(\pi - 1)$ (C) $2(\pi - 1)$ (D) $2\pi - \frac{1}{2}$

Open solution

Q17. JEE Main 2025 (Online) 7th April Evening Shift

If the area of the region $\{(x, y) : 1 + x^2 \le y \le \min\{x + 7, 11 - 3x\}\}$ is A, then $3A$ is equal to :

(A) 50 (B) 46 (C) 49 (D) 47

Open solution

Q18. JEE Main 2025 (Online) 7th April Morning Shift

If the area of the region bounded by the curves $y = 4 - \frac{x^2}{4}$ and $y = \frac{x-4}{2}$ is equal to α, then 6α. equals

(A) 210 (B) 250 (C) 240 (D) 220

Open solution

Q19. JEE Main 2025 (Online) 4th April Morning Shift

Let $f : [0, \infty) \to \mathbb{R}$ be a differentiable function such that

$f(x) = 1 - 2x + \int_0^x e^{x-t} f(t)dt$ for all $x \in [0, \infty)$.

Then the area of the region bounded by $y = f(x)$ and the coordinate axes is

(A) $\sqrt{5}$ (B) 2 (C) $\sqrt{2}$ (D) $\frac{1}{2}$

Open solution

Q20. JEE Main 2025 (Online) 3rd April Evening Shift

The area of the region $\{(x, y) : |x - y| \le y \le 4\sqrt{x}\}$ is

(A) $\frac{512}{3}$ (B) $\frac{2048}{3}$ (C) 512 (D) $\frac{1024}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. JEE Main 2025 (Online) 29th January Evening Shift

Let the area enclosed between the curves $|y| = 1 - x^2$ and $x^2 + y^2 = 1$ be α. If $9\alpha = \beta\pi + \gamma; \beta, \gamma$ are integers, then the value of $|\beta - \gamma|$ equals:

(A) 15 (B) 18 (C) 33 (D) 27

Open solution

Q22. JEE Main 2025 (Online) 29th January Morning Shift

Let the area of the region

$(x, y) : 2y \le x^2 + 3,\ y + |x| \le 3,\ y \ge |x - 1|$ be A. Then $6A$ is equal to :

(A) 14 (B) 18 (C) 16 (D) 12

Open solution

Q23. JEE Main 2025 (Online) 28th January Evening Shift

The area of the region bounded by the curves $x(1 + y^2) = 1$ and $y^2 = 2x$ is:

(A) $\frac{\pi}{4} - \frac{1}{3}$ (B) $\frac{\pi}{2} - \frac{1}{3}$
(C) $2\left(\frac{\pi}{2} - \frac{1}{3}\right)$ (D) $\frac{1}{2}\left(\frac{\pi}{2} - \frac{1}{3}\right)$

Open solution

Q24. JEE Main 2025 (Online) 28th January Morning Shift

The area (in sq. units) of the region $\left\{(x, y) : 0 \le y \le 2|x| + 1, 0 \le y \le x^2 + 1, |x| \le 3\right\}$ is

(A) $\frac{32}{3}$ (B) $\frac{64}{3}$ (C) $\frac{17}{3}$ (D) $\frac{80}{3}$

Open solution

Q25. JEE Main 2025 (Online) 24th January Evening Shift

The area of the region enclosed by the curves $y = e^x, y = |e^x - 1|$ and y-axis is :

(A) $1 + \log_e 2$ (B) $\log_e 2$ (C) $1 - \log_e 2$ (D) $2\log_e 2 - 1$

Open solution

Q26. JEE Main 2025 (Online) 24th January Morning Shift

The area of the region $\left\{(x, y) : x^2 + 4x + 2 \le y \le |x + 2|\right\}$ is equal to

(A) 7 (B) 24/5 (C) 20/3 (D) 5

Open solution

Q27. JEE Main 2025 (Online) 23rd January Evening Shift

If the area of the region $\left\{(x, y) : -1 \le x \le 1, 0 \le y \le a + e^{|x|} - e^{-x}, a > 0\right\}$ is $\frac{e^2 + 8e + 1}{e}$, then the value of a is :

(A) 7 (B) 5 (C) 6 (D) 8

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. JEE Main 2025 (Online) 22nd January Evening Shift

The area of the region enclosed by the curves $y = x^2 - 4x + 4$ and $y^2 = 16 - 8x$ is :

(A) $\frac{8}{3}$ (B) 5 (C) 8 (D) $\frac{4}{3}$

Open solution

Q29. JEE Main 2025 (Online) 22nd January Morning Shift

The area of the region, inside the circle $(x - 2\sqrt{3})^2 + y^2 = 12$ and outside the parabola $y^2 = 2\sqrt{3}x$ is :

(A) $3\pi - 8$ (B) $6\pi - 8$ (C) $3\pi + 8$ (D) $6\pi - 16$

Open solution

Q30. JEE Main 2024 (Online) 9th April Evening Shift

The area (in square units) of the region enclosed by the ellipse $x^2 + 3y^2 = 18$ in the first quadrant below the line $y = x$ is

(A) $\sqrt{3}\pi + 1$ (B) $\sqrt{3}\pi$ (C) $\sqrt{3}\pi - \frac{3}{4}$ (D) $\sqrt{3}\pi + \frac{3}{4}$

Open solution

Q31. JEE Main 2024 (Online) 9th April Morning Shift

The parabola $y^2 = 4x$ divides the area of the circle $x^2 + y^2 = 5$ in two parts. The area of the smaller part is equal to :

(A) $\frac{2}{3} + 5\sin^{-1}\left(\frac{2}{\sqrt{5}}\right)$ (B) $\frac{2}{3} + \sqrt{5}\sin^{-1}\left(\frac{2}{\sqrt{5}}\right)$

(C) $\frac{1}{3} + 5\sin^{-1}\left(\frac{2}{\sqrt{5}}\right)$ (D) $\frac{1}{3} + \sqrt{5}\sin^{-1}\left(\frac{2}{\sqrt{5}}\right)$

Open solution

Q32. JEE Main 2024 (Online) 8th April Evening Shift

The area of the region in the first quadrant inside the circle $x^2 + y^2 = 8$ and outside the parabola $y^2 = 2x$ is equal to :

(A) $\frac{\pi}{2} - \frac{1}{3}$ (B) $\pi - \frac{1}{3}$ (C) $\pi - \frac{2}{3}$ (D) $\frac{\pi}{2} - \frac{2}{3}$

Open solution

Q33. JEE Main 2024 (Online) 6th April Evening Shift

If the area of the region $\left\{(x, y) : \frac{a}{x^2} \le y \le \frac{1}{x}, 1 \le x \le 2, 0 < a < 1\right\}$ is $(\log_e 2) - \frac{1}{7}$ then the value of $7a - 3$ is equal to :

(A) 1 (B) 0 (C) 2 (D) -1

Open solution

Q34. JEE Main 2024 (Online) 6th April Morning Shift

Let the area of the region enclosed by the curves $y = 3x, 2y = 27 - 3x$ and $y = 3x - x\sqrt{x}$ be A. Then $10A$ is equal to

(A) 172 (B) 154 (C) 162 (D) 184

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q35. JEE Main 2024 (Online) 5th April Evening Shift

The area enclosed between the curves $y = x|x|$ and $y = x - |x|$ is :

(A) $\frac{8}{3}$ (B) $\frac{2}{3}$ (C) $\frac{4}{3}$ (D) 1

Open solution

Q36. JEE Main 2024 (Online) 4th April Evening Shift

The area (in sq. units) of the region described by $\{(x, y) : y^2 \leq 2x, \text{and } y \geq 4x - 1\}$ is

(A) $\frac{9}{32}$ (B) $\frac{11}{12}$ (C) $\frac{8}{9}$ (D) $\frac{11}{32}$

Open solution

Q37. JEE Main 2024 (Online) 4th April Morning Shift

One of the points of intersection of the curves $y = 1 + 3x - 2x^2$ and $y = \frac{1}{x}$ is $\left(\frac{1}{2}, 2\right)$. Let the area of the region enclosed by these curves be $\frac{1}{24}(l\sqrt{5} + \mathrm{m}) - \mathrm{n}\log_e(1 + \sqrt{5})$, where $l,\ \mathrm{m}, \mathrm{n} \in \mathbf{N}$. Then $l + \mathrm{m} + \mathrm{n}$ is equal to

(A) 30 (B) 29 (C) 31 (D) 32

Open solution

Q38. JEE Main 2024 (Online) 1st February Morning Shift

The area enclosed by the curves $xy + 4y = 16$ and $x + y = 6$ is equal to :

(A) $28 - 30\log_e 2$ (B) $30 - 28\log_e 2$ (C) $30 - 32\log_e 2$ (D) $32 - 30\log_e 2$

Open solution

Q39. JEE Main 2024 (Online) 31st January Evening Shift

The area of the region enclosed by the parabolas $y = 4x - x^2$ and $3y = (x - 4)^2$ is equal to :

(A) $\frac{32}{9}$ (B) $\frac{14}{3}$ (C) 4 (D) 6

Open solution

Q40. JEE Main 2024 (Online) 31st January Morning Shift

The area of the region $\left\{(x, y) : y^2 \leq 4x, x < 4, \frac{xy(x-1)(x-2)}{(x-3)(x-4)} > 0, x \neq 3\right\}$ is

(A) $\frac{32}{3}$ (B) $\frac{16}{3}$ (C) $\frac{8}{3}$ (D) $\frac{64}{3}$

Open solution

Q41. JEE Main 2024 (Online) 30th January Morning Shift

The area (in square units) of the region bounded by the parabola $y^2 = 4(x - 2)$ and the line $y = 2x - 8$, is :

(A) 7 (B) 8 (C) 9 (D) 6

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q42. JEE Main 2023 (Online) 13th April Evening Shift

The area of the region $\{(x, y) : x^2 \leq y \leq |x^2 - 4|, y \geq 1\}$ is

(A) $\frac{4}{3}(4\sqrt{2} + 1)$ (B) $\frac{3}{4}(4\sqrt{2} + 1)$ (C) $\frac{4}{3}(4\sqrt{2} - 1)$ (D) $\frac{3}{4}(4\sqrt{2} - 1)$

Open solution

Q43. JEE Main 2023 (Online) 13th April Morning Shift

The area of the region enclosed by the curve $f(x) = \max\{\sin x, \cos x\}, -\pi \leq x \leq \pi$ and the x-axis is

(A) $2\sqrt{2}(\sqrt{2} + 1)$ (B) 4 (C) $2(\sqrt{2} + 1)$ (D) $4(\sqrt{2})$

Open solution

Q44. JEE Main 2023 (Online) 12th April Morning Shift

The area of the region enclosed by the curve $y = x^3$ and its tangent at the point $(-1, -1)$ is :

(A) $\frac{23}{4}$ (B) $\frac{19}{4}$ (C) $\frac{27}{4}$ (D) $\frac{31}{4}$

Open solution

Q45. JEE Main 2023 (Online) 11th April Morning Shift

Area of the region $\{(x, y) : x^2 + (y - 2)^2 \leq 4, x^2 \geq 2y\}$ is

(A) $2\pi + \frac{16}{3}$ (B) $\pi - \frac{8}{3}$ (C) $\pi + \frac{8}{3}$ (D) $2\pi - \frac{16}{3}$

Open solution

Q46. JEE Main 2023 (Online) 8th April Morning Shift

The area of the region $\{(x, y) : x^2 \leq y \leq 8 - x^2, y \leq 7\}$ is :

(A) 18 (B) 24 (C) 20 (D) 21

Open solution

Q47. JEE Main 2023 (Online) 6th April Evening Shift

The area bounded by the curves $y = |x - 1| + |x - 2|$ and $y = 3$ is equal to :

(A) 5 (B) 4 (C) 6 (D) 3

Open solution

Q48. JEE Main 2023 (Online) 1st February Evening Shift

The area of the region given by $\{(x, y) : xy \leq 8, 1 \leq y \leq x^2\}$ is :

(A) $16\log_e 2 - \frac{14}{3}$ (B) $8\log_e 2 - \frac{13}{3}$ (C) $16\log_e 2 + \frac{7}{3}$ (D) $8\log_e 2 + \frac{7}{6}$

Open solution

Q49. JEE Main 2023 (Online) 30th January Evening Shift

Let q be the maximum integral value of p in $[0, 10]$ for which the roots of the equation $x^2 - px + \frac{5}{4}p = 0$ are rational. Then the area of the region $\{(x, y) : 0 \leq y \leq (x - q)^2, 0 \leq x \leq q\}$ is :

(A) $\frac{125}{3}$ (B) 243 (C) 164 (D) 25

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q50. JEE Main 2023 (Online) 29th January Evening Shift

The area of the region $A = \{(x, y) : |\cos x - \sin x| \leq y \leq \sin x, 0 \leq x \leq \frac{\pi}{2}\}$ is

(A) $\sqrt{5} + 2\sqrt{2} - 4.5$

(B) $1 - \frac{3}{\sqrt{2}} + \frac{4}{\sqrt{5}}$

(C) $\sqrt{5} - 2\sqrt{2} + 1$

(D) $\frac{3}{\sqrt{5}} - \frac{3}{\sqrt{2}} + 1$

Open solution

Q51. JEE Main 2023 (Online) 29th January Morning Shift

Let Δ be the area of the region $\{(x, y) \in R^2 : x^2 + y^2 \leq 21, y^2 \leq 4x, x \geq 1\}$. Then $\frac{1}{2}\left(\Delta - 21\sin^{-1}\frac{2}{\sqrt{7}}\right)$ is equal to

(A) $2\sqrt{3} - \frac{1}{3}$

(B) $2\sqrt{3} - \frac{2}{3}$

(C) $\sqrt{3} - \frac{4}{3}$

(D) $\sqrt{3} - \frac{2}{3}$

Open solution

Q52. JEE Main 2023 (Online) 29th January Morning Shift

Let $A = \left\{(x, y) \in \mathbb{R}^2 : y \geq 0, 2x \leq y \leq \sqrt{4 - (x-1)^2}\right\}$ and

$B = \left\{(x, y) \in \mathbb{R} \times \mathbb{R} : 0 \leq y \leq \min\left\{2x, \sqrt{4 - (x-1)^2}\right\}\right\}$. .

Then the ratio of the area of A to the area of B is

(A) $\frac{\pi}{\pi+1}$

(B) $\frac{\pi-1}{\pi+1}$

(C) $\frac{\pi}{\pi-1}$

(D) $\frac{\pi+1}{\pi-1}$

Open solution

Q53. JEE Main 2023 (Online) 25th January Evening Shift

Let T and C respectively be the transverse and conjugate axes of the hyperbola $16x^2 - y^2 + 64x + 4y + 44 = 0$. Then the area of the region above the parabola $x^2 = y + 4$, below the transverse axis T and on the right of the conjugate axis C is :

(A) $4\sqrt{6} - \frac{28}{3}$

(B) $4\sqrt{6} - \frac{44}{3}$

(C) $4\sqrt{6} + \frac{28}{3}$

(D) $4\sqrt{6} + \frac{44}{3}$

Open solution

Q54. JEE Main 2023 (Online) 24th January Morning Shift

The area enclosed by the curves $y^2 + 4x = 4$ and $y - 2x = 2$ is :

(A) $\frac{22}{3}$

(B) 9

(C) $\frac{23}{3}$

(D) $\frac{25}{3}$

Open solution

Q55. JEE Main 2022 (Online) 29th July Morning Shift

The area of the region

$\left\{(x, y) : |x - 1| \leq y \leq \sqrt{5 - x^2}\right\}$ is equal to :

(A) $\frac{5}{2}\sin^{-1}\left(\frac{3}{5}\right) - \frac{1}{2}$

(B) $\frac{5\pi}{4} - \frac{3}{2}$

(C) $\frac{3\pi}{4} + \frac{3}{2}$

(D) $\frac{5\pi}{4} - \frac{1}{2}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q56. JEE Main 2022 (Online) 28th July Evening Shift

The area enclosed by the curves $y = \log_e\left(x + e^2\right), x = \log_e\left(\frac{2}{y}\right)$ and $x = \log_e 2$, above the line $y = 1$ is:

(A) $2 + e - \log_e 2$ (B) $1 + e - \log_e 2$

(C) $e - \log_e 2$ (D) $1 + \log_e 2$

Open solution

Q57. JEE Main 2022 (Online) 27th July Evening Shift


The area of the region enclosed by $y \leq 4x^2, x^2 \leq 9y$ and $y \leq 4$, is equal to :

(A) $\frac{40}{3}$ (B) $\frac{56}{3}$ (C) $\frac{112}{3}$ (D) $\frac{80}{3}$

Open solution

Q58. JEE Main 2022 (Online) 27th July Evening Shift

Consider a curve $y = y(x)$ in the first quadrant as shown in the figure. Let the area A_1 is twice the area A_2. Then the normal to the curve perpendicular to the line $2x - 12y = 15$ does NOT pass through the point.



(A) (6, 21) (B) (8, 9) (C) (10, −4) (D) (12, −15)

Open solution

Q59. JEE Main 2022 (Online) 27th July Morning Shift

The area of the smaller region enclosed by the curves $y^2 = 8x + 4$ and $x^2 + y^2 + 4\sqrt{3}x - 4 = 0$ is equal to

(A) $\frac{1}{3}(2 - 12\sqrt{3} + 8\pi)$ (B) $\frac{1}{3}(2 - 12\sqrt{3} + 6\pi)$ (C) $\frac{1}{3}(4 - 12\sqrt{3} + 8\pi)$ (D) $\frac{1}{3}(4 - 12\sqrt{3} + 6\pi)$

Open solution

Q60. JEE Main 2022 (Online) 26th July Evening Shift

The area bounded by the curves $y = \left|x^2 - 1\right|$ and $y = 1$ is

(A) $\frac{2}{3}(\sqrt{2} + 1)$ (B) $\frac{4}{3}(\sqrt{2} - 1)$ (C) $2(\sqrt{2} - 1)$ (D) $\frac{8}{3}(\sqrt{2} - 1)$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q61. JEE Main 2022 (Online) 26th July Morning Shift

The odd natural number a, such that the area of the region bounded by y = 1, y = 3, x = 0, x = y^a is $\frac{364}{3}$, is equal to :

(A) 3 (B) 5 (C) 7 (D) 9

Open solution

Q62. JEE Main 2022 (Online) 25th July Morning Shift

The area of the region given by

$A = \{(x, y) : x^2 \leq y \leq \min\{x + 2, 4 - 3x\}\}$ is :

(A) $\frac{31}{8}$ (B) $\frac{17}{6}$ (C) $\frac{19}{6}$ (D) $\frac{27}{8}$

Open solution

Q63. JEE Main 2022 (Online) 25th July Morning Shift

Let the locus of the centre $(\alpha, \beta), \beta > 0$, of the circle which touches the circle $x^2 + (y - 1)^2 = 1$ externally and also touches the x-axis be L. Then the area bounded by L and the line $y = 4$ is:

(A) $\frac{32\sqrt{2}}{3}$ (B) $\frac{40\sqrt{2}}{3}$ (C) $\frac{64}{3}$ (D) $\frac{32}{3}$

Open solution

Q64. JEE Main 2022 (Online) 29th June Morning Shift

The area enclosed by $y^2 = 8x$ and $y = \sqrt{2}x$ that lies outside the triangle formed by $y = \sqrt{2}x$, $x = 1$, $y = 2\sqrt{2}$, is equal to:

(A) $\frac{16\sqrt{2}}{6}$ (B) $\frac{11\sqrt{2}}{6}$ (C) $\frac{13\sqrt{2}}{6}$ (D) $\frac{5\sqrt{2}}{6}$

Open solution

Q65. JEE Main 2022 (Online) 28th June Evening Shift

The area of the bounded region enclosed by the curve

$y = 3 - \left|x - \frac{1}{2}\right| - |x + 1|$ and the x-axis is :

(A) $\frac{9}{4}$ (B) $\frac{45}{16}$ (C) $\frac{27}{8}$ (D) $\frac{63}{16}$

Open solution

Q66. JEE Main 2022 (Online) 28th June Morning Shift

The area of the region S = {(x, y) : $y^2 \leq 8x$, $y \geq \sqrt{2}x$, $x \geq 1$} is

(A) $\frac{13\sqrt{2}}{6}$ (B) $\frac{11\sqrt{2}}{6}$ (C) $\frac{5\sqrt{2}}{6}$ (D) $\frac{19\sqrt{2}}{6}$

Open solution

Q67. JEE Main 2022 (Online) 26th June Evening Shift

The area of the region bounded by $y^2 = 8x$ and $y^2 = 16(3 - x)$ is equal to:

(A) $\frac{32}{3}$ (B) $\frac{40}{3}$ (C) 16 (D) 19

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q68. JEE Main 2022 (Online) 26th June Morning Shift

The area bounded by the curve y = $|x^2 - 9|$ and the line y = 3 is :

(A) $4(2\sqrt{3} + \sqrt{6} - 4)$ (B) $4(4\sqrt{3} + \sqrt{6} - 4)$ (C) $8(4\sqrt{3} + 3\sqrt{6} - 9)$ (D) $8(4\sqrt{3} + 2\sqrt{6} - 9)$

Open solution

Q69. JEE Main 2022 (Online) 25th June Evening Shift

The area of the region enclosed between the parabolas $y^2 = 2x - 1$ and $y^2 = 4x - 3$ is

(A) $\frac{1}{3}$ (B) $\frac{1}{6}$ (C) $\frac{2}{3}$ (D) $\frac{3}{4}$

Open solution

Q70. JEE Main 2021 (Online) 1st September Evening Shift

The area, enclosed by the curves $y = \sin x + \cos x$ and $y = |\cos x - \sin x|$ and the lines $x = 0, x = \frac{\pi}{2}$, is :

(A) $2\sqrt{2}(\sqrt{2} - 1)$ (B) $2(\sqrt{2} + 1)$ (C) $4(\sqrt{2} - 1)$ (D) $2\sqrt{2}(\sqrt{2} + 1)$

Open solution

Q71. JEE Main 2021 (Online) 27th August Evening Shift

The area of the region bounded by the parabola $(y - 2)^2 = (x - 1)$, the tangent to it at the point whose ordinate is 3 and the x-axis is :

(A) 9 (B) 10 (C) 4 (D) 6

Open solution

Q72. JEE Main 2021 (Online) 27th July Evening Shift

The area of the region bounded by y − x = 2 and $x^2 = y$ is equal to :

(A) $\frac{16}{3}$ (B) $\frac{2}{3}$ (C) $\frac{9}{2}$ (D) $\frac{4}{3}$

Open solution

Q73. JEE Main 2021 (Online) 27th July Morning Shift

If the area of the bounded region
$R = \{(x, y) : \max\{0, \log_e x\} \le y \le 2^x, \frac{1}{2} \le x \le 2\}$ is ,
$\alpha(\log_e 2)^{-1} + \beta(\log_e 2) + \gamma$, then the value of $(\alpha + \beta - 2\lambda)^2$ is equal to :

(A) 8 (B) 2 (C) 4 (D) 1

Open solution

Q74. JEE Main 2021 (Online) 25th July Morning Shift

The area (in sq. units) of the region, given by the set $\{(x, y) \in R \times R | x \ge 0, 2x^2 \le y \le 4 - 2x\}$ is :

(A) $\frac{8}{3}$ (B) $\frac{17}{3}$ (C) $\frac{13}{3}$ (D) $\frac{7}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q75. JEE Main 2021 (Online) 18th March Evening Shift

The area bounded by the curve $4y^2 = x^2(4 - x)(x - 2)$ is equal to :

(A) $\frac{\pi}{16}$ (B) $\frac{\pi}{8}$ (C) $\frac{3\pi}{2}$ (D) $\frac{3\pi}{8}$

Open solution

Q76. JEE Main 2021 (Online) 26th February Evening Shift

Let A_1 be the area of the region bounded by the curves y = sinx, y = cosx and y-axis in the first quadrant. Also, let A_2 be the area of the region bounded by the curves y = sinx, y = cosx, x-axis and x = $\frac{\pi}{2}$ in the first quadrant. Then,

(A) $A_1 : A_2 = 1 : \sqrt{2}$ and $A_1 + A_2 = 1$ (B) $A_1 = A_2$ and $A_1 + A_2 = \sqrt{2}$

(C) $2A_1 = A_2$ and $A_1 + A_2 = 1 + \sqrt{2}$ (D) $A_1 : A_2 = 1 : 2$ and $A_1 + A_2 = 1$

Open solution

Q77. JEE Main 2021 (Online) 24th February Evening Shift

The area of the region : $R = \{(x, y) : 5x^2 \le y \le 2x^2 + 9\}$ is :

(A) $6\sqrt{3}$ square units (B) $12\sqrt{3}$ square units

(C) $11\sqrt{3}$ square units (D) $9\sqrt{3}$ square units

Open solution

Q78. JEE Main 2021 (Online) 24th February Morning Shift

The area (in sq. units) of the part of the circle $x^2 + y^2 = 36$, which is outside the parabola $y^2 = 9x$, is :

(A) $12\pi - 3\sqrt{3}$ (B) $24\pi + 3\sqrt{3}$ (C) $24\pi - 3\sqrt{3}$ (D) $12\pi + 3\sqrt{3}$

Open solution

Q79. JEE Main 2020 (Online) 6th September Evening Slot

The area (in sq. units) of the region enclosed
by the curves $y = x^2 - 1$ and $y = 1 - x^2$ is equal to :

(A) $\frac{8}{3}$ (B) $\frac{4}{3}$ (C) $\frac{7}{2}$ (D) $\frac{16}{3}$

Open solution

Q80. JEE Main 2020 (Online) 6th September Morning Slot

The area (in sq. units) of the region
$A = \{(x, y) : |x| + |y| \le 1, 2y^2 \ge |x|\}$

(A) $\frac{1}{6}$ (B) $\frac{5}{6}$ (C) $\frac{1}{3}$ (D) $\frac{7}{6}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q81. JEE Main 2020 (Online) 5th September Evening Slot

The area (in sq. units) of the region

A = {(x, y) : (x − 1)[x] $\leq$ y $\leq 2\sqrt{x}$, 0 $\leq$ x $\leq$ 2}, where [t]

denotes the greatest integer function, is :

Open solution

(A) $\frac{8}{3}\sqrt{2}-1$ (B) $\frac{4}{3}\sqrt{2}+1$

(C) $\frac{8}{3}\sqrt{2}-\frac{1}{2}$ (D) $\frac{4}{3}\sqrt{2}-\frac{1}{2}$

Q82. JEE Main 2020 (Online) 3rd September Morning Slot

The area (in sq. units) of the region

{ (x, y) : 0 $\leq$ y $\leq x^2 + 1$, 0 $\leq$ y $\leq$ x + 1,

$\frac{1}{2} \leq$ x $\leq$ 2 } is :

Open solution

(A) $\frac{79}{16}$ (B) $\frac{79}{24}$ (C) $\frac{23}{6}$ (D) $\frac{23}{16}$

Q83. JEE Main 2020 (Online) 2nd September Evening Slot

Consider a region R = {(x, y) $\in$ R : $x^2 \leq$ y $\leq$ 2x}. if a line y = α divides the area of region R into two equal parts, then which of the following is true?

Open solution

(A) $3\alpha^2 - 8\alpha + 8 = 0$ (B) $\alpha^3 - 6\alpha^{3/2} - 16 = 0$

(C) $3\alpha^2 - 8\alpha^{3/2} + 8 = 0$ (D) $\alpha^3 - 6\alpha^2 + 16 = 0$

Q84. JEE Main 2020 (Online) 2nd September Morning Slot

Area (in sq. units) of the region outside

$\frac{|x|}{2}+\frac{|y|}{3}=1$ and inside the ellipse $\frac{x^2}{4}+\frac{y^2}{9}=1$ is :

Open solution

(A) $6\,(4-\pi)$ (B) $3\,(4-\pi)$ (C) $6\,(\pi-2)$ (D) $3\,(\pi-2)$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q85. JEE Main 2020 (Online) 9th January Evening Slot

Open solution

Given : $f(x) = \begin{cases} x & , \quad 0 \le x < \frac{1}{2} \\ \frac{1}{2} & , \quad x = \frac{1}{2} \\ 1 - x & , \quad \frac{1}{2} < x \le 1 \end{cases}$

and $g(x) = \left(x - \frac{1}{2}\right)^2, x \in R$

Then the area (in sq. units) of the region bounded by the curves, y = f(x) and y = g(x) between the lines, 2x = 1 and 2x = $\sqrt{3}$, is :

(A) $\frac{1}{2} + \frac{\sqrt{3}}{4}$

(B) $\frac{1}{2} - \frac{\sqrt{3}}{4}$

(C) $\frac{1}{3} + \frac{\sqrt{3}}{4}$

(D) $\frac{\sqrt{3}}{4} - \frac{1}{3}$

Q86. JEE Main 2020 (Online) 8th January Evening Slot

Open solution

The area (in sq. units) of the region

$\{(x,y) \in R^2 : x^2 \le y \le 3 - 2x\}$, is :

(A) $\frac{34}{3}$

(B) $\frac{29}{3}$

(C) $\frac{31}{3}$

(D) $\frac{32}{3}$

Q87. JEE Main 2020 (Online) 8th January Morning Slot

Open solution

For a > 0, let the curves $C_1 : y^2 = ax$ and $C_2 : x^2 = ay$ intersect at origin O and a point P. Let the line x = b (0 < b < a) intersect the chord OP and the x-axis at points Q and R, respectively. If the line x = b bisects the area bounded by the curves, C_1 and C_2, and the area of $\Delta OQR = \frac{1}{2}$, then 'a' satisfies the equation :

(A) $x^6 - 12x^3 + 4 = 0$

(B) $x^6 - 12x^3 - 4 = 0$

(C) $x^6 + 6x^3 - 4 = 0$

(D) $x^6 - 6x^3 + 4 = 0$

Q88. JEE Main 2020 (Online) 7th January Evening Slot

Open solution

The area (in sq. units) of the region

$\{(x, y) \in R^2 \mid 4x^2 \le y \le 8x + 12\}$ is :

(A) $\frac{125}{3}$

(B) $\frac{128}{3}$

(C) $\frac{127}{3}$

(D) $\frac{124}{3}$

Q89. JEE Main 2020 (Online) 7th January Morning Slot

Open solution

The area of the region, enclosed by the circle $x^2 + y^2 = 2$ which is not common to the region bounded by the parabola $y^2 = x$ and the straight line y = x, is:

(A) $\frac{1}{6}(24\pi - 1)$

(B) $\frac{1}{3}(12\pi - 1)$

(C) $\frac{1}{3}(6\pi - 1)$

(D) $\frac{1}{6}(12\pi - 1)$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q90. JEE Main 2019 (Online) 12th April Evening Slot

If the area (in sq. units) bounded by the parabola $y^2 = 4\lambda x$ and the line $y = \lambda x$, $\lambda > 0$, is $\frac{1}{9}$, then λ is equal to :

(A) $4\sqrt{3}$ (B) $2\sqrt{6}$ (C) 48 (D) 24

Open solution

Q91. JEE Main 2019 (Online) 12th April Morning Slot

If the area (in sq. units) of the region $\{(x, y) : y^2 \leq 4x, x + y \leq 1, x \geq 0, y \geq 0\}$ is $a\sqrt{2} + b$, then a − b is equal to :

(A) $\frac{8}{3}$ (B) $-\frac{2}{3}$ (C) 6 (D) $\frac{10}{3}$

Open solution

Q92. JEE Main 2019 (Online) 10th April Evening Slot

The area (in sq.units) of the region bounded by the curves $y = 2^x$ and $y = |x + 1|$, in the first quadrant is :

(A) $\frac{1}{2}$ (B) $\frac{3}{2}$
(C) $\frac{3}{2} - \frac{1}{\log_e 2}$ (D) $\log_e 2 + \frac{3}{2}$

Open solution

Q93. JEE Main 2019 (Online) 9th April Evening Slot

The area (in sq. units) of the region
$A = \{(x, y) : \frac{y^2}{2} \leq x \leq y + 4\}$ is :-

(A) 30 (B) 18 (C) $\frac{53}{3}$ (D) 16

Open solution

Q94. JEE Main 2019 (Online) 9th April Morning Slot

The area (in sq. units) of the region

$A = \{(x, y) : x^2 \leq y \leq x + 2\}$ is

(A) $\frac{31}{6}$ (B) $\frac{10}{3}$ (C) $\frac{13}{6}$ (D) $\frac{9}{2}$

Open solution

Q95. JEE Main 2019 (Online) 8th April Evening Slot

Let $S(\alpha) = \{(x, y) : y^2 \leq x, 0 \leq x \leq \alpha\}$ and $A(\alpha)$ is area of the region $S(\alpha)$. If for a λ, $0 < \lambda < 4$, $A(\lambda) : A(4) = 2 : 5$, then λ equals

(A) $2\left(\frac{4}{25}\right)^{\frac{1}{3}}$ (B) $2\left(\frac{2}{5}\right)^{\frac{1}{3}}$
(C) $4\left(\frac{4}{25}\right)^{\frac{1}{3}}$ (D) $4\left(\frac{2}{5}\right)^{\frac{1}{3}}$

Open solution

Q96. JEE Main 2019 (Online) 8th April Morning Slot

The area (in sq. units) of the region
$A = \{(x, y) \in R \times R | \ 0 \leq x \leq 3, 0 \leq y \leq 4, y \leq x^2 + 3x\}$ is :

(A) $\frac{59}{6}$ (B) $\frac{26}{3}$ (C) 8 (D) $\frac{53}{6}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. JEE Main 2019 (Online) 12th January Morning Slot

The area (in sq. units) of the region bounded by the parabola, $y = x^2 + 2$ and the lines, $y = x + 1$, $x = 0$ and $x = 3$, is

(A) $\frac{15}{4}$ (B) $\frac{15}{2}$ (C) $\frac{21}{2}$ (D) $\frac{17}{4}$

Open solution

Q98. JEE Main 2019 (Online) 11th January Evening Slot

The area (in sq. units) in the first quadrant bounded by the parabola, $y = x^2 + 1$, the tangent to it at the point (2, 5) and the coordinate axes is :

(A) $\frac{8}{3}$ (B) $\frac{14}{3}$ (C) $\frac{187}{24}$ (D) $\frac{37}{24}$

Open solution

Q99. JEE Main 2019 (Online) 11th January Morning Slot

The area (in sq. units) of the region bounded by the curve $x^2 = 4y$ and the straight line $x = 4y - 2$ is :

(A) $\frac{3}{4}$ (B) $\frac{5}{4}$ (C) $\frac{7}{8}$ (D) $\frac{9}{8}$

Open solution

Q100. JEE Main 2019 (Online) 10th January Morning Slot

If the area enclosed between the curves $y = kx^2$ and $x = ky^2$, $(k > 0)$, is 1 square unit. Then k is -

(A) $\sqrt{3}$ (B) $\frac{\sqrt{3}}{2}$ (C) $\frac{2}{\sqrt{3}}$ (D) $\frac{1}{\sqrt{3}}$

Open solution

Q101. JEE Main 2019 (Online) 9th January Evening Slot

The area of the region

$A = \{(x, y) : 0 \leq y \leq x|x| + 1 \text{ and } -1 \leq x \leq 1\}$ in sq. units, is :

(A) $\frac{2}{3}$ (B) 2 (C) $\frac{4}{3}$ (D) $\frac{1}{3}$

Open solution

Q102. JEE Main 2019 (Online) 9th January Morning Slot

The area (in sq. units) bounded by the parabola $y = x^2 - 1$, the tangent at the point (2, 3) to it and the y-axis is :

(A) $\frac{56}{3}$ (B) $\frac{32}{3}$ (C) $\frac{8}{3}$ (D) $\frac{14}{3}$

Open solution

Q103. JEE Main 2018 (Online) 16th April Morning Slot

If the area of the region bounded by the curves, $y = x^2, y = \frac{1}{x}$ and the lines y = 0 and x= t (t >1) is 1 sq. unit, then t is equal to :

(A) $e^{\frac{3}{2}}$ (B) $\frac{4}{3}$ (C) $\frac{3}{2}$ (D) $e^{\frac{2}{3}}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q104. JEE Main 2018 (Offline)

Let g(x) = cosx^2, f(x) = $\sqrt{x}$ and $\alpha, \beta\,(\alpha < \beta)$ be the roots of the quadratic equation 18x^2 - 9πx + π^2 = 0. Then the area (in sq. units) bounded by the curve
y = (gof)(x) and the lines $x = \alpha, x = \beta$ and y = 0 is :

(A) $\frac{1}{2}\left(\sqrt{2}-1\right)$ (B) $\frac{1}{2}\left(\sqrt{3}-1\right)$
(C) $\frac{1}{2}\left(\sqrt{3}+1\right)$ (D) $\frac{1}{2}\left(\sqrt{3}-\sqrt{2}\right)$

Open solution

Q105. JEE Main 2018 (Online) 15th April Morning Slot

The area (in sq. units) of the region

{x $\in$ **R** : x $\geq$ 0, y $\geq$ 0, y $\geq$ x $-$ 2 *and* y $\leq \sqrt{x}$}, is :

(A) $\frac{13}{3}$ (B) $\frac{8}{3}$ (C) $\frac{10}{3}$ (D) $\frac{5}{3}$

Open solution

Q106. JEE Main 2017 (Online) 8th April Morning Slot

The area (in sq. units) of the smaller portion enclosed between the curves, x^2 + y^2 = 4 and y^2 = 3x, is :

(A) $\frac{1}{2\sqrt{3}} + \frac{\pi}{3}$ (B) $\frac{1}{\sqrt{3}} + \frac{2\pi}{3}$
(C) $\frac{1}{2\sqrt{3}} + \frac{2\pi}{3}$ (D) $\frac{1}{\sqrt{3}} + \frac{4\pi}{3}$

Open solution

Q107. JEE Main 2017 (Offline)

The area (in sq. units) of the region

$\{(x, y) : x \geq 0, x + y \leq 3, x^2 \leq 4y \,and\, y \leq 1 + \sqrt{x}\}$ is

(A) $\frac{3}{2}$ (B) $\frac{7}{3}$ (C) $\frac{5}{2}$ (D) $\frac{59}{12}$

Open solution

Q108. JEE Main 2016 (Online) 9th April Morning Slot

The area (in sq. units) of the region described by

A= {(x, y) |y$\geq$ x^2 $-$ 5x + 4, x + y $\geq$ 1, y $\leq$ 0} is :

(A) $\frac{7}{2}$ (B) $\frac{19}{6}$ (C) $\frac{13}{6}$ (D) $\frac{17}{6}$

Open solution

Q109. JEE Main 2016 (Offline)

The area (in sq. units) of the region $\{(x, y) : y^2 \geq 2x \;\; and \;\; x^2 + y^2 \leq 4x, x \geq 0, y \geq 0\}$ is :

(A) $\pi - \frac{4\sqrt{2}}{3}$ (B) $\frac{\pi}{2} - \frac{2\sqrt{2}}{3}$
(C) $\pi - \frac{4}{3}$ (D) $\pi - \frac{8}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q110. JEE Main 2015 (Online) 10th April Morning Slot

The area (in square units) of the region bounded by the curves

$y + 2x^2 = 0$ and $y + 3x^2 = 1$, is equal to :

(A) $\frac{3}{5}$ (B) $\frac{3}{4}$ (C) $\frac{1}{3}$ (D) $\frac{4}{3}$

Open solution

Q111. JEE Main 2015 (Offline)

The area (in sq. units) of the region described by

$\{(x, y) : y^2 \leq 2x$ and $y \geq 4x - 1\}$ is :

(A) $\frac{15}{64}$ (B) $\frac{9}{32}$ (C) $\frac{7}{32}$ (D) $\frac{5}{64}$

Open solution

Q112. JEE Main 2014 (Online) 19th April Morning Slot

The area of the region above the x-axis bounded by the curve $y = \tan x$, $0 \leq x \leq \frac{\pi}{2}$ and the tangent to the curve at $x = \frac{\pi}{4}$ is :

(A) $\frac{1}{2}\left(\log 2 - \frac{1}{2}\right)$ (B) $\frac{1}{2}\left(\log 2 + \frac{1}{2}\right)$

(C) $\frac{1}{2}(1 - \log 2)$ (D) $\frac{1}{2}(1 + \log 2)$

Open solution

Q113. JEE Main 2014 (Online) 9th April Morning Slot

Let A = {(x, y) : $y^2 \leq 4x$, $y - 2x \geq -4$}. The area (in square units) of the region A is :

(A) 8 (B) 9 (C) 10 (D) 11

Open solution

Q114. JEE Main 2014 (Offline)

The area of the region described by

$A = \{(x, y) : x^2 + y^2 \leq 1$ and $y^2 \leq 1 - x\}$ is :

(A) $\frac{\pi}{2} - \frac{2}{3}$ (B) $\frac{\pi}{2} + \frac{2}{3}$ (C) $\frac{\pi}{2} + \frac{4}{3}$ (D) $\frac{\pi}{2} - \frac{4}{3}$

Open solution

Q115. JEE Main 2013 (Online) 23th April Morning Slot

The area under the curve $y = |\cos x - \sin x|$, $0 \leq x \leq \frac{\pi}{2}$, and above x-axis is :

(A) $2\sqrt{2}$ (B) $2\sqrt{2} - 2$ (C) $2\sqrt{2} + 2$ (D) 0

Open solution

Q116. JEE Main 2013 (Online) 22th April Morning Slot

The area of the region (in sq. units), in the first quadrant bounded by the parabola $y = 9x^2$ and the lines $x = 0, y = 1$ and $y = 4$, is :

(A) 7/9 (B) 14/3 (C) 7/3 (D) 14/9

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q117. JEE Main 2013 (Online) 9th April Morning Slot

The area bounded by the curve $y = \ln(x)$ and the lines $y = 0$, $y = \ln(3)$ and $x = 0$ is equal to:

(A) 3 (B) $3\ln(3) - 2$ (C) $3\ln(3) + 2$ (D) 2

Open solution

Q118. JEE Main 2013 (Offline)

The area (in square units) bounded by the curves $y = \sqrt{x}$, $2y - x + 3 = 0$, x-axis, and lying in the first quadrant is :

(A) 9 (B) 36 (C) 18 (D) $\frac{27}{4}$

Open solution

Q119. AIEEE 2012 (Online) 26th May

The area bounded by the parabola $y^2 = 4x$ and the line $2x - 3y + 4 = 0$, in square unit, is

(A) $\frac{2}{5}$ (B) $\frac{1}{3}$ (C) 1 (D) $\frac{1}{2}$

Open solution

Q120. AIEEE 2012 (Online) 19th May

The area of the region bounded by the curve $y = x^3$, and the lines, $y = 8$, and $x = 0$, is

(A) 8 (B) 12 (C) 10 (D) 16

Open solution

Q121. AIEEE 2012 (Online) 12th May

The area enclosed by the curves $y = x^2, y = x^3, x = 0$ and $x = p$, where $p > 1$, is $1/6$. Then p equals

(A) $8/3$ (B) $16/3$ (C) 2 (D) $4/3$

Open solution

Q122. AIEEE 2012 (Online) 12th May

If a straight line $y - x = 2$ divides the region $x^2 + y^2 \leq 4$ into two parts, then the ratio of the area of the smaller part to the area of the greater part is

(A) $3\pi - 8 : \pi + 8$ (B) $\pi - 3 : 3\pi + 3$ (C) $3\pi - 4 : \pi + 4$ (D) $\pi - 2 : 3\pi + 2$

Open solution

Q123. AIEEE 2012 (Online) 7th May

The parabola $y^2 = x$ divides the circle $x^2 + y^2 = 2$ into two parts whose areas are in the ratio

(A) $9\pi + 2 : 3\pi - 2$ (B) $9\pi - 2 : 3\pi + 2$ (C) $7\pi - 2 : 2\pi - 3$ (D) $7\pi + 2 : 3\pi + 2$

Open solution

Q124. AIEEE 2012

The area between the parabolas $x^2 = \frac{y}{4}$ and $x^2 = 9y$ and the straight line $y = 2$ is :

(A) $20\sqrt{2}$ (B) $\frac{10\sqrt{2}}{3}$ (C) $\frac{20\sqrt{2}}{3}$ (D) $10\sqrt{2}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q125. AIEEE 2011

The area of the region enclosed by the curves $y = x, x = e, y = \frac{1}{x}$ and the positive x-axis is :

(A) 1 square unit (B) $\frac{3}{2}$ square units

(C) $\frac{5}{2}$ square units (D) $\frac{1}{2}$ square unit

Open solution

Q126. AIEEE 2010

The area bounded by the curves $y = \cos x$ and $y = \sin x$ between the ordinates $x = 0$ and $x = \frac{3\pi}{2}$ is

(A) $4\sqrt{2} + 2$ (B) $4\sqrt{2} - 1$ (C) $4\sqrt{2} + 1$ (D) $4\sqrt{2} - 2$

Open solution

Q127. AIEEE 2009

The area of the region bounded by the parabola $(y-2)^2 = x - 1$, the tangent of the parabola at the point $(2, 3)$ and the x-axis is :

(A) 6 (B) 9 (C) 12 (D) 3

Open solution

Q128. AIEEE 2008

The area of the plane region bounded by the curves $x + 2y^2 = 0$ and $x + 3y^2 = 1$ is equal to :

(A) $\frac{5}{3}$ (B) $\frac{1}{3}$ (C) $\frac{2}{3}$ (D) $\frac{4}{3}$

Open solution

Q129. AIEEE 2007

The area enclosed between the curves $y^2 = x$ and $y = |x|$ is :

(A) $1/6$ (B) $1/3$ (C) $2/3$ (D) 1

Open solution

Q130. AIEEE 2005

The area enclosed between the curve $y = \log_e(x + e)$ and the coordinate axes is :

(A) 1 (B) 2 (C) 3 (D) 4

Open solution

Q131. AIEEE 2005

The parabolas $y^2 = 4x$ and $x^2 = 4y$ divide the square region bounded by the lines $x = 4, y = 4$ and the coordinate axes. If S_1, S_2, S_3 are respectively the areas of these parts numbered from top to bottom ; then S_1, S_2, S_3 is :

(A) $1 : 2 : 1$ (B) $1 : 2 : 3$ (C) $2 : 1 : 2$ (D) $1 : 1 : 1$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q132. AIEEE 2005

Let $f(x)$ be a non - negative continuous function such that the area bounded by the curve $y = f(x)$, x-axis and the ordinates $x = \frac{\pi}{4}$ and $x = \beta > \frac{\pi}{4}$ is $\left(\beta \sin \beta + \frac{\pi}{4} \cos \beta + \sqrt{2}\beta\right)$. Then $f\left(\frac{\pi}{2}\right)$ is

(A) $\left(\frac{\pi}{4} + \sqrt{2} - 1\right)$ (B) $\left(\frac{\pi}{4} - \sqrt{2} + 1\right)$

(C) $\left(1 - \frac{\pi}{4} - \sqrt{2}\right)$ (D) $\left(1 - \frac{\pi}{4} + \sqrt{2}\right)$

Open solution

Q133. AIEEE 2004

The area of the region bounded by the curves
$y = |x - 2|, x = 1, x = 3$ and the x-axis is :

(A) 4 (B) 2 (C) 3 (D) 1

Open solution

Q134. AIEEE 2003

The area of the region bounded by the curves $y = |x - 1|$ and $y = 3 - |x|$ is :

(A) 6 sq. units (B) 2 sq. units (C) 3 sq. units (D) 4 sq. units

Open solution

Q135. AIEEE 2002

The area bounded by the curves $y = \ln x, y = \ln |x|, y = |\ln x|$ and $y = |\ln |x||$ is :

(A) 4sq. units (B) 6sq. units (C) 10sq. units (D) none of these

Open solution

Numerical 47 questions

Q136. JEE Main 2026 (Online) 5th April Evening Shift

Let $f : \mathbf{R} \to \mathbf{R}$ be a function such that $f(x) + 3f\left(\frac{\pi}{2} - x\right) = \sin x, x \in \mathbf{R}$. Let the maximum value of f on $\mathbf{R}$ be α. If the area of the region bounded by the curves $g(x) = x^2$ and $h(x) = \beta x^3, \beta > 0$, is α^2, then $30\beta^3$ is equal to ____ .

Open solution

Q137. JEE Main 2026 (Online) 2nd April Evening Shift

If the area of the region bounded by $16x^2 - 9y^2 = 144$ and $8x - 3y = 24$ is A, then $3(A + 6\log_e(3))$ is equal to _____.

Open solution

Q138. JEE Main 2026 (Online) 23rd January Morning Shift

Let the area of the region bounded by the curve $y = \max\{\sin x, \cos x\}$, lines $x = 0, x = \frac{3\pi}{2}$, and the x-axis be A . Then, $\mathrm{A} + \mathrm{A}^2$ is equal to ____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q139. JEE Main 2025 (Online) 8th April Evening Shift

Let the area of the bounded region $\{(x, y) : 0 \leq 9x \leq y^2, y \geq 3x - 6\}$ be A. Then $6A$ is equal to _____.

Open solution

Q140. JEE Main 2025 (Online) 4th April Morning Shift

If the area of the region $\{(x, y) : |x - 5| \leq y \leq 4\sqrt{x}\}$ is A, then $3A$ is equal to _____.

Open solution

Q141. JEE Main 2025 (Online) 3rd April Morning Shift

The area of the region bounded by the curve $y = \max\{|x|, x|x - 2|\}$, the x-axis and the lines $x = -2$ and $x = 4$ is equal to_____

Open solution

Q142. JEE Main 2025 (Online) 2nd April Morning Shift

If the area of the region $\{(x, y) : |4 - x^2| \leq y \leq x^2, y \leq 4, x \geq 0\}$ is $\left(\frac{80\sqrt{2}}{\alpha} - \beta\right), \alpha, \beta \in \mathbf{N}$, then $\alpha + \beta$ is equal to _____.

Open solution

Q143. JEE Main 2025 (Online) 23rd January Morning Shift

If the area of the larger portion bounded between the curves $x^2 + y^2 = 25$ and $\mathrm{y} = |\mathrm{x} - 1|$ is $\frac{1}{4}(\mathrm{b}\pi + \mathrm{c}), \mathrm{b}, \mathrm{c} \in N$, then $\mathrm{b} + \mathrm{c}$ is equal to _____

Open solution

Q144. JEE Main 2024 (Online) 8th April Morning Shift

Let the area of the region enclosed by the curve $y = \min\{\sin x, \cos x\}$ and the x axis between $x = -\pi$ to $x = \pi$ be A. Then A^2 is equal to _____.

Open solution

Q145. JEE Main 2024 (Online) 5th April Morning Shift

The area of the region enclosed by the parabolas $y = x^2 - 5x$ and $y = 7x - x^2$ is _____.

Open solution

Q146. JEE Main 2024 (Online) 1st February Evening Shift

Three points $\mathrm{O}(0, 0), \mathrm{P}\left(\mathrm{a}, \mathrm{a}^2\right), \mathrm{Q}\left(-\mathrm{b}, \mathrm{b}^2\right), \mathrm{a} > 0,\ \mathrm{b} > 0$, are on the parabola $y = x^2$. Let S_1 be the area of the region bounded by the line PQ and the parabola, and S_2 be the area of the triangle OPQ. If the minimum value of $\frac{\mathrm{S}_1}{\mathrm{S}_2}$ is $\frac{\mathrm{m}}{\mathrm{n}}, \gcd(\mathrm{m}, \mathrm{n}) = 1$, then $\mathrm{m} + \mathrm{n}$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q147. JEE Main 2024 (Online) 1st February Evening Shift

The sum of squares of all possible values of k, for which area of the region bounded by the parabolas $2y^2 = kx$ and $ky^2 = 2(y - x)$ is maximum, is equal to :

Open solution

Q148. JEE Main 2024 (Online) 30th January Evening Shift

The area of the region enclosed by the parabola $(y-2)^2 = x - 1$, the line $x - 2y + 4 = 0$ and the positive coordinate axes is _____.

Open solution

Q149. JEE Main 2024 (Online) 29th January Evening Shift

Let the area of the region $\{(x, y) : 0 \leq x \leq 3, 0 \leq y \leq \min\{x^2 + 2, 2x + 2\}\}$ be A. Then 12 A is equal to _____.

Open solution

Q150. JEE Main 2024 (Online) 29th January Morning Shift

The area (in sq. units) of the part of the circle $x^2 + y^2 = 169$ which is below the line $5x - y = 13$ is $\frac{\pi\alpha}{2\beta} - \frac{65}{2} + \frac{\alpha}{\beta}\sin^{-1}\left(\frac{12}{13}\right)$, where α, β are coprime numbers. Then $\alpha + \beta$ is equal to _____.

Open solution

Q151. JEE Main 2024 (Online) 29th January Morning Shift

If the points of intersection of two distinct conics $x^2 + y^2 = 4b$ and $\frac{x^2}{16} + \frac{y^2}{b^2} = 1$ lie on the curve $y^2 = 3x^2$, then $3\sqrt{3}$ times the area of the rectangle formed by the intersection points is _____.

Open solution

Q152. JEE Main 2024 (Online) 27th January Evening Shift

If the area of the region $\{(x, y) : 0 \leq y \leq \min\{2x, 6x - x^2\}\}$ is A, then 12 A is equal to _____.

Open solution

Q153. JEE Main 2024 (Online) 27th January Morning Shift

Let the area of the region $\{(x, y) : x - 2y + 4 \geqslant 0, x + 2y^2 \geqslant 0, x + 4y^2 \leq 8, y \geqslant 0\}$ be $\frac{\mathrm{m}}{\mathrm{n}}$, where m and n are coprime numbers. Then $\mathrm{m} + \mathrm{n}$ is equal to _____.

Open solution

Q154. JEE Main 2023 (Online) 15th April Morning Shift

If the area bounded by the curve $2y^2 = 3x$, lines $x + y = 3, y = 0$ and outside the circle $(x - 3)^2 + y^2 = 2$ is A, then $4(\pi + 4A)$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q155. JEE Main 2023 (Online) 11th April Evening Shift

If A is the area in the first quadrant enclosed by the curve $\mathrm{C}: 2\mathrm{x}^2 - \mathrm{y} + 1 = 0$, the tangent to C at the point $(1, 3)$ and the line $\mathrm{x} + \mathrm{y} = 1$, then the value of $60\ \mathrm{A}$ is _____.

Open solution

Q156. JEE Main 2023 (Online) 10th April Evening Shift

If the area of the region $\{(x, \mathrm{y}) : |x^2 - 2| \leq y \leq x\}$ is A, then $6\mathrm{A} + 16\sqrt{2}$ is equal to _____.

Open solution

Q157. JEE Main 2023 (Online) 10th April Morning Shift

Let $y = p(x)$ be the parabola passing through the points $(-1, 0), (0, 1)$ and $(1, 0)$. If the area of the region $\{(x, y) : (x + 1)^2 + (y - 1)^2 \leq 1, y \leq p(x)\}$ is A, then $12(\pi - 4A)$ is equal to _____.

Open solution

Q158. JEE Main 2023 (Online) 8th April Evening Shift

Let the area enclosed by the lines $x + y = 2, \mathrm{y} = 0, x = 0$ and the curve $f(x) = \min\left\{x^2 + \frac{3}{4}, 1 + [x]\right\}$ where $[x]$ denotes the greatest integer $\leq x$, be A. Then the value of $12\ \mathrm{A}$ is _____.

Open solution

Q159. JEE Main 2023 (Online) 6th April Morning Shift

If the area of the region $S = \{(x, y) : 2y - y^2 \leq x^2 \leq 2y, x \geq y\}$ is equal to $\frac{n+2}{n+1} - \frac{\pi}{n-1}$, then the natural number n is equal to _____.

Open solution

Q160. JEE Main 2023 (Online) 1st February Morning Shift

Let A be the area bounded by the curve $y = x|x - 3|$, the x-axis and the ordinates $x = -1$ and $x = 2$. Then $12A$ is equal to _____.

Open solution

Q161. JEE Main 2023 (Online) 31st January Evening Shift

Let the area of the region

$\{(x, y) : |2x - 1| \leq y \leq |x^2 - x|, 0 \leq x \leq 1\}$ be A.

Then $(6\ \mathrm{A} + 11)^2$ is equal to

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q162. JEE Main 2023 (Online) 31st January Morning Shift

Let for $x \in \mathbb{R}$,

$f(x) = \frac{x+|x|}{2}$ and $g(x) = \begin{cases} x, & x < 0 \\ x^2, & x \geq 0 \end{cases}$.

Then area bounded by the curve $y = (f \circ g)(x)$ and the lines $y = 0, 2y - x = 15$ is equal to _____.

Open solution

Q163. JEE Main 2023 (Online) 30th January Evening Shift

Let A be the area of the region

$\{(x, y) : y \geq x^2, y \geq (1-x)^2, y \leq 2x(1-x)\}$.

Then 540 A is equal to :

Open solution

Q164. JEE Main 2023 (Online) 30th January Morning Shift

Let α be the area of the larger region bounded by the curve $y^2 = 8x$ and the lines $y = x$ and $x = 2$, which lies in the first quadrant. Then the value of 3α is equal to _____.

Open solution

Q165. JEE Main 2023 (Online) 25th January Morning Shift

If the area enclosed by the parabolas $\mathrm{P_1 : 2y = 5x^2}$ and $\mathrm{P_2 : x^2 - y + 6 = 0}$ is equal to the area enclosed by $\mathrm{P_1}$ and $\mathrm{y = \alpha x, \alpha > 0}$, then α^3 is equal to _____.

Open solution

Q166. JEE Main 2023 (Online) 24th January Evening Shift

If the area of the region bounded by the curves $y^2 - 2y = -x, x + y = 0$ is A, then 8 A is equal to _____

Open solution

Q167. JEE Main 2022 (Online) 30th July Evening Shift

If the area enclosed by the curves $y = x^2, y^3 = x, x = -1$ and $y = x^2, y^3 = x, x = 1$, above the line $x = 2y$ is $\frac{n}{n+1}$, then n is equal to _____.

Open solution

Q168. JEE Main 2022 (Online) 25th July Evening Shift

Let the area enclosed by the x-axis, and the tangent and normal drawn to the curve $4x^3 - 3xy^2 + 6x^2 - 5xy - 8y^2 + 9x + 14 = 0$ at the point $(-2, 3)$ be A. Then 8A is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q169. JEE Main 2022 (Online) 30th June Morning Shift

If for some $\alpha > 0$, the area of the region $\{(x, y) : |x + \alpha| \le y \le 2 - |x|\}$ is equal to $\frac{3}{2}$, then the area of the region $\{(x, y) : 0 \le y \le x + 2\alpha,\ |x| \le 1\}$ is equal to _____.

Open solution

Q170. JEE Main 2022 (Online) 29th June Evening Shift

For real numbers a, b (a > b > 0), let

Area $\left\{(x, y) : x^2 + y^2 \le a^2 \text{ and } \frac{x^2}{a^2} + \frac{y^2}{b^2} \ge 1\right\} = 30\pi$

and

Area $\left\{(x, y) : x^2 + y^2 \ge b^2 \text{ and } \frac{x^2}{a^2} + \frac{y^2}{b^2} \le 1\right\} = 18\pi$

Then, the value of $(a - b)^2$ is equal to _____.

Open solution

Q171. JEE Main 2022 (Online) 27th June Evening Shift

If the area of the region $\left\{(x, y) : x^{\frac{2}{3}} + y^{\frac{2}{3}} \le 1,\ x + y \ge 0,\ y \ge 0\right\}$ is A, then $\frac{256A}{\pi}$ is equal to _____.

Open solution

Q172. JEE Main 2022 (Online) 27th June Morning Shift

Let
$A_1 = \{(x, y) : |x| \le y^2, |x| + 2y \le 8\}$ and
$A_2 = \{(x, y) : |x| + |y| \le k\}$. If 27 (Area A_1) = 5 (Area A_2), then k is equal to :

Open solution

Q173. JEE Main 2022 (Online) 24th June Evening Shift

The area (in sq. units) of the region enclosed between the parabola $y^2 = 2x$ and the line $x + y = 4$ is _____.

Open solution

Q174. JEE Main 2022 (Online) 24th June Morning Shift

Let S be the region bounded by the curves $y = x^3$ and $y^2 = x$. The curve $y = 2|x|$ divides S into two regions of areas R_1, R_2. If max $\{R_1, R_2\} = R_2$, then $\frac{R_2}{R_1}$ is equal to _____.

Open solution

Q175. JEE Main 2021 (Online) 31st August Evening Shift

If the line $y = mx$ bisects the area enclosed by the lines $x = 0$, $y = 0$, $x = \frac{3}{2}$ and the curve $y = 1 + 4x - x^2$, then 12 m is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q176. JEE Main 2021 (Online) 26th August Evening Shift

Let a and b respectively be the points of local maximum and local minimum of the function f(x) = $2x^3 - 3x^2 - 12x$. If A is the total area of the region bounded by y = f(x), the x-axis and the lines x = a and x = b, then 4A is equal to _____.

Open solution

Q177. JEE Main 2021 (Online) 26th August Morning Shift

The area of the region $S = \{(x, y) : 3x^2 \leq 4y \leq 6x + 24\}$ is _____.

Open solution

Q178. JEE Main 2021 (Online) 22th July Evening Shift

The area (in sq. units) of the region bounded by the curves $x^2 + 2y - 1 = 0$, $y^2 + 4x - 4 = 0$ and $y^2 - 4x - 4 = 0$, in the upper half plane is _____.

Open solution

Q179. JEE Main 2021 (Online) 20th July Morning Shift

Let T be the tangent to the ellipse E : $x^2 + 4y^2 = 5$ at the point P(1, 1). If the area of the region bounded by the tangent T, ellipse E, lines x = 1 and x = $\sqrt{5}$ is $\alpha\sqrt{5} + \beta + \gamma \cos^{-1}\left(\frac{1}{\sqrt{5}}\right)$, then $|\alpha + \beta + \gamma|$ is equal to _____.

Open solution

Q180. JEE Main 2021 (Online) 17th March Evening Shift

Let f : $[-3, 1] \to$ R be given as

$$f(x) = \begin{cases} \min\{(x+6), x^2\}, -3 \leq x \leq 0 \\ \max\{\sqrt{x}, x^2\}, \ 0 \leq x \leq 1. \end{cases}$$

If the area bounded by y = f(x) and x-axis is A, then the value of 6A is equal to _____.

Open solution

Q181. JEE Main 2021 (Online) 26th February Morning Shift

The area bounded by the curve y = $||x - 1| - 2|$ and the line y = 2 is _____.

Open solution

Q182. JEE Main 2021 (Online) 25th February Morning Shift

The graphs of sine and cosine functions, intersect each other at a number of points and between two consecutive points of intersection, the two graphs enclose the same area A. Then A^4 is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**	2. **A**	3. **B**	4. **A**	5. **B**
6. **C**	7. **B**	8. **A**	9. **D**	10. **D**
11. **A**	12. **A**	13. **A**	14. **A**	15. **A**
16. **C**	17. **A**	18. **B**	19. **D**	20. **D**
21. **C**	22. **A**	23. **B**	24. **B**	25. **C**
26. **C**	27. **B**	28. **A**	29. **D**	30. **B**
31. **A**	32. **C**	33. **D**	34. **C**	35. **C**
36. **A**	37. **A**	38. **C**	39. **D**	40. **A**
41. **C**	42. **C**	43. **B**	44. **C**	45. **D**
46. **C**	47. **B**	48. **A**	49. **B**	50. **C**
51. **C**	52. **B**	53. **C**	54. **B**	55. **D**
56. **B**	57. **D**	58. **C**	59. **C**	60. **D**
61. **B**	62. **B**	63. **C**	64. **C**	65. **C**
66. **B**	67. **C**	68. **D**	69. **A**	70. **A**
71. **A**	72. **C**	73. **B**	74. **D**	75. **C**
76. **A**	77. **B**	78. **C**	79. **A**	80. **B**
81. **C**	82. **B**	83. **C**	84. **C**	85. **D**
86. **D**	87. **A**	88. **B**	89. **D**	90. **D**
91. **C**	92. **C**	93. **B**	94. **D**	95. **C**
96. **A**	97. **B**	98. **D**	99. **D**	100. **D**
101. **B**	102. **C**	103. **D**	104. **B**	105. **C**
106. **D**	107. **C**	108. **B**	109. **D**	110. **D**
111. **B**	112. **A**	113. **B**	114. **C**	115. **B**
116. **D**	117. **D**	118. **A**	119. **B**	120. **B**
121. **D**	122. **D**	123. **B**	124. **C**	125. **B**
126. **D**	127. **B**	128. **D**	129. **A**	130. **A**
131. **D**	132. **D**	133. **D**	134. **D**	135. **A**

Numerical

136. **16**	137. **24**	138. **12**	139. **15**	140. **368**
141. **12**	142. **22**	143. **77**	144. **16**	145. **198**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

146. **7**	147. **8**	148. **5**	149. **164**	150. **171**
151. **432**	152. **304**	153. **119**	154. **42**	155. **16**
156. **27**	157. **16**	158. **17**	159. **5**	160. **62**
161. **125**	162. **72**	163. **25**	164. **22**	165. **600**
166. **36**	167. **47**	168. **170**	169. **4**	170. **12**
171. **36**	172. **6**	173. **18**	174. **19**	175. **26**
176. **114**	177. **27**	178. **2**	179. **1.25**	180. **41**
181. **8**	182. **64**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs