ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

p-Block Elements

NEET Chemistry · Previous Year Questions with Answer Key

158	50	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	158 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 158 questions

Q1. RE-NEET 2026

Given below are two statements :

Statement-I : Heating NaCl with concentrated H_2SO_4 and MnO_2 results in oxidation of Mn .

Statement-II : Heating NaI with concentrated H_2SO_4 and MnO_2 results in reduction of Mn .

In light of the above statements, choose the most appropriate answer from the options given below.

(A) Statement-I is incorrect but Statement-II is correct

(B) Both Statement-I and Statement-II are correct

(C) Both Statement-I and Statement-II are incorrect

(D) Statement-I is correct but Statement-II is incorrect

Open solution

Q2. RE-NEET 2026

In potash alum, the ratio of $K^+$and SO_4^{2-} ions is

(A) $3:2$ (B) $1:2$ (C) $2:1$ (D) $2:3$

Open solution

Q3. RE-NEET 2026

The correct statement is

(A) Aluminium has five valence orbitals.

(B) Boron has a maximum covalency of four.

(C) Beryllium has three valence orbitals.

(D) Magnesium has a maximum covalency of four.

Open solution

Q4. NEET 2026

Identify the incorrect statement from the following:

(A) Nitrogen can form $p\pi - p\pi$ multiple bonds with itself.

(B) $P(C_2H_5)_3$ and $As(C_6H_5)_3$ form $d\pi - d\pi$ bond with transition metals.

(C) Phosphorus, arsenic and antimony show catenation property.

(D) Nitrogen can form $d\pi - p\pi$ bond with oxygen.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2026

Identify the incorrect statement from the following:

(A) Carbon has the ability to form $p\pi - p\pi$ multiple bond with itself.

(B) $ECl_3 (E = B$ and Al) is a monomer when $E = B$ and a dimer when $E = Al$.

(C) The order of catenation property of Group 14 elements is $C \gg Si > Ge \approx Sn$.

(D) Oxygen exhibits only -2 oxidation state.

Open solution

Q6. NEET 2025

Given below are two statements :

Statement I: Like nitrogen that can form ammonia, arsenic can form arsine.

Statement II: Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Statement I is correct but Statement II is incorrect

(B) Statement I is incorrect but Statement II is correct

(C) Both Statement I and Statement II are correct

(D) Both Statement I and Statement II are incorrect

Open solution

Q7. NEET 2024 (Re-Examination)

Identify the incorrect statement from the following :

(A) The acidic strength of $HX (X = F, Cl, Br$ and $I)$ follows the order: $HF > HCl > HBr > HI$.

(B) Fluorine exhibits -1 oxidation state whereas other halogens exhibit $+1, +3, +5$ and $+7$ oxidation states also.

(C) The enthalpy of dissociation of F_2 is smaller than that of Cl_2.

(D) Fluorine is stronger oxidising agent than chlorine.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2024 (Re-Examination)

Open solution

Match List I with List II:

	List - I Solid salt treated with dil. H_2SO_4		List - II Anion detected
(A)	effervescence of colourless gas	(I)	NO_2^-
(B)	gas with smell of rotten egg	(II)	CO_3^{2-}
(C)	gas with pungent smell	(III)	S^{2-}
(D)	brown fumes	(IV)	SO_3^{2-}

Choose the correct answer from the options given below:

(A) A-II, B-III, C-IV, D-I

(B) A-IV, B-III, C-II, D-I

(C) A-I, B-II, C-III, D-IV

(D) A-II, B-III, C-I, D-IV

Q9. NEET 2024

Open solution

Among Group 16 elements, which one does NOT show -2 oxidation state?

(A) O **(B)** Se **(C)** Te **(D)** Po

Q10. NEET 2024

Open solution

Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.

A. Al^{3+}

B. Cu^{2+}

C. Ba^{2+}

D. Co^{2+}

E. Mg^{2+}

Choose the correct answer from the options given below.

(A) B, A, D, C, E **(B)** B, C, A, D, E **(C)** E, C, D, B, A **(D)** E, A, B, C, D

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2023 Manipur

Open solution

Match the List - I with List - II

	List - I (Hydride)		List - II (Type of Hydride)
(A)	NaH	(I)	Electron precise
(B)	PH_3	(II)	Saline
(C)	GeH_4	(III)	Metallic
(D)	$LaH_{2.87}$	(IV)	Electron rich

Choose the correct answer from the options given below :

(A) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)

(B) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)

(C) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)

(D) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)

Q12. NEET 2023

Open solution

Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A : Helium is used to dilute oxygen in diving apparatus.

Reason R : Helium has high solubility in O_2.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both A and R are true but R is NOT the correct explanation of A.

(B) A is true but R is false.

(C) A is false but R is true.

(D) Both A and R are true and R is the correct explanation of A.

Q13. NEET 2023

Open solution

Match List I with List II:

	List I		List II
(A)	Coke	(I)	Carbon atoms are sp^3 hybridised
(B)	Diamond	(II)	Used as a dry lubricant
(C)	Fullerene	(III)	Used as a reducing agent
(D)	Graphite	(IV)	Cage like molecules

Choose the correct answer from the options given below:

(A) A-IV, B-I, C-II, D-III

(B) A-III, B-I, C-IV, D-II

(C) A-III, B-IV, C-I, D-II

(D) A-II, B-IV, C-I, D-III

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2023

The element expected to form largest ion to achieve the nearest noble gas configuration is

(A) F (B) N (C) Na (D) O

Open solution

Q15. NEET 2023

Taking stability as the factor, which one of the following represents correct relationship?

(A) $InI_3 > InI$ (B) $AlCl > AlCl_3$ (C) $TlI > TlI_3$ (D) $TlCl_3 > TlCl$

Open solution

Q16. NEET 2023

Match List I with List II:

	List I (Oxoacids of Sulphur)		List II (Bonds)
(A)	Peroxodisulphuric acid	(I)	Two S-OH, Four S=O, One S-O-S
(B)	Sulphuric acid	(II)	Two S-OH, One S=O
(C)	Pyrosulphuric acid	(III)	Two S-OH, Four S=O, One S-O-O-S
(D)	Sulphurous acid	(IV)	Two S-OH, Two S=O

Open solution

Choose the correct answer from the options given below:

(A) A-III, B-IV, C-I, D-II (B) A-I, B-III, C-IV, D-II

(C) A-III, B-IV, C-II, D-I (D) A-I, B-III, C-II, D-IV

Q17. NEET 2022 Phase 2

Match List-I with List-II :

	List-I (Compounds)		List-II (Molecular formula)
(a)	Borax	(i)	$NaBO_2$
(b)	Kernite	(ii)	$Na_2B_4O_7 . 4H_2O$
(c)	Orthoboric acid	(iii)	H_3BO_3
(d)	Borax bead	(iv)	$Na_2B_4O_7 . 10H_2O$

Open solution

Choose the correct answer from the options given below :

(A) (a) - (i), (b) - (iii), (c) - (iv), (d) - (ii)

(B) (a) - (iv), (b) - (ii), (c) - (iii), (d) - (i)

(C) (a) - (ii), (b) - (iv), (c) - (iii), (d) - (i)

(D) (a) - (iii), (b) - (i), (c) - (iv), (d) - (ii)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q18. NEET 2022 Phase 2

Open solution

Which of the following reactions is a part of the large scale industrial preparation of nitric acid?

(A) $Cu(NO_3)_2 + 2NO_2 + 2H_2O \xrightarrow[500\ K,\ 9\ bar]{Pt} 4HNO_3 + Cu$

(B) $NaNO_3 + H_2SO_4 \xrightarrow[500\ K,\ 9\ bar]{Pt} NaHSO_4 + HNO_3$

(C) $4NH_3 + 5O_2$ (from air) $\xrightarrow[500\ K,\ 9\ bar]{Pt} 4NO + 6H_2O$

(D) $4HPO_3 + 2N_2O_5 \xrightarrow[500\ K,\ 9\ bar]{Pt} 4HNO_3 + P_4O_{10}$

Q19. NEET 2022 Phase 2

Open solution

$Na_2B_4O_7 \xrightarrow{heat} X + NaBO_2$

in the above reaction the product "X" is :

(A) NaB_3O_5 (B) H_3BO_3 (C) B_2O_3 (D) $Na_2B_2O_5$

Q20. NEET 2022 Phase 2

Open solution

Fluorine is a stronger oxidising agent than chlorine because :

(a) F-F bond has a low enthalpy of dissociation.

(b) Fluoride ion (F^-) has high hydration enthalpy.

(c) Electron gain enthalpy of fluorine is less negative than chlorine.

(d) Fluorine has a very small size.

Choose the most appropriate answer from the options given :

(A) (b) and (c) only (B) (a) and (b) only (C) (a) and (c) only (D) (a) and (d) only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2022 Phase 1

Open solution

Match List-I with List-II.

	List - I (Hydrides)		List - II (Nature)
(a)	MgH_2	(i)	Electron precise
(b)	GeH_4	(ii)	Electron deficient
(c)	B_2H_6	(iii)	Electron rich
(d)	HF	(iv)	Ionic

Choose the correct answer from the options given below:

(A) (a) - (iv), (b) - (i), (c) - (ii), (d) - (iii)

(B) (a) - (iii), (b) - (i), (c) - (ii), (d) - (iv)

(C) (a) - (i), (b) - (ii), (c) - (iv), (d) - (iii)

(D) (a) - (ii), (b) - (iii), (c) - (iv), (d) - (i)

Q22. NEET 2022 Phase 1

Open solution

Which of the following statement is not correct about diborane?

(A) There are two 3-centre-2-eletron bonds.

(B) The four terminal B-H bonds are two centre two electron bonds.

(C) The four terminal Hydrogen atoms and the two Boron atoms lie in one plane.

(D) Both the Boron atoms are sp^2 hybridised.

Q23. NEET 2022 Phase 1

Open solution

Given below are two statements

Statement I : The boiling points of the following hydrides of group 16 elements increases in the order -

$H_2O < H_2S < H_2Se < H_2Te$

Statement II : The boiling points of these hydrides increase with increase in molar mass.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Both Statement I and Statement II are correct

(B) Both Statement I and Statement II are incorrect

(C) Statement I is correct but Statement II is incorrect

(D) Statement I is incorrect but Statement II is correct

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q24. NEET 2021

Statement I : Acid strength increases in the order given as HF << HCl << HBr << HI.

Statement II : As the size of the elements, F, Cl, Br, I increases down the group, the bond strength of HF, HCl, HBr and HI decreases and so the acid strength increases.

In the light of the above statements, choose the correct answer from the options given below.

(A) Statement I is incorrect but Statement II is true.

(B) Both Statement I and Statement II are true.

(C) Both Statement I and Statement II are false.

(D) Statement I is correct but Statement II is false.

Open solution

Q25. NEET 2021

Noble gases are named because of their inertness towards reactivity. Identify an incorrect statement about them.

(A) Noble gases have large positive values of electron gain enthalpy

(B) Noble gases are sparingly soluble in water

(C) Noble gases have very high melting and boiling points

(D) Noble gases have weak dispersion forces

Open solution

Q26. NEET 2021

In which one of the following arrangements the given sequence is not strictly according to the properties indicated against it?

(A) $CO_2 < SiO_2 < SnO_2 < PbO_2$: Increasing oxidizing order

(B) HF < HCl < HBr < HI : Increasing acidic strength

(C) $H_2O < H_2S < H_2Se < H_2Te$: Increasing pK_a values

(D) $NH_3 < PH_3 < AsH_3 < SbH_3$: Increasing acidic character

Open solution

Q27. NEET 2020 Phase 2

The reaction of concentrated sulphuric acid with carbohydrates ($C_{12}H_{22}O_{11}$) is an example of

(A) Sulphonation (B) Dehydration (C) Oxidation (D) Reduction

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. NEET 2020 Phase 2

Open solution

Match the compounds of Xe in column I with the molecular structure in column II.

Column I	Column II
(a) XeF_2	(i) Square planar
(b) XeF_4	(ii) Linear
(c) XeO_3	(iii) Square pyramidal
(d) $XeOF_4$	(iv) Pyramidal

(A) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
(B) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)
(C) (a)-(ii) (b)-(iv) (c)-(iii) (d)-(i)
(D) (a)-(ii) (b)-(iii) (c)-(i) (d)-(iv)

Q29. NEET 2020 Phase 2

Open solution

Which of the following oxide is amphoteric in nature?

(A) CO_2 **(B)** SnO_2 **(C)** SiO_2 **(D)** GeO_2

Q30. NEET 2020 Phase 1

Open solution

Which of the following is not correct about carbon monoxide?

(A) It reduces oxygen carrying ability of blood.
(B) The carboxyhemoglobin (haemoglobin bound to CO) is less stable than oxyhaemoglobin.
(C) It produced due to incomplete combustion.
(D) It forms carboxyhaemoglobin.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q31. NEET 2020 Phase 1

Match the following and identify the correct option.

(A)	$CO(g) + H_2(g)$	(i)	$Mg(HCO_3)_2 + Ca(HCO_3)_2$
(B)	Temporary hardness of water	(ii)	An electron deficient hydride
(C)	B_2H_6	(iii)	Synthesis gas
(D)	H_2O_2	(iv)	Non-planar structure

Open solution

(A)

(A)	(B)	(C)	(D)
(iii)	(ii)	(i)	(iv)

(B)

(A)	(B)	(C)	(D)
(iii)	(iv)	(ii)	(i)

(C)

(A)	(B)	(C)	(D)
(i)	(iii)	(ii)	(iv)

(D)

(A)	(B)	(C)	(D)
(iii)	(i)	(ii)	(iv)

Q32. NEET 2020 Phase 1

Identify the correct statements from the following :

(A) $CO_2(g)$ is used as refrigerant for ice-cream and frozen food.

(B) The structure of C_{60} contains twelve six-carbon rings and twenty five carbon rings.

(C) ZSM-5, a type of zeolite, is used to convert alcohols into gasoline.

(D) CO is colourless and odourless gas.

Open solution

(A) (A) and (C) only

(B) (B) and (C) only

(C) (C) and (D) only

(D) (A), (B) and (C) only

Q33. NEET 2020 Phase 1

Which of the following oxoacid of sulphur has $-O-O-$ linkage?

Open solution

(A) H_2SO_4, sulphuric acid

(B) $H_2S_2O_8$, peroxodisulphuric acid

(C) $H_2S_2O_7$, pyrosulphuric acid

(D) H_2SO_3, sulphurous acid

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. NEET 2019 (Odisha)

Aluminium chloride in acidified aqueous solution forms a complex 'A', in which hybridisation state of Al is 'B'. What are 'A' and 'B', respectively?

(A) $[Al(H_2O)_6]^{3+}$, d^2sp^3
(B) $[Al(H_2O)_6]^{3+}$, sp^3d^2
(C) $[Al(H_2O)_4]^{3+}$, sp^3
(D) $[Al(H_2O)_4]^{3+}$, dsp^2

Open solution

Q35. NEET 2019 (Odisha)

Which of the following compounds is used in cosmetic surgery?

(A) Zeolites
(B) Silica
(C) Silicates
(D) Silicones

Open solution

Q36. NEET 2019 (Odisha)

A compound 'X' upon reaction with H_2O produces a colorless gas 'Y' with rotten fish smell. Gas 'Y' is absorbed in a solution of $CuSO_4$ to give Cu_3P_2 as one of the products. Predict the compound 'X'.

(A) $Ca_3(PO_4)_2$
(B) Ca_3P_2
(C) NH_4Cl
(D) As_2O_3

Open solution

Q37. NEET 2019 (Odisha)

Which of the following oxoacids of phosphorus has strongest reducing property?

(A) H_3PO_4
(B) $H_4P_2O_7$
(C) H_3PO_3
(D) H_3PO_2

Open solution

Q38. NEET 2019 (Odisha)

Identify the correct formula of 'oleum' from the following.

(A) $H_2S_2O_8$
(B) $H_2S_2O_7$
(C) H_2SO_3
(D) H_2SO_4

Open solution

Q39. NEET 2019

Which of the following is **incorrect** statement?

(A) GeX_4(X = F, Cl, Br, I) is more stable than GeX_2
(B) SnF_4 is ionic in nature
(C) PbF_4 is covalent in nature
(D) $SiCl_4$ is easily hydrolysed

Open solution

Q40. NEET 2019

Which of the following species is **not** stable?

(A) $[Sn(OH)_6]^{2-}$
(B) $[SiCl_6]^{2-}$
(C) $[SiF_6]^{2-}$
(D) $[GeCl_6]^{2-}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. NEET 2019

Which is the correct thermal stability order for H_2E (E = O, S, Se, Te and Po)?

(A) $H_2Po < H_2Te < H_2Se < H_2S < H_2O$

(B) $H_2Se < H_2Te < H_2Po < H_2O < H_2S$

(C) $H_2S < H_2O < H_2Se < H_2Te < H_2Po$

(D) $H_2O < H_2S < H_2Se < H_2Te < H_2Po$

Open solution

Q42. NEET 2019

Match the following :

(a) Pure nitrogen	(i) Chlorine
(b) Haber process	(ii) Sulphuric acid
(c) Contact process	(iii) Ammonia
(d) Deacon's process	(iv) Sodium azide or Barium azide

Open solution

Which of the following is the correct option?

(A)

(a)	(b)	(c)	(d)
(iii)	(iv)	(ii)	(i)

(B)

(a)	(b)	(c)	(d)
(iv)	(iii)	(ii)	(i)

(C)

(a)	(b)	(c)	(d)
(i)	(ii)	(iii)	(iv)

(D)

(a)	(b)	(c)	(d)
(ii)	(iv)	(i)	(iii)

Q43. NEET 2019

Identify the incorrect statement related to PCl_5 from the following :

(A) Axial P–Cl bonds are longer than equatorial P–Cl bonds

(B) PCl_5 molecule is non-reactive

(C) Three equatorial P–Cl bonds make an angle of 120° with each other

(D) Two axial P–Cl bonds make an angle of 180° with each other

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q44. NEET 2019

Open solution

Match the Xenon compounds in Column-I with its structure in Column-II and assign the correct code :

Column-I	Column-II
(a) XeF_4	(i) pyramidal
(b) XeF_6	(ii) square planar
(c) $XeOF_4$	(iii) distorted octahedral
(d) XeO_3	(iv) square pyramidal

(A)

(a)	(b)	(c)	(d)
(ii)	(iii)	(i)	(iv)

(B)

(a)	(b)	(c)	(d)
(iii)	(iv)	(i)	(ii)

(C)

(a)	(b)	(c)	(d)
(i)	(ii)	(iii)	(iv)

(D)

(a)	(b)	(c)	(d)
(ii)	(iii)	(iv)	(i)

Q45. NEET 2018

Open solution

Which one of the following elements is unable to form MF_6^{3-} ion?

(A) Ga (B) Al (C) B (D) In

Q46. NEET 2018

Open solution

Which of the following statements is not true for halogens?

(A) All are oxidizing agents.

(B) All form monobasic oxyacids.

(C) All but fluorine show positive oxidation states.

(D) Chlorine has the highest electron-gain enthalpy.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q47. NEET 2017

It is because of inability of ns^2 electrons of the valence shell to participate in bonding that

(A) Sn^{2+} is oxidising while Pb^{4+} is reducing

(B) Sn^{2+} and Pb^{2+} are both oxidising and reducing

(C) Sn^{4+} is reducing while Pb^{4+} is oxidising

(D) Sn^{2+} is reducing while Pb^{4+} is oxidising

Open solution

Q48. NEET 2017

Match the interhalogen compounds of column-I with the geometry in column-II and assign the correct code.

Open solution

Column I			Column II	
(A)	XX'		(i)	T-shape
(B)	XX'_3		(ii)	Pentagonal bipyramidal
(C)	XX'_5		(iii)	Linear
(D)	XX'_7		(iv)	Square pyramidal
			(v)	Tetrahedral

(A) (A) $\rightarrow$ (iii); (B) $\rightarrow$ (i); (C) $\rightarrow$ (iv); (D) $\rightarrow$ (ii)

(B) (A) $\rightarrow$ (v); (B) $\rightarrow$ (iv); (C) $\rightarrow$ (iii); (D) $\rightarrow$ (ii)

(C) (A) $\rightarrow$ (iv); (B) $\rightarrow$ (iii); (C) $\rightarrow$ (ii); (D) $\rightarrow$ (i)

(D) (A) $\rightarrow$ (iii); (B) $\rightarrow$ (iv); (C) $\rightarrow$ (i); (D) $\rightarrow$ (ii)

Q49. NEET 2017

In which pair of ions both the species contain S – S bond?

(A) $S_4O_6^{2-}, S_2O_3^{2-}$ (B) $S_2O_7^{2-}, S_2O_8^{2-}$ (C) $S_4O_6^{2-}, S_2O_7^{2-}$ (D) $S_2O_7^{2-}, S_2O_3^{2-}$

Open solution

Q50. NEET 2016 Phase 2

Boric acid is an acid because its molecule

(A) contains replaceable H^+ ion

(B) gives up a proton

(C) accepts OH^- from water releasing proton

(D) combines with proton from water molecule.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q51. NEET 2016 Phase 2

AlF_3 is soluble in HF only in presence of KF. It is due to the formation of

(A) $K_3[AlF_3H_3]$ (B) $K_3[AlF_6]$ (C) AlH_3 (D) $K[AlF_3H]$

Open solution

Q52. NEET 2016 Phase 1

Match the compounds given in column I with the hybridisation and shape given in column II and mark the correct option

Open solution

Column I			Column II	
(A)	XeF_6		(i)	distorted octahedral
(B)	XeO_3		(ii)	square planar
(C)	$XeOF_4$		(iii)	pyramidal
(D)	XeF_4		(iv)	square pyramidal

(A) (A) → (iv); (B) → (iii); (C) → (i); (D) → (ii)

(B) (A) → (iv); (B) → (i); (C) → (ii); (D) → (iii)

(C) (A) → (i); (B) → (iii); (C) → (iv); (D) → (ii)

(D) (A) → (i); (B) → (ii); (C) → (iv); (D) → (iii)

Q53. NEET 2016 Phase 1

Which is the correct statement for the given acids?

Open solution

(A) Phosphinic acid is a monoprotic acid while phosphonic acid is a diprotic acid.

(B) Phosphinic acid is a diprotic acid while phosphonic acid is a monoprotic acid.

(C) Both are diprotic acids.

(D) Both are triprotic acids.

Q54. NEET 2016 Phase 1

Which one of the following orders is correct for the bond dissociation enthalpy of halogen molecules?

Open solution

(A) $Br_2 > I_2 > F_2 > Cl_2$ (B) $F_2 > Cl_2 > Br_2 > I_2$

(C) $I_2 > Br_2 > Cl_2 > F_2$ (D) $Cl_2 > Br_2 > F_2 > I_2$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q55. NEET 2016 Phase 1

When copper is heated with conc. HNO_3 it produces

(A) $Cu(NO_3)_2$, NO and NO_2

(B) $Cu(NO_3)_2$ and N_2O

(C) $Cu(NO_3)_2$ and NO_2

(D) $Cu(NO_3)_2$ and NO

Open solution

Q56. NEET 2016 Phase 1

Among the following the correct order of acidity is

(A) $HClO_2 < HClO < HClO_3 < HClO_4$

(B) $HClO_4 < HClO_2 < HClO < HClO_3$

(C) $HClO_3 < HClO_4 < HClO_2 < HClO$

(D) $HClO < HClO_2 < HClO_3 < HClO_4$

Open solution

Q57. AIPMT 2015

The stability of +1 oxidation state among Al, Ga, In and Tl increases in the sequence

(A) Al < Ga < In < Tl

(B) Tl < In < Ga < Al

(C) In < Tl < Ga < Al

(D) Ga < In < Al < Tl

Open solution

Q58. AIPMT 2015

Strong reducing behavior of H_3PO_2 is due to

(A) high electron gain enthalpy of phosphorus

(B) high oxidation state of phosphorus

(C) presence of two –OH groups and one P–H bond

(D) presence of one –OH group and two P–H bonds.

Open solution

Q59. AIPMT 2015

The variation of the boiling points of the hydrogen halides is in the order HF > HI > HBr > HCl.

What explains the higher boiling point of hydrogen fluoride?

(A) There is strong hydrogen bonding between HF molecules.

(B) The bond energy of HF molecules is greater than in other hydrogen halides.

(C) The effect of nuclear shielding is much reduced in fluorine which polarises the HF molecule.

(D) The electronegativity of fluorine is much higher than for other elements in the group.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q60. AIPMT 2015

Which of the statements given below is incorrect?

(A) O_3 molecule is bent.

(B) ONF is isoelectronic with O_2N^-

(C) OF_2 is an oxide of fluorine.

(D) Cl_2O_7 is an anhydride of perchloric acid.

Open solution

Q61. AIPMT 2015

The formation of the oxide ion, $O^{2-}_{(g)}$ from oxygen atom requires first an exothermic and then an endothermic step as shown below:

$O_{(g)} + e^- \rightarrow O^-_{(g)}$; $\Delta_f H^o = -141$ kJ mol^{-1}

$O^-_{(g)} + e^- \rightarrow O^{2-}_{(g)}$; $\Delta_f H^o = +780$ kJ mol^{-1}

Thus, process of formation of O^{2-} in gas phase is unfavourable even though O^{2-} is isoelectronic with neon. It is due to the fact that,

(A) O^- ion has comparatively smaller size than oxygen atom

(B) oxygen is more electronegative

(C) addition of electron in oxygen results in larger size of the ion

(D) electron repulsion outweighs the stability gained by achieving noble gas configuration.

Open solution

Q62. AIPMT 2015 Cancelled Paper

Nitrogen dioxide and sulphur dioxide have some properties in common . Which property is shown by one of these compounds , but not by the other?

(A) Is soluble in water.

(B) Is used as a food preservative.

(C) Forms 'acid-rain'.

(D) Is a reducing agent.

Open solution

Q63. AIPMT 2014

Acidity of diprotic acids in aqueous solutions increases in the order

(A) $H_2S < H_2Se < H_2Te$

(B) $H_2Se < H_2S < H_2Te$

(C) $H_2Te < H_2S < H_2Se$

(D) $H_2Se < H_2Te < H_2S$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q64. NEET 2013 (Karnataka)

Which statement is wrong?

(A) Beryl is an example of cyclic silicate.

(B) Mg_2SiO_4 is orthosilicate.

(C) Basic structural unit in silicates is the SiO_4 tetrahedron.

(D) Feldspars are not aluminosilicates.

Open solution

Q65. NEET 2013 (Karnataka)

Identify the incorrect statement, regarding the molecule XeO_4 :

(A) XeO_4 molecule is square planar.

(B) There are four $p\pi$ - $d\pi$ bonds.

(C) There are four sp^3 - p, σ bonds.

(D) XeO_4 molecule is tetrahedral.

Open solution

Q66. NEET 2013

Which of the following structure is similar to graphite?

(A) B_4C

(B) B_2H_6

(C) BN

(D) B

Open solution

Q67. NEET 2013

Which of these is not a monomer for a high molecular mass silicone polymer?

(A) Me_3SiCl

(B) $PhSiCl_3$

(C) $MeSiCl_3$

(D) Me_2SiCl_2

Open solution

Q68. NEET 2013

The basic structural unit of silicates is

(A) SiO_3^{2-}

(B) SiO_4^{2-}

(C) SiO^-

(D) SiO_4^{4-}

Open solution

Q69. NEET 2013

Which is the strongest acid in the following?

(A) $HClO_4$

(B) H_2SO_3

(C) H_2SO_4

(D) $HClO_3$

Open solution

Q70. NEET 2013

Which one of the following molecules contains no π bond?

(A) SO_2

(B) NO_2

(C) CO_2

(D) H_2O

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q71. NEET 2013

Which of the following does not give oxygen on heating?

(A) $K_2Cr_2O_7$ (B) $(NH_4)_2Cr_2O_7$ (C) $KClO_3$ (D) $Zn(ClO_3)_2$

Open solution

Q72. AIPMT 2012 Mains

In which of the following arrangements the given sequence is not strictly according to the property indicated against it?

(A) HF < HCl < HBr < HI : increasing acidic strength

(B) $H_2O < H_2S < H_2Se < H_2Te$: increasing pK_a values

(C) $NH_3 < PH_3 < AsH_3 < SbH_3$: increasing acidic character

(D) $CO_2 < SiO_2 < SnO_2 < PbO_2$: increasing oxidising power

Open solution

Q73. AIPMT 2012 Prelims

In which of the following compounds, nitrogen exhibits highest oxidation state?

(A) N_2H_4 (B) NH_3 (C) N_3H (D) NH_2OH

Open solution

Q74. AIPMT 2012 Prelims

Which of the following statements is not valid for oxoacids of phosphorus?

(A) Orthophosphoric acid is used in the manufacture of triple superphosphate.

(B) Hypophosphorous acid is a diprotic acid.

(C) All oxoacids contain tetrahedral four coordinated phosphorus.

(D) All oxoacids contain atleast one P=O unit and one P−OH group.

Open solution

Q75. AIPMT 2012 Prelims

Sulphur trioxide can be obtained by which of the following reaction?

(A) $CaSO_4 + C \xrightarrow{\Delta}$ (B) $Fe_2(SO_4)_3 \xrightarrow{\Delta}$

(C) $S + H_2SO_4 \xrightarrow{\Delta}$ (D) $H_2SO_4 + PCl_5 \xrightarrow{\Delta}$

Open solution

Q76. AIPMT 2011 Mains

Which of the following statements is incorrect?

(A) Pure sodium metal dissolves in liquid ammonia to give blue solution.

(B) NaOH reacts with glass to give sodium silicate.

(C) Aluminium reacts with excess NaOH to give $Al(OH)_3$.

(D) $NaHCO_3$ on heating gives Na_2CO_3.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q77. AIPMT 2011 Mains

Which of the following oxide is amphoteric?

(A) SnO_2 (B) CaO (C) SiO_2 (D) CO_2

Open solution

Q78. AIPMT 2011 Prelims

The Lassaigne's extract is boiled with conc. HNO_3 while testing for halogens. By doing so it

(A) decomposes Na_2S and NaCN, formed (B) helps in the precipitation of AgCl

(C) increases the solubility product of AgCl (D) increases the concentration of N_3^- ions

Open solution

Q79. AIPMT 2011 Prelims

Name the two type of the structure of silicate in which one oxygen atom of $[SiO_4]^{4-}$ is shared?

(A) Linear chain silicate (B) Sheet silicate

(C) Pyrosilicate (D) Three dimensional

Open solution

Q80. AIPMT 2010 Mains

How many bridging oxygen atoms are present in P_4O_{10}?

(A) 6 (B) 4 (C) 2 (D) 5

Open solution

Q81. AIPMT 2010 Prelims

Which one of the following molecular hydrides acts as a Lewis acid?

(A) NH_3 (B) H_2O (C) B_2H_6 (D) CH_4

Open solution

Q82. AIPMT 2010 Prelims

The tendency of BF_3, BCl_3 and BBr_3 to behave as Lewis acid decreases in the sequence

(A) $BCl_3 > BF_3 > BBr_3$ (B) $BBr_3 > BCl_3 > BF_3$

(C) $BBr_3 > BF_3 > BCl_3$ (D) $BF_3 > BCl_3 > BBr_3$

Open solution

Q83. AIPMT 2010 Prelims

Oxidation states of P in $H_4P_2O_5$, $H_4P_2O_6$, $H_4P_2O_7$ are respectively

(A) +3, +5, +4 (B) +5, +3, +4 (C) +5, +4, +3 (D) +3, +4, +5

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q84. AIPMT 2010 Prelims

The correct order of increasing bond angles in the following species is

(A) $Cl_2O < ClO_2 < ClO_2^-$

(B) $ClO_2 < Cl_2O < ClO_2^-$

(C) $Cl_2O < ClO_2^- < ClO_2$

(D) $ClO_2^- < Cl_2O < ClO_2$

Open solution

Q85. AIPMT 2009

The stability of +1 oxidation state among Al, Ga, In and Tl increases in the sequence

(A) Al < Ga < In < Tl

(B) Tl < In < Ga < Al

(C) In < Tl < Ga < Al

(D) Ga < In < Al < Tl

Open solution

Q86. AIPMT 2009

The straight chain polymer is formed by

(A) hydrolysis of CH_3SiCl_3 followed by condensation polymerisation

(B) hydrolysis of $(CH_3)_4Si$ by addition polymerisation

(C) hydrolysis of $(CH_3)_2SiCl_2$ followed by condensation polymerisation

(D) hydrolysis of $(CH_3)_3SiCl$ followed by condensation polymerisation.

Open solution

Q87. AIPMT 2009

Among the following which is the strongest oxidising agent?

(A) Br_2 (B) I_2 (C) Cl_2 (D) F_2

Open solution

Q88. AIPMT 2008

The angular shape of ozone molecule (O_3) consists of

(A) 1σ and 1π bond

(B) 2σ and 1π bond

(C) 1σ and 2π bonds

(D) 2σ and 2π bonds

Open solution

Q89. AIPMT 2007

Which of the following oxidation states are the most characteristic for lead and tin respectively?

(A) +2, +4 (B) +4, +4 (C) +2, +2 (D) +4, +2

Open solution

Q90. AIPMT 2007

Which of the following anions is present in the chain structure of silicates?

(A) $(Si_2O_5^{2-})_n$ (B) $(SiO_3^{2-})_n$ (C) SiO_4^{4-} (D) $Si_2O_7^{6-}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q91. AIPMT 2007

Which one of the following orders correctly represents the increasing acid strengths of the given acids?

(A) $HOClO < HOCl < HOClO_3 < HOClO_2$

(B) $HOClO_2 < HOClO_3 < HOClO < HOCl$

(C) $HOClO_3 < HOClO_2 < HOClO < HOCl$

(D) $HOCl < HOClO < HOClO_2 < HOClO_3$

Open solution

Q92. AIPMT 2006

Which of the following is the most basic oxide?

(A) SeO_2 (B) Al_2O_3 (C) Sb_2O_3 (D) Bi_2O_3

Open solution

Q93. AIPMT 2006

The correct order regarding the electronegativity of hybrid orbitals of carbon is

(A) $sp < sp^2 < sp^3$ (B) $sp > sp^2 < sp^3$ (C) $sp > sp^2 > sp^3$ (D) $sp < sp^2 > sp^3$

Open solution

Q94. AIPMT 2006

In which of the following molecules are all the bonds are not equal?

(A) NF_3 (B) ClF_3 (C) BF_3 (D) AlF_3

Open solution

Q95. AIPMT 2006

Al_2O_3 can be converted to anhydrous $AlCl_3$ by heating

(A) Al_2O_3 with HCl gas

(B) Al_2O_3 with $NaCl$ in solid state

(C) a mixture of Al_2O_3 and carbon in dry Cl_2 gas

(D) Al_2O_3 with Cl_2 gas

Open solution

Q96. AIPMT 2005

Which one of the following oxides is expected to exhibit paramagnetic behaviour?

(A) CO_2 (B) SiO_2 (C) SO_2 (D) ClO_2

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. AIPMT 2005

What is the correct relationship between the pH of isomolar solutions of sodium oxide, Na_2O (pH_1), sodium sulphide, Na_2S (pH_2), sodium selenide, Na_2Se (pH_3) and sodium telluride Na_2Te (pH_4)?

Open solution

(A) $pH_1 > pH_2 > pH_3 > pH_4$

(B) $pH_1 > pH_2 \approx pH_3 > pH_4$

(C) $pH_1 < pH_2 < pH_3 < pH_4$

(D) $pH_1 < pH_2 < pH_3 \approx pH_4$

Q98. AIPMT 2005

Which one of the following orders correctly represents the increasing acid strengths of the given acids?

Open solution

(A) $HOClO < HOCl < HOClO_3 < HOClO_2$

(B) $HOClO_3 < HOClO_2 < HOClO < HOCl$

(C) $HOClO_2 < HOClO_3 < HOClO < HOCl$

(D) $HOCl < HOClO < HOClO_2 < HOClO_3$

Q99. AIPMT 2005

Which of the following is the electron deficient molecule?

Open solution

(A) B_2H_6 (B) C_2H_6 (C) PH_3 (D) SiH_4

Q100. AIPMT 2004

Which one of the following statements about the zeolite is false?

Open solution

(A) They are used as cation exchangers.

(B) They have open structure which enables them to take up small molecules.

(C) Zeolites are aluminosilicates having three dimensional network.

(D) Some of the SiO_4^{4-} units are replaced by AlO_4^{5-} and AlO_6^{9-} ions in zeolites.

Q101. AIPMT 2004

Among K, Ca, Fe and Zn, the element which can form more than one binary compound with chlorine is

Open solution

(A) Fe (B) Zn (C) K (D) Ca

Q102. AIPMT 2003

Which one of the following statements is not true?

Open solution

(A) Among halide ions, iodide is the most powerful reducing agent.

(B) Fluorine is the only halogen that does not show a variable oxidation state.

(C) HOCl is a stronger acid than HOBr.

(D) HF is a stronger acid than HCl.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q103. AIPMT 2003

Which one of the following compounds is not a protonic acid?

(A) $B(OH)_3$ (B) $PO(OH)_3$ (C) $SO(OH)_2$ (D) $SO_2(OH)_2$

Open solution

Q104. AIPMT 2002

Which of the following statement is true?

(A) Silicon exhibits 4 coordination number in its compound.

(B) Bond energy of F_2 is less than Cl_2.

(C) Mn(III) oxidation state is more stable than Mn(II) in aqueous state.

(D) Elements of 15th group shows only + 3 and +5 oxidation states.

Open solution

Q105. AIPMT 2002

In borax bead test which compound is formed?

(A) *ortho* borate (B) *meta* borate (C) double oxide (D) tetra borate

Open solution

Q106. AIPMT 2000

Which compound is electron deficient?

(A) $BeCl_2$ (B) BCl_3 (C) CCl_4 (D) PCl_5

Open solution

Q107. AIPMT 1999

Which of the following does not show electrical conduction?

(A) Potassium (B) Graphite (C) Diamond (D) Sodium

Open solution

Q108. AIPMT 1999

The type of hybridisation of boron in diborane is

(A) sp-hybridisation (B) sp^2-hybridisation

(C) sp^3-hybridisation (D) sp^3d^2-hybridisation

Open solution

Q109. AIPMT 1999

Percentage of lead in lead pencil is

(A) zero (B) 20 (C) 80 (D) 70

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q110. AIPMT 1999

Which of the following phosphorus is the most reactive?

(A) Red phosphorus
(B) White phosphorus
(C) Scarlet phosphorus
(D) Violet phosphorus

Open solution

Q111. AIPMT 1999

Which of the following is used in the preparation of chlorine?

(A) Only MnO_2
(B) Only $KMnO_4$
(C) Both MnO_2 and $KMnO_4$
(D) Either MnO_2 or $KMnO_4$

Open solution

Q112. AIPMT 1998

A one litre flask is full of brown bromine vapour. The intensity of brown colour of vapour will not decrease appreciably on adding to the flask some

(A) pieces of marble
(B) animal charcoal powder
(C) carbon tetrachloride
(D) carbon disulphide

Open solution

Q113. AIPMT 1997

In graphite, electrons are

(A) localised on each C-atom
(B) localised on every third C-atom
(C) spread out between the structure
(D) present in antibonding orbital.

Open solution

Q114. AIPMT 1997

Which of the following has the highest dipole moment?

(A) SbH_3 (B) AsH_3 (C) NH_3 (D) PH_3

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q115. AIPMT 1997


The structural formula of hypophosphorous acid is

Open solution


(A)



(B)



(C)



(D) None of these

Q116. AIPMT 1996

Boron compounds behave as Lewis acids, because of their

Open solution

(A) ionisation property
(B) electron deficient nature
(C) acidic nature
(D) covalent nature.

Q117. AIPMT 1996

Which of the following bonds has the highest energy?

Open solution

(A) $S-S$
(B) $O-O$
(C) $Se-Se$
(D) $Te-Te$

Q118. AIPMT 1996

The basic character of hydrides of the V group elements decreases in the order

Open solution

(A) $NH_3 > PH_3 > AsH_3 > SbH_3$
(B) $SbH_3 > AsH_3 > PH_3 > NH_3$
(C) $SbH_3 > PH_3 > AsH_3 > NH_3$
(D) $NH_3 > SbH_3 > PH_3 > AsH_3$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q119. AIPMT 1996

Among the following oxides, the lowest acidic is

(A) As_4O_6 (B) As_4O_{10} (C) P_4O_6 (D) P_4O_{10}

Open solution

Q120. AIPMT 1996

Which of the following has the greatest electron affinity?

(A) I (B) Br (C) F (D) Cl

Open solution

Q121. AIPMT 1996

Which of the following represents calcium chlorite?

(A) $Ca(ClO_3)_2$ (B) $Ca(ClO_2)_2$ (C) $CaClO_2$ (D) $Ca(ClO_4)_2$

Open solution

Q122. AIPMT 1995

Aluminium (III) chloride forms a dimer because aluminium

(A) belongs to 3rd group (B) can have higher coordination number

(C) cannot form a trimer (D) has high ionization energy.

Open solution

Q123. AIPMT 1994

Carbon and silicon belong to (IV) group. The maximum coordination number of carbon in commonly occurring compounds is 4, whereas that of silicon is 6. This is due to

(A) availability of low lying *d*-orbitals in silicon

(B) large size of silicon

(C) more electropositive nature of silicon

(D) both (b) and (c).

Open solution

Q124. AIPMT 1994

Which of the following statements about H_3BO_3 is not correct?

(A) It has a layer structure in which planar BO_3 units are joined by hydrogen bonds.

(B) It does not act as proton donor but acts as a Lewis acid by accepting hydroxyl ion.

(C) It is a strong tribasic acid.

(D) It is prepared by acidifying an aqueous solution of borax.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q125. AIPMT 1994

Which of the following oxides of nitrogen is paramagnetic?

(A) NO_2 (B) N_2O_3 (C) N_2O (D) N_2O_5

Open solution

Q126. AIPMT 1994

Which of the following displaces Br_2 from an aqueous solution containing bromide ions?

(A) I_2 (B) I_3^- (C) Cl_2 (D) Cl^-

Open solution

Q127. AIPMT 1993

In graphite, electrons are

(A) localised on each C-atom (B) localised on every third C-atom
(C) spread out between the structure (D) present in antibonding orbital.

Open solution

Q128. AIPMT 1993

Which of the following fluorides does not exist?

(A) NF_5 (B) PF_5 (C) AsF_5 (D) SbF_5

Open solution

Q129. AIPMT 1993

A solution of potassium bromide is treated with each of the following. Which one would liberate bromine?

(A) Hydrogen iodide (B) Sulphur dioxide (C) Chlorine (D) Iodine

Open solution

Q130. AIPMT 1992

Which one of the following substance is used in the laboratory for fast drying of neutral gases?

(A) Phosphorus pentoxide (B) Active charcoal
(C) Anhydrous calcium chloride (D) Na_3PO_4

Open solution

Q131. AIPMT 1992

Which of the following types of forces bind together the carbon atoms in diamond?

(A) Ionic (B) Covalent (C) Dipolar (D) van der Waals

Open solution

Q132. AIPMT 1992

Which of the following is an insulator?

(A) Graphite (B) Aluminum (C) Diamond (D) Silicon

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q133. AIPMT 1992

Number of electrons shared in the formation of nitrogen molecule is

(A) 6 (B) 10 (C) 2 (D) 8

Open solution

Q134. AIPMT 1992

Sugarcane on reaction with nitric acid gives

(A) CO_2 and SO_2 (B) $(COOH)_2$

(C) $2HCOOH$ (two moles) (D) no reaction.

Open solution

Q135. AIPMT 1992

Nitrogen is relatively inactive element because

(A) its atom has a stable electronic configuration

(B) it has low atomic radius

(C) its electronegativity is fairly high

(D) dissociation energy of its molecule is fairly high.

Open solution

Q136. AIPMT 1992

H_3PO_2 is the molecular formula of an acid of phosphorus. Its name and basicity respectively are

(A) phosphorous acid and two (B) hypophosphorous acid and two

(C) hypophosphorous acid and one (D) hypophosphoric acid and two.

Open solution

Q137. AIPMT 1992

When chlorine is passed over dry slaked lime at room temperature, the main reaction product is

(A) $Ca(ClO_2)_2$ (B) $CaCl_2$ (C) $CaOCl_2$ (D) $Ca(OCl)_2$

Open solution

Q138. AIPMT 1992

In the manufacture of bromine from sea water, the mother liquor containing bromides is treated with

(A) carbon dioxide (B) chlorine (C) iodine (D) sulphur dioxide.

Open solution

Q139. AIPMT 1991

Which would quickly absorb oxygen?

(A) Alkaline solution of pyrogallol (B) Conc. H_2SO_4

(C) Lime water (D) Alkaline solution of $CuSO_4$.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q140. AIPMT 1991

Oleum is

(A) castor oil (B) oil of vitriol (C) fuming H_2SO_4 (D) none of these.

Open solution

Q141. AIPMT 1991

P_2O_5 is heated with water to give

(A) hypophosphorous acid (B) phosphorous acid

(C) hypophosphoric acid (D) orthophosphoric acid.

Open solution

Q142. AIPMT 1991

Basicity of orthophosphoric acid is

(A) 2 (B) 3 (C) 4 (D) 5

Open solution

Q143. AIPMT 1991

PCl_3 reacts with water to form

(A) PH_3 (B) H_3PO_3, HCl (C) $POCl_3$ (D) H_3PO_4

Open solution

Q144. AIPMT 1991

$PH_4I + NaOH$ forms

(A) PH_3 (B) NH_3 (C) P_4O_6 (D) P_4O_{10}

Open solution

Q145. AIPMT 1991

Pure nitrogen is prepared in the laboratory by heating a mixture of

(A) $NH_4OH + NaCl$ (B) $NH_4NO_3 + NaCl$ (C) $NH_4Cl + NaOH$ (D) $NH_4Cl + NaNO_2$.

Open solution

Q146. AIPMT 1991

The bleaching action of chlorine is due to

(A) reduction (B) hydrogenation (C) chlorination (D) oxidation.

Open solution

Q147. AIPMT 1990

Which of the following statement is not correct for nitrogen?

(A) Its electronegativity is very high. (B) d-orbitals are available for bonding.

(C) It is a typical non-metal. (D) Its molecular size is small.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q148. AIPMT 1989

The substance used as a smoke screen in warfare is

(A) $SiCl_4$ (B) PH_3 (C) PCl_5 (D) acetylene.

Open solution

Q149. AIPMT 1989

Which of the following compound does not exist?

(A) NCl_5 (B) AsF_5 (C) $SbCl_5$ (D) PF_5

Open solution

Q150. AIPMT 1989

Each of the following is true for white and red phosphorus except that they

(A) are both soluble in CS_2 (B) can be oxidised by heating in air

(C) consist of the same kind of atoms (D) can be converted into one another.

Open solution

Q151. AIPMT 1989

When orthophosphoric acid is heated to $600\ ^\circ C$, the product formed is

(A) PH_3 (B) P_2O_5 (C) H_3PO_3 (D) HPO_3

Open solution

Q152. AIPMT 1989

Which one has the lowest boiling point?

(A) NH_3 (B) PH_3 (C) AsH_3 (D) SbH_3

Open solution

Q153. AIPMT 1989

Oxygen will directly react with each of the following elements except

(A) P (B) Cl (C) Na (D) S

Open solution

Q154. AIPMT 1989

The gases respectively absorbed by alkaline pyrogallol and oil of cinnamon are

(A) O_3, CH_4 (B) O_2, O_3 (C) SO_2, CH_4 (D) N_2O, O_3.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q155. AIPMT 1989

It is possible to obtain oxygen from air by fractional distillation because

(A) oxygen is in a different group of the periodic table from nitrogen

(B) oxygen is more reactive than nitrogen

(C) oxygen has higher b.p. than nitrogen

(D) oxygen has a lower density than nitrogen.

Open solution

Q156. AIPMT 1989

Bleaching powder reacts with a few drops of conc. HCl to give

(A) chlorine

(B) hypochlorous acid

(C) calcium oxide

(D) oxygen.

Open solution

Q157. AIPMT 1988

Which of the following is a nitric acid anhydride?

(A) NO

(B) NO_2

(C) N_2O_5

(D) N_2O_3

Open solution

Q158. AIPMT 1988

Bleaching powder is obtained by the action of chlorine gas and

(A) dilute solution of $Ca(OH)_2$

(B) concentrated solution of $Ca(OH)_2$

(C) dry CaO

(D) dry slaked lime.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **A**	2. **B**	3. **B**	4. **D**	5. **D**
6. **A**	7. **A**	8. **A**	9. **D**	10. **A**
11. **D**	12. **B**	13. **B**	14. **B**	15. **C**
16. **A**	17. **B**	18. **C**	19. **C**	20. **B**
21. **A**	22. **D**	23. **B**	24. **B**	25. **C**
26. **C**	27. **B**	28. **A**	29. **B**	30. **B**
31. **D**	32. **C**	33. **B**	34. **B**	35. **D**
36. **B**	37. **D**	38. **B**	39. **C**	40. **B**
41. **A**	42. **B**	43. **B**	44. **D**	45. **C**
46. **C**	47. **D**	48. **A**	49. **A**	50. **C**
51. **B**	52. **C**	53. **A**	54. **D**	55. **C**
56. **D**	57. **A**	58. **D**	59. **A**	60. **C**
61. **D**	62. **B**	63. **A**	64. **D**	65. **A**
66. **C**	67. **A**	68. **D**	69. **A**	70. **D**
71. **B**	72. **B**	73. **C**	74. **B**	75. **B**
76. **C**	77. **A**	78. **A**	79. **C**	80. **A**
81. **C**	82. **B**	83. **D**	84. **D**	85. **A**
86. **C**	87. **D**	88. **B**	89. **A**	90. **B**
91. **D**	92. **D**	93. **C**	94. **B**	95. **C**
96. **D**	97. **A**	98. **D**	99. **A**	100. **D**
101. **A**	102. **D**	103. **A**	104. **B**	105. **B**
106. **B**	107. **C**	108. **C**	109. **A**	110. **B**
111. **C**	112. **A**	113. **C**	114. **C**	115. **C**
116. **B**	117. **A**	118. **A**	119. **A**	120. **D**
121. **B**	122. **B**	123. **A**	124. **C**	125. **A**
126. **C**	127. **C**	128. **A**	129. **C**	130. **A**
131. **B**	132. **C**	133. **A**	134. **B**	135. **D**
136. **C**	137. **C**	138. **B**	139. **A**	140. **C**
141. **D**	142. **B**	143. **B**	144. **A**	145. **D**
146. **D**	147. **B**	148. **A**	149. **A**	150. **A**
151. **D**	152. **B**	153. **B**	154. **B**	155. **C**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

156. **A**	157. **C**	158. **D**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs