ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

Periodic Table and Periodicity

NEET Chemistry · Previous Year Questions with Answer Key

70	41	1989 – 2026	1	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	67 questions
MCQ (More than One Correct Answer)	2 questions
Out of syllabus	1 question
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1 **Solve**
Print it, or work through it on screen.

2 **Check**
The answer key is on the last pages.

3 **Understand**
Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 67 questions

Q1. RE-NEET 2026

Among the following options, the correct trend in the electron gain enthalpy is

(A) $\mathrm{I} > \mathrm{Br} > \mathrm{Cl} > \mathrm{F}$

(B) $\mathrm{F} > \mathrm{Cl} > \mathrm{Br} > \mathrm{I}$

(C) $\mathrm{Br} > \mathrm{Cl} > \mathrm{F} > \mathrm{I}$

(D) $\mathrm{Cl} > \mathrm{F} > \mathrm{Br} > \mathrm{I}$

Open solution

Q2. RE-NEET 2026

Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: The first ionization enthalpy of O is lower than that of N and F .

Reason R: The loss of an electron from O leads to stable half-filled p orbital

In light of the above statements, choose the most appropriate answer from the options given below:

(A) $\mathbf{A}$ is not correct but $\mathbf{R}$ is correct

(B) Both $\mathbf{A}$ and $\mathbf{R}$ are correct and $\mathbf{R}$ is the correct explanation of $\mathbf{A}$

(C) Both $\mathbf{A}$ and $\mathbf{R}$ are correct and $\mathbf{R}$ is NOT the correct explanation of $\mathbf{A}$

(D) $\mathbf{A}$ is correct but $\mathbf{R}$ is not correct.

Open solution

Q3. NEET 2026

The correct order of increasing metallic character of $\mathrm{Na}, \mathrm{Be}, \mathrm{P}, \mathrm{Mg}$ and Si is

(A) $\mathrm{P} < \mathrm{Si} < \mathrm{Be} < \mathrm{Mg} < \mathrm{Na}$

(B) $\mathrm{P} < \mathrm{Si} < \mathrm{Na} < \mathrm{Mg} < \mathrm{Be}$

(C) $\mathrm{P} < \mathrm{Mg} < \mathrm{Be} < \mathrm{Si} < \mathrm{Na}$

(D) $\mathrm{Be} < \mathrm{Si} < \mathrm{P} < \mathrm{Mg} < \mathrm{Na}$

Open solution

Q4. NEET 2026

Identify the incorrect statement from the following :

(A) The largest and the smallest species among $\mathrm{Mg}, \mathrm{Mg}^{2+}, \mathrm{Al}$ and Al^{3+} are Al and Mg^{2+} respectively.

(B) The IUPAC name of the element with atomic number 107 is Unnilseptium.

(C) The similarity in behaviour of Li with Mg is referred to as 'diagonal relationship'

(D) The oxidation state and covalency of Al in $[\mathrm{AlCl}(\mathrm{H_2O})_5]^{2+}$ are 3 and 6, respectively.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2025

Open solution

Which of the following statements are true?

A. Unlike Ga that has a very high melting point, Cs has a very low melting point.

B. On Pauling scale, the electronegativity values of N and Cl are not the same.

C. $\mathrm{Ar}, \mathrm{K}^{+}, \mathrm{Cl}^{-}, \mathrm{Ca}^{2+}$, and S^{2-} are all isoelectronic species.

D. The correct order of the first ionization enthalpies of $\mathrm{Na}, \mathrm{Mg}, \mathrm{Al}$, and Si is $\mathrm{Si} > \mathrm{Al} > \mathrm{Mg} > \mathrm{Na}$.

E. The atomic radius of Cs is greater than that of Li and Rb.

Choose the correct answer from the options given below :

(A) C and D only **(B)** A, C, and E only **(C)** A, B, and E only **(D)** C and E only

Q6. NEET 2025

Open solution

Which among the following electronic configurations belong to main group elements?

A. $[\mathrm{Ne}]3\,\mathrm{s}^{1}$

B. $[\mathrm{Ar}]3\,\mathrm{d}^{3}4\,\mathrm{s}^{2}$

C. $[Kr]4d^{10}5s^{2}5p^{5}$

D. $[\mathrm{Ar}]3\,\mathrm{d}^{10}4\,\mathrm{s}^{1}$

E. $[Rn]5f^{0}6d^{2}7s^{2}$

Choose the correct answer from the option given below :

(A) D and E only **(B)** A, C and D only **(C)** B and E only **(D)** A and C only

Q7. NEET 2024 (Re-Examination)

Open solution

The correct decreasing order of atomic radii (pm) of $\mathrm{Li}, \mathrm{Be}, \mathrm{B}$ and C is

(A) $\mathrm{Be} > \mathrm{Li} > \mathrm{B} > \mathrm{C}$ **(B)** $\mathrm{Li} > \mathrm{Be} > \mathrm{B} > \mathrm{C}$

(C) $\mathrm{C} > \mathrm{B} > \mathrm{Be} > \mathrm{Li}$ **(D)** $\mathrm{Li} > \mathrm{C} > \mathrm{Be} > \mathrm{B}$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2024 (Re-Examination)

Open solution

Match List I with List II :

	List - I (Atom/Molecule)		List - II (Property)
(A)	Nitrogen atom	(I)	Paramagnetic
(B)	Fluorine molecule	(II)	Most reactive element in group 18
(C)	Oxygen molecule	(III)	Element with highest ionisation enthalpy in group 15
(D)	Xenon atom	(IV)	Strongest oxidising agent

Identify the correct answer from the options given below :

(A) A-III, B-I, C-IV, D-II

(B) A-I, B-IV, C-III, D-II

(C) A-II, B-IV, C-I, D-III

(D) A-III, B-IV, C-I, D-II

Q9. NEET 2024

Open solution

Arrange the following elements in increasing order of first ionization enthalpy: $\mathrm{Li, Be, B, C, N}$

Choose the correct answer from the options given below:

(A) $\mathrm{Li < Be < B < C < N}$

(B) $\mathrm{Li < B < Be < C < N}$

(C) $\mathrm{Li < Be < C < B < N}$

(D) $\mathrm{Li < Be < N < B < C}$

Q10. NEET 2024

Open solution

Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

Choose the correct answer from the options given below :

(A) Si < C < N < O < F

(B) Si < C < O < N < F

(C) O < F < N < C < Si

(D) F < O < N < C < Si

Q11. NEET 2023 Manipur

Open solution

Which of the following is correctly matched?

(A) Basic oxides $\Rightarrow \mathrm{In_2O_3,\ K_2O, SnO_2}$

(B) Neutral oxides $\Rightarrow \mathrm{CO, NO_2,\ N_2O}$

(C) Acidic oxides $\Rightarrow \mathrm{Mn_2O_7, SO_2, TeO_3}$

(D) Amphoteric oxides $\Rightarrow \mathrm{BeO, Ga_2O_3, GeO}$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2023 Manipur

The correct sequence given below containing neutral, acidic, basic and amphoteric oxide each, respectively, is

(A) NO, ZnO, CO_2, CaO
(B) ZnO, NO, CaO, CO_2
(C) NO, CO_2, ZnO, CaO
(D) NO, CO_2, CaO, ZnO

Open solution

Q13. NEET 2022 Phase 2

The correct order of first ionization enthalpy for the given four elements is :

(A) C < F < N < O
(B) C < N < F < O
(C) C < N < O < F
(D) C < O < N < F

Open solution

Q14. NEET 2022 Phase 2

Decrease in size from left to right in actinoid series is greater and gradual than that in lanthanoid series due to

(A) 5f orbitals have greater shielding effect
(B) 4f orbitals are penultimate
(C) 4f orbitals have greater shielding effect
(D) 5f orbitals have poor shielding effect

Open solution

Q15. NEET 2022 Phase 2

If first ionization enthalpies of elements X and Y are 419 kJ mol^{-1} and 590 kJ mol^{-1}, respectively and second ionization enthalpies of X and Y are 3069 kJ mol^{-1} and 1145 kJ mol^{-1}, respectively. Then correct statement is :

(A) Both X and Y are alkaline earth metals
(B) X is an alkali metal and Y is an alkaline earth metal
(C) X is an alkaline earth metal and Y is an alkali metal
(D) Both X and Y are alkali metals

Open solution

Q16. NEET 2022 Phase 1

The IUPAC name of an element with atomic number 119 is

(A) ununennium
(B) unnilennium
(C) unununnium
(D) ununoctium

Open solution

Q17. NEET 2022 Phase 1

Gadolinium has a low value of third ionisation enthalpy because of

(A) small size
(B) high exchange enthalpy
(C) high electronegativity
(D) high basic character

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q18. NEET 2020 Phase 2

Open solution

Match the element in column I with that in column II.

Column I	Column II
(a) Copper	(i) Non-metal
(b) Fluorine	(ii) Transition metal
(c) Silicon	(iii) Lanthanoid
(d) Cerium	(iv) Metalloid

Identify the correct match :

(A) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)
(B) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)
(C) (a)-(ii), (b)-(i), (c)-(iv), (d)-(iii)
(D) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)

Q19. NEET 2020 Phase 1

Open solution

Identify the incorrect match.

Name			**IUPAC Official Name**
(A)	Unnilunium	(i)	Mendelevium
(B)	Unniltrium	(ii)	Lawrencium
(C)	Unnilhexium	(iii)	Seaborgium
(D)	Ununnnium	(iv)	Darmstadtium

(A) (B), (ii)
(B) (C), (iii)
(C) (D), (iv)
(D) (A), (i)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q20. NEET 2020 Phase 1

Open solution

Match the following :

Oxide			Nature
(A)	CO	(i)	Basic
(B)	BaO	(ii)	Neutral
(C)	Al_2O_3	(iii)	Acidic
(D)	Cl_2O_7	(iv)	Amphoteric

Which of the following is correct option?

(A)

(A)	(B)	(C)	(D)
(ii)	(i)	(iv)	(iii)

(B)

(A)	(B)	(C)	(D)
(iii)	(iv)	(i)	(ii)

(C)

(A)	(B)	(C)	(D)
(iv)	(iii)	(ii)	(i)

(D)

(A)	(B)	(C)	(D)
(i)	(ii)	(iii)	(iv)

Q21. NEET 2019 (Odisha)

Open solution

Match the oxide given in column A with its property given in column B

Column-A	Column-B
(i) Na_2O	(a) Neutral
(ii) Al_2O_3	(b) Basic
(iii) N_2O	(c) Acidic
(iv) Cl_2O_7	(d) Amphoteric

Which of the following options has all correct pairs?

(A) (i)-(b), (ii)-(d), (iii)-(a), (iv)-(c)

(B) (i)-(b), (ii)-(a), (iii)-(d), (iv)-(c)

(C) (i)-(c), (ii)-(b), (iii)-(a), (iv)-(d)

(D) (i)-(a), (ii)-(d), (iii)-(b), (iv)-(c)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2019

For the second period elements the correct increasing order of first ionization enthalpy is :

(A) Li < B < Be < C < N < O < F < Ne

(B) Li < Be < B < C < O < N < F < Ne

(C) Li < B < Be < C < O < N < F < Ne

(D) Li < Be < B < C < N < O < F < Ne

Open solution

Q23. NEET 2018

Which of the following oxides is most acidic in nature?

(A) MgO

(B) BeO

(C) BaO

(D) CaO

Open solution

Q24. NEET 2018

The correct order of atomic radii in group 13 elements is

(A) B < Al < In < Ga < Tl

(B) B < Al < Ga < In < Tl

(C) B < Ga < Al < Tl < In

(D) B < Ga < Al < In < Tl

Open solution

Q25. NEET 2017

The element Z = 114 has been discovered recently. It will belong to which of the following family/group and electronic configuration ?

(A) Carbon family, [Rn] $5f^{14}\ 6d^{10}\ 7s^2\ 7p^2$

(B) Oxygen family, [Rn] $5f^{14}\ 6d^{10}\ 7s^2\ 7p^4$

(C) Nitrogen family, [Rn] $5f^{14}\ 6d^{10}\ 7s^2\ 7p^6$

(D) Halogen family, [Rn] $5f^{14}\ 6d^{10}\ 7s^2\ 7p^5$

Open solution

Q26. AIPMT 2015 Cancelled Paper

The species Ar, K^+ and Ca^{2+} contain the same number of electrons. In which order do their radii increase ?

(A) $Ca^{2+} < K^+ < Ar$

(B) $K^+ < Ar < Ca^{2+}$

(C) $Ar < K^+ < Ca^{2+}$

(D) $Ca^{2+} < Ar < K^+$

Open solution

Q27. AIPMT 2014

Which of the following orders of ionic radii is correctly represented ?

(A) $H^- > H^\bullet > H^+$

(B) $Na^+ > F^- > O^{2-}$

(C) $F^- > O^{2-} > Na^+$

(D) $Al^{3+} > Mg^{2+} > N^{3-}$

Open solution

Q28. NEET 2013 (Karnataka)

Which one of the following arrangements represents the correct order of least negative to most negative electron gain enthalpy for C, Ca, Al, F and O?

(A) Al < Ca < O < C < F

(B) Al < O < C < Ca < F

(C) C < F < O < Al < Ca

(D) Ca < Al < C < O < F

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. AIPMT 2012 Prelims

Identify the wrong statement in the following.

(A) Amongst isoelectronic species, smaller the positive charge on the cation, smaller is the ionic radius.

(B) Amongst isoelectronic species, greater the negative charge on the anion, larger is the ionic radius.

(C) Atomic radius of the elements increases as one moves down the first group of the periodic table.

(D) Atomic radius of the elements decreases as one moves across from left to right in the 2nd period of the periodic table.

Open solution

Q30. AIPMT 2011 Mains

What is the value of electron gain enthalpy of Na^+ if IE_1 of Na = 5.1 eV?

(A) − 5.1 eV (B) − 10.2 eV (C) +2.55 eV (D) +10.2 eV

Open solution

Q31. AIPMT 2010 Mains

Among the elements Ca, Mg, P and Cl, the order of increasing atomic radii is

(A) Mg < Ca < Cl < P (B) Cl < P < Mg < Ca (C) P < Cl < Ca < Mg (D) Ca < Mg < P < Cl

Open solution

Q32. AIPMT 2010 Mains

Among the following which one has the highest cation to anion size ratio ?

(A) CsI (B) CsF (C) LiF (D) NaF

Open solution

Q33. AIPMT 2010 Prelims

The correct order of the decreasing ionic radii among the following isoelectronic species is

(A) $Ca^{2+} > K^+ > S^{2-} > Cl^-$ (B) $Cl^- > S^{2-} > Ca^{2+} > K^+$

(C) $S^{2-} > Cl^- > K^+ > Ca^{2+}$ (D) $K^+ > Ca^{2+} > Cl^- > S^{2-}$

Open solution

Q34. AIPMT 2010 Prelims

Which of the following represents the correct order of increasing electron gain enthalpy with negative sign for the elements O, S, F and Cl ?

(A) Cl < F < O < S (B) O < S < F < Cl (C) F < S < O < Cl (D) S < O < Cl < F

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q35. AIPMT 2009

Amongst the elements with following electronic configurations, which one of them may have the highest ionisation energy ?

(A) Ne $[3s^2\ 3p^2]$

(B) Ar $[3d^{10}\ 4s^2\ 4p^3]$

(C) Ne $[3s^2\ 3p^1]$

(D) Ne $[3s^2\ 3p^3]$

Open solution

Q36. AIPMT 2007

Identify the correct order of the size of the following :

(A) $Ca^{2+} < K^+ < Ar < Cl^- < S^{2-}$

(B) $Ar < Ca^{2+} < K^+ < Cl^- < S^{2-}$

(C) $Ca^{2+} < Ar < K^+ < Cl^- < S^{2-}$

(D) $Ca^{2+} < K^+ < Ar < S^{2-} < Cl^-$

Open solution

Q37. AIPMT 2007

With which of the following electronic configuration an atom has the lowest ionisation enthalpy ?

(A) $1s^2\ 2s^2\ 2p^3$

(B) $1s^2\ 2s^2\ 2p^6\ 3s^1$

(C) $1s^2\ 2s^2\ 2p^6$

(D) $1s^2\ 2s^2\ 2p^5$

Open solution

Q38. AIPMT 2007

Which one of the following ionic species has the greatest proton affinity to form stable compound ?

(A) NH_2^-

(B) F^-

(C) I^-

(D) HS^-

Open solution

Q39. AIPMT 2006

Which one of the following orders is not in accordance with the property stated against it ?

(A) $F_2 > Cl_2 > Br_2 > I_2$: Bond dissociation energy

(B) $F_2 > Cl_2 > Br_2 > I_2$: Oxidising power

(C) HI > HBr > HCl > HF : Acidic property in water

(D) $F_2 > Cl_2 > Br_2 > I_2$: Electronegativity

Open solution

Q40. AIPMT 2005

Which one of the following arrangements represents the correct order of electron gain enthalpy (with negative sign) of the given atomic species ?

(A) S < O < Cl < F

(B) Cl < F < S < O

(C) F < Cl < O < S

(D) O < S < F < Cl

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. AIPMT 2004

Ionic radii are

(A) inversely proportional to effective nuclear charge

(B) inversely proportional to square of effective nuclear charge

(C) directly proportional to effective nuclear charge

(D) directly proportional to square of effective nuclear charge.

Open solution

Q42. AIPMT 2003

The ions O^{2-}, F^{-}, Na^{+}, Mg^{2+} and Al^{3+} are isoelectronic. Their ionic radii show

(A) a significant increase from O^{2-} to Al^{3+}

(B) a significant decrease from O^{2-} to Al^{3+}

(C) an increase from O^{2-} to F^{-} and then decrease from Na^{+} to Al^{3+}

(D) a decrease from O^{2-} to F^{-} and then increase from Na^{+} to Al^{3+}.

Open solution

Q43. AIPMT 2002

Which of the following order is wrong?

(A) $NH_3 < PH_3 < AsH_3$ – acidic

(B) Li < Be < B < C – 1st IP

(C) $Al_2O_3 < MgO < Na_2O < K_2O$ – basic

(D) $Li^{+} < Na^{+} < K^{+} < Cs^{+}$ – ionic radius.

Open solution

Q44. AIPMT 2001

Correct order of 1st ionization potential among following elements Be, B, C, N, O is

(A) B < Be < C < O < N

(B) B < Be < C < N < O

(C) Be < B < C < N < O

(D) Be < B < C < O < N

Open solution

Q45. AIPMT 2000

Which statement is wrong ?

(A) Bond energy of $F_2 > Cl_2$

(B) Electronegativity of F > Cl

(C) F is more oxidising than Cl

(D) Electron affinity of Cl > F

Open solution

Q46. AIPMT 1999

Which of the following elements has maximum electron affinity?

(A) Cl

(B) Br

(C) I

(D) F

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q47. AIPMT 1999

Which of the following is most acidic?

(A) N_2O_5 (B) P_2O_5 (C) As_2O_5 (D) Sb_2O_5

Open solution

Q48. AIPMT 1998

The first ionization potential (in eV) of Be and B, respectively are

(A) 8.29, 9.32 (B) 9.32, 9.32 (C) 8.29, 8.29 (D) 9.32, 8.29

Open solution

Q49. AIPMT 1997

Which one of the following is correct order of the size of iodine species?

(A) $I^+ > I^- > I$ (B) $I^- > I > I^+$ (C) $I > I^- > I^+$ (D) $I > I^+ > I^-$

Open solution

Q50. AIPMT 1996

Which of the following ion is the largest in size?

(A) K^+ (B) Ca^{2+} (C) Cl^- (D) S^{2-}

Open solution

Q51. AIPMT 1996

Which of the following has the smallest size?

(A) Al^{3+} (B) F^- (C) Na^+ (D) Mg^{2+}

Open solution

Q52. AIPMT 1995

The electronics configuration of an element is $1s^2\,2s^2\,2p^6\,3s^2\,3p^3$. What is the atomic number of the element, which is just below the above element in the periodic table?

(A) 33 (B) 34 (C) 36 (D) 49

Open solution

Q53. AIPMT 1994

Among the following oxides, the one which is most basic is

(A) ZnO (B) MgO (C) Al_2O_3 (D) N_2O_5

Open solution

Q54. AIPMT 1993

One would expect proton to have very large

(A) charge (B) ionization potential

(C) hydration energy (D) radius.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q55. AIPMT 1993

Na^+, Mg^{2+}, Al^{3+} and Si^{4+} are isoelectronic. the order of their ionic size is

(A) $Na^+ > Mg^{2+} < Al^{3+} < Si^{4+}$ (B) $Na^+ < Mg^{2+} > Al^{3+} > Si^{4+}$

(C) $Na^+ > Mg^{2+} > Al^{3+} > Si^{4+}$ (D) $Na^+ < Mg^{2+} > Al^{3+} < Si^{4+}$

Open solution

Q56. AIPMT 1993

If the atomic number of an element is 33, it will be placed in the periodic table in the

(A) first group (B) third group (C) fifth group (D) seventh group.

Open solution

Q57. AIPMT 1993

In the periodic table from left to right in a period, the atomic volume

(A) decreases (B) increases

(C) remains same (D) first decrease then increases.

Open solution

Q58. AIPMT 1993

Which electronic configuration of an element has abnormally high difference between second and third ionization energy?

(A) $1s^2, 2s^2, 2p^6, 3s^1$ (B) $1s^2, 2s^2, 2p^6, 3s^1 3p^1$

(C) $1s^2, 2s^2, 2p^6, 3s^2 3p^2$ (D) $1s^2, 2s^2, 2p^6, 3s^2$

Open solution

Q59. AIPMT 1993

One of the characteristic properties of non-metals is that they

(A) are reducing agents (B) form basic oxides

(C) form cations by electron gain (D) are electronegative.

Open solution

Q60. AIPMT 1993

Which one of the following has minimum value of cation/anion ratio?

(A) NaCl (B) KCl (C) $MgCl_2$ (D) CaF_2

Open solution

Q61. AIPMT 1993

Which of the following has largest size?

(A) Na (B) Na^+

(C) Na^- (D) Can't be predicted.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. AIPMT 1993

Which of the following sets has strongest tendency to form anions?

(A) Ga, Ni, Tl (B) Na, Mg, Al (C) N, O, F (D) V, Cr, Mn.

Open solution

Q63. AIPMT 1992

Elements of which of the following groups will form anions most readily?

(A) Oxygen family (B) Nitrogen family (C) Halogens (D) Alkali metals

Open solution

Q64. AIPMT 1989

Pauling's electronegativity values for elements are useful in predicting

(A) polarity of the molecules (B) position in the E.M.F. series
(C) coordination numbers (D) dipole moments.

Open solution

Q65. AIPMT 1989

In the periodic table, with the increase in atomic number, the metallic character of an element

(A) decreases in a period and increases in a group
(B) increases in a period and decreases in a group
(C) increases both in a period and the group
(D) decreases in a period and the group.

Open solution

Q66. AIPMT 1989

Which of the following atoms will have the smallest size?

(A) Mg (B) Na (C) Be (D) Li

Open solution

Q67. AIPMT 1989

The electronic configurations of four elements are given below. Which element does not belong to the same family as others?

(A) $[\mathrm{Xe}]\,4f^{14}5d^{10}6s^2$ (B) $[\mathrm{Kr}]\,4d^{10}5s^2$
(C) $[\mathrm{Ne}]\,3s^2 3p^5$ (D) $[\mathrm{Ar}]\,3d^{10}4s^2$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

MCQ (More than One Correct Answer) 2 questions

Q68. NEET 2016 Phase 1

In which of the following options the order of arrangement does not agree with the variation of property indicated against it ?

(A) I < Br < Cl < F (increasing electron gain enthalpy)

(B) Li < Na < K < Rb (increasing metallic radius)

(C) $Al^{3+} < Mg^{2+} < Na^{+} < F^{-}$ (increasing ionic size)

(D) B < C < N < O (increasing first ionisation enthalpy)

Open solution

Q69. AIPMT 2008

Which one of the following arrangements does not give the correct picture of the trends indicated against it ?

(A) $F_2 > Cl_2 > Br_2 > I_2$: Bond dissociation energy

(B) $F_2 > Cl_2 > Br_2 > I_2$: Electronegativity

(C) $F_2 > Cl_2 > Br_2 > I_2$: Oxidizing power

(D) $F_2 > Cl_2 > Br_2 > I_2$: Electron gain enthalpy

Open solution

Out of syllabus 1 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q70. AIPMT 1998 · MCQ (Single Correct Answer)

In crystals of which of the following ionic compounds would you expect maximum distance between centres of cations and anions?

(A) LiF (B) CsF (C) CsI (D) LiI

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **D**	2. **B**	3. **A**	4. **A**	5. **D**
6. **D**	7. **B**	8. **D**	9. **B**	10. **A**
11. **C**	12. **D**	13. **D**	14. **D**	15. **B**
16. **A**	17. **B**	18. **C**	19. **C**	20. **A**
21. **A**	22. **C**	23. **B**	24. **D**	25. **A**
26. **A**	27. **A**	28. **D**	29. **A**	30. **A**
31. **B**	32. **B**	33. **C**	34. **B**	35. **D**
36. **A**	37. **B**	38. **A**	39. **A**	40. **D**
41. **A**	42. **B**	43. **B**	44. **A**	45. **A**
46. **A**	47. **A**	48. **D**	49. **B**	50. **D**
51. **A**	52. **A**	53. **B**	54. **C**	55. **C**
56. **C**	57. **D**	58. **D**	59. **D**	60. **C**
61. **C**	62. **C**	63. **C**	64. **A**	65. **A**
66. **C**	67. **C**			

MCQ (More than One Correct Answer)

68. **A, D**	69. **A, D**

Out of syllabus

70. **C**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs