ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

Biomolecules

NEET Chemistry · Previous Year Questions with Answer Key

82	41	1991 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	82 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 82 questions

Q1. RE-NEET 2026

The correct statement about peptides and proteins is

(A) In α-helices, the polypeptide chain is twisted into a left-handed screw (helix) through intramolecular hydrogen bonds

(B) Tertiary structure of proteins has two or more polypeptide subunits

(C) Only the proteins having a quaternary structure are biologically active

(D) In β-pleated sheet structures, peptide chains are held together by intermolecular hydrogen bonds

Open solution

Q2. RE-NEET 2026

The amino acid that gives a red-blood colour on treating its sodium fusion extract with sodium nitroprusside is

(A) serine (B) leucine (C) threonine (D) methionine

Open solution

Q3. RE-NEET 2026

Match the vitamins in List I with their sources in List II

	List I		List II
A.	vitamin A	I.	meat
B.	vitamin B_{12}	II.	sunflower oil
C.	vitamin E	III.	green leafy vegetables
D	vitamin K	IV.	carrots

Choose the correct answer from the options given below.

(A) A-III, B-I, C-IV, D-II

(B) A-II, B-III, C-IV, D-I

(C) A-IV, B-I, C-II, D-III

(D) A-IV, B-II, C-I, D-III

Open solution

Q4. NEET 2026

The correct statement with regard to the secondary structure of DNA/RNA is

(A) RNA possesses a single strand helix structure and contains thymine as one of the four bases

(B) DNA possesses a double strand helix structure and contains thymine as one of the four bases

(C) RNA possesses a double strand helix structure and contains uracil as one of the four bases

(D) DNA possesses a single strand helix structure and contains uracil as one of the four bases

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2025

Open solution

Sugar ' X '

A. is found in honey

B. is a keto sugar

C. exists in α and β-anomeric forms.

D. Is laevorotatory.

' X ' is :

(A) Maltose **(B)** Sucrose **(C)** D-Glucose **(D)** D-Fructose

Q6. NEET 2025

Open solution

Match List-I with List-II.

	List - I (Name of Vitamin)		**List - II (Deficiency disease)**
A	Vitamin B_{12}	I	Cheilosis
B	Vitamin D	II	Convulsions
C	Vitamin B_2	III	Rickets
D	Vitamin B_6	IV	Pernicious anaemia

Choose the correct answer from the options given below:

(A) A-II, B-III, C-I, D-IV **(B)** A-IV, B-III, C-II, D-I

(C) A-I, B-III, C-II, D-IV **(D)** A-IV, B-III, C-I, D-II

Q7. NEET 2024 (Re-Examination)

Open solution

Given below are two statements :

Statement I : Glycogen is similar to amylose in its structure.

Statement II : Glycogen is found in yeast and fungi also.

In the light of the above statements, choose the correct answer from the options given below :

(A) Statement I is true but Statement II is false.

(B) Statement I is false but Statement II is true.

(C) Both Statement I and Statement II are true.

(D) Both Statement I and Statement II are false.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2024

The reagents with which glucose does not react to give the corresponding tests/products are

A. Tollen's reagent

B. Schiff's reagent

C. HCN

D. NH_2OH

E. $NaHSO_3$

Choose the correct options from the given below:

(A) B and C **(B)** A and D **(C)** B and E **(D)** E and D

Open solution

Q9. NEET 2024

Fehling's solution 'A' is

(A) aqueous copper sulphate

(B) alkaline copper sulphate

(C) alkaline solution of sodium potassium tartrate (Rochelle's salt)

(D) aqueous sodium citrate

Open solution

Q10. NEET 2023

Given below are two statements:

Statement I : A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside

Statement II : When nucleoside is linked to phosphorous acid at 5' position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both Statement I and Statement II are false

(B) Statement I is true but Statement II is false

(C) Statement I is false but Statement II is true

(D) Both Statement I and Statement II are true

Open solution

Q11. NEET 2022 Phase 2

The incorrect statement about denaturation of proteins is :

(A) Uncoiling of the helical structure takes place

(B) It results due to change of temperature and/or pH

(C) It results in loss of biological activity of proteins

(D) A protein is formed from amino acids linked by peptide bonds

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2022 Phase 1

The incorrect statement regarding enzymes is

(A) Enzymes are biocatalysts.

(B) Like chemical catalysts enzymes reduce the activation energy of bio processes.

(C) Enzymes are polysaccharides.

(D) Enzymes are very specific for a particular reaction and substrate.

Open solution

Q13. NEET 2020 Phase 2

Deficiency of which vitamin causes osteomalacia ?

(A) Vitamin E (B) Vitamin A (C) Vitamin D (D) Vitamin K

Open solution

Q14. NEET 2020 Phase 2

Which of the following statement is **not** true about glucose?

(A) It is an aldopentose. (B) It is an aldohexose.

(C) It contains five hydroxyl groups. (D) It is a reducing sugar.

Open solution

Q15. NEET 2020 Phase 1

Which of the following is a basic amino acid?

(A) Alanine (B) Tyrosine (C) Lysine (D) Serine

Open solution

Q16. NEET 2020 Phase 1

Sucrose on hydrolysis gives :

(A) α-D-Glucose + β-D-Glucose (B) α-D-Glucose + β-D-Fructose

(C) α-D-Fructose + β-D-Fructose (D) α-D-Glucose + α-D-Fructose

Open solution

Q17. NEET 2019 (Odisha)

Which structure(s) of proteins remain(s) intact during denaturation process?

(A) Tertiary structure only (B) Both secondary and tertiary structures

(C) Primary structure only (D) Secondary structure only

Open solution

Q18. NEET 2019

The non-essential amino acid among the following is :

(A) alanine (B) lysine (C) valine (D) leucine

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q19. NEET 2018

The difference between amylose and amylopectin is

(A) amylopectin have 1 $\rightarrow$ 4 α-linkage and 1 $\rightarrow$ 6 α-linkage

(B) amylose have 1 $\rightarrow$ 4 α-linkage and 1 $\rightarrow$ 6 β-linkage

(C) amylopectin have 1 $\rightarrow$ 4 α-linkage and 1 $\rightarrow$ 6 β-linkage

(D) amylose is made up of glucose and galactose

Open solution

Q20. NEET 2018

Which of the following compounds can form a zwitter ion?

(A) Aniline (B) Acetanilide (C) Benzoic acid (D) Glycine

Open solution

Q21. NEET 2017

Which of the following statements is not correct?

(A) Ovalbumin is a simple food reserve in egg-white.

(B) Blood proteins thrombin and fibrinogen are involved in blood clotting.

(C) Denaturation makes the proteins more active.

(D) Insulin maintains sugar level in the blood of a human body.

Open solution

Q22. NEET 2016 Phase 2

The central dogma of molecular genetics states that the genetic information flows from

(A) Amino acids $\rightarrow$ Proteins $\rightarrow$ DNA (B) DNA $\rightarrow$ Carbohydrates $\rightarrow$ Proteins

(C) DNA $\rightarrow$ RNA $\rightarrow$ Proteins (D) DNA $\rightarrow$ RNA $\rightarrow$ Carbohydrates


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q23. NEET 2016 Phase 2

Open solution

The correct corresponding order of names of four aldoses with configuration given below



NEETCARE.COM

respectively, is

(A) *L*-erythrose, *L*-threose, *L*-erythrose, *D*-threose

(B) *D*-threose, *D*-erythrose, *L*-threose, *L*-erythrose

(C) *L*-erythrose, *L*-threose, *D*-erythrose, *D*-threose

(D) *D*-erythrose, *D*-threose. *L*-erythrose, *L*-threose

Q24. NEET 2016 Phase 1

Open solution

The correct statement regarding RNA and DNA, respectively is

(A) The sugar component in RNA is a arabinose and the sugar component in DNA is ribose

(B) The sugar component in RNA is 2'-deoxyribose and the sugar component in DNA is arabinose

(C) the sugar component in RNA is arabinose and the sugar component in DNA is 2'-deoxyibose

(D) the sugar component in RNA is ribose and the sugar component in DNA is 2'-deoxyribose.

Q25. NEET 2016 Phase 1

Open solution

In a protein molecule various amino acids are linked together by

(A) peptide bond

(B) dative bond

(C) α-glycosidic bond

(D) β-glycosidic bond.

Q26. NEET 2016 Phase 1

Open solution

Which one given below is a non-reducing sugar?

(A) Glucose

(B) Sucrose

(C) Maltose

(D) Lactose

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. AIPMT 2014

Which of the following hormones is produced under the condition of stress which simulate glycogenlysis in the liver of human beings?


(A) Thyroxin (B) Insulin (C) Adrenaline (D) Estradiol

Open solution


Q28. AIPMT 2014

D(+)-glucose reacts with hydroxyl amine and yields an oxime. The structure of the oxime would be


(A)




(B)



(C)



(D)



Open solution

Q29. NEET 2013 (Karnataka)

In DNA, the linkages between different nitrogenous bases are

(A) phosphate linkage (B) H-bonding

(C) glycosidic linkage (D) peptide linkage

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q30. AIPMT 2012 Prelims

Deficiency of vitamin B_1 causes the disease

(A) convulsions (B) beri-beri (C) cheilosis (D) sterility

Open solution

Q31. AIPMT 2012 Prelims

Which one of the following sets of monosaccharides forms sucrose?

(A) α-D-galactopyranose and α-D glucopyranose

(B) α-D-glucopyranose and β-D fructofuranose

(C) β-D-glucopyranose and α-D fructofuranose

(D) α-D-glucopyranose and β-D fructopyranose

Open solution

Q32. AIPMT 2011 Mains

Which of the following is not a fat soluble vitamin?

(A) Vitamin B complex (B) Vitamin D

(C) Vitamin E (D) Vitamin A

Open solution

Q33. AIPMT 2011 Mains

Which of the statements about "Denaturation" given below are correct?

(1) Denaturation of proteins causes loss of secondary and tertiary structures of the protein.
(2) Denaturation leads to the conversion of double strand of DNA into single strand.
(3) Denaturation affects primary structure which gets distorted.

(A) (2) and (3) (B) (1) and (3) (C) (1) and (2) (D) (1), (2) and (3)

Open solution

Q34. AIPMT 2011 Prelims

Which one of the following statements is not true regarding (+) lactose?

(A) On hydrolysis (+) lactose gives equal amount of D(+) glucose and D(+) galactose.

(B) (+) Lactose is a β-glucoside formed by the union of a molecule of D(+) glucose and a molecule of D(+) galactose.

(C) (+) Lactose is a reducing sugar and does not exihibit mutarotation.

(D) (+) Lactose, $C_{12}H_{22}O_{11}$ contains 8-OH groups

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q35. AIPMT 2010 Mains

Fructose reduces Tollen's reagent due to

(A) asymmetric carbons

(B) primary alcoholic group

(C) secondary alcoholic group

(D) enolisation of fructose followed by conversion to aldehyde by base

Open solution

Q36. AIPMT 2010 Prelims

Which one of the following does not exhibit the phenomenon of mutarotation?

(A) (+) Sucrose (B) (+) Lactose (C) (+) Maltose (D) (−) Fructose

Open solution

Q37. AIPMT 2009

The segment of DNA which acts as the instrumental manual for the synthesis of the protein is

(A) ribose (B) gene (C) nucleoside (D) nucleotide

Open solution

Q38. AIPMT 2009

Which of the following hormones contains iodine?

(A) Testosterone (B) Adrenaline (C) Thyroxine (D) Insulin

Open solution

Q39. AIPMT 2008

In DNA, the complimentary bases are

(A) adenine and guanine; thymine and cytosine

(B) uracil and adenine; cytosine and guanine

(C) adenine and thymine; guanine and cytosine

(D) adenine and thymine; guanine and uracil.

Open solution

Q40. AIPMT 2008

Which of the following is an amine hormone?

(A) Insulin (B) Progesterone (C) Thyroxine (D) Oxypurin

Open solution

Q41. AIPMT 2007

RNA and DNA are chiral molecules, their chirality is due to

(A) chiral bases (B) chiral phosphate ester units

(C) D-sugar component (D) L-sugar component

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q42. AIPMT 2007

Which of the following vitamins is water-soluble?

(A) Vitamin E (B) Vitamin K (C) Vitamin A (D) Vitamin B

Open solution

Q43. AIPMT 2006

The human body does not produce

(A) enzymes (B) DNA (C) vitamins (D) hormones

Open solution

Q44. AIPMT 2006

Which one of the following is a peptide hormone?

(A) Adrenaline (B) Glucagon (C) Testosterone (D) Thyroxine

Open solution

Q45. AIPMT 2006

During the process of digestion, the proteins present in food materials are hydrolysed to amino acids. The two enzymes involved in the process-

$$\text{Proteins} \xrightarrow{\text{enzyme (A)}} \text{Polypeptide} \xrightarrow{\text{enzyme (B)}} \text{Amino acids}$$

are respectively

(A) invertase and zymase (B) amylase and maltase

(C) diastage and lipase (D) pepsin and trypsin

Open solution

Q46. AIPMT 2005

Which functional group participates in disulphide bond formation in proteins?

(A) Thioester (B) Thioether (C) Thiol (D) Thiolactone

Open solution

Q47. AIPMT 2005

The cell membranes are mainly composed of

(A) fats (B) proteins (C) phospholipids (D) carbohydrates

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. AIPMT 2004

A sequence of how many nucleotides in messenger RNA makes a codon for an amino acid?

(A) Three (B) Four (C) One (D) Two

Open solution

Q49. AIPMT 2004

The hormone that helps in the conversion of glucose to glycogen is

(A) cortisone (B) bile acids (C) adrenaline (D) insulin

Open solution

Q50. AIPMT 2004

The correct statement in respect of protein haemoglobin is that it

(A) functions as a catalyst for biological reactions

(B) maintains blood sugar level

(C) acts as an oxygen carrier in the blood

(D) forms antibodies and offers resistance to diseases.

Open solution

Q51. AIPMT 2004

Number of chiral carbons in β-D-(+) glucose is

(A) five (B) six (C) three (D) four

Open solution

Q52. AIPMT 2004

The helical structure of protein is stablised by

(A) dipeptide bonds (B) hydrogen bonds (C) ether bonds (D) peptide bonds

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q53. AIPMT 2004


Which of the following structures represents the peptide chain?

Open solution


(A)




(B)



(C)



(D)



Q54. AIPMT 2003

Vitamin B_{12} contains

(A) Fe (II) (B) Co (III) (C) Zn (II) (D) Ca (II)

Open solution

Q55. AIPMT 2003

Glycolysis is

(A) oxidation of glucose to glutamate
(B) conversion of pyruvate to citrate
(C) oxidation of glucose to pyruvate
(D) conversion of glucose to haem.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q56. AIPMT 2003

Phospholipids are esters of glycerol with

(A) three carboxylic acid residues

(B) two carboxylic acid residues and one phosphate group

(C) one carboxylic acid residue and two phosphate groups

(D) three phosphate groups.

Open solution

Q57. AIPMT 2003

Chargaff's rule states that in an organism

(A) amount of adenine (A) is equal to that of thymine (T) and the amount of guanine (G) is equal to that of cytosine (C)

(B) amount of adenine (A) is equal to that of guanine (G) and the amount of thymine (T) is equal to that of cytosine (C)

(C) amount of adenine (A) is equal to that of cytosine (C) and the amount of thymine (T) is equal to that of guanine (G)

(D) amounts of all bases are equal.

Open solution

Q58. AIPMT 2002

Enzymes are made up of

(A) edible proteins

(B) proteins with specific structure

(C) nitrogen containing carbohydrates

(D) carbohydrates.

Open solution

Q59. AIPMT 2002

Which is not true statement?

(A) α-carbon of α-amino acid is asymmetric.

(B) All proteins are found in L-form

(C) Human body can synthesise all proteins they need.

(D) At pH = 7 both amino and carboxylic groups exist in ionised form.

Open solution

Q60. AIPMT 2001

Which of the following is correct about H-bonding in nucleotide?

(A) A – T, G – C

(B) A – G, T – C

(C) G – T, A – C

(D) A – A, T – T

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q61. AIPMT 2001

Which of the following is correct?

(A) Cycloheptane is an aromatic compound.
(B) Diastase is an enzyme
(C) Acetophenone is an ether.
(D) All of these.

Open solution

Q62. AIPMT 2001

Which is the correct statement?

(A) Starch is a polymer of α-glucose.
(B) Amylose is a component of cellulose.
(C) Proteins are composed of only one type of amino acid.
(D) In cyclic structure of fructose, there are four carbons and one oxygen atom.

Open solution


Q63. AIPMT 2001



Open solution

Which statement is incorrect about peptide bond?

(A) C – N bond length in proteins is longer than usual bond length of N – C bond.
(B) Spectroscopic analysis shows planar structure of group.



(C) C – N bond length in proteins is smaller than usual bond length of C – N bond.
(D) None of the above.

Q64. AIPMT 2000

α -D-glucose and β-D-glucose are

(A) epimers (B) anomers (C) enantiomers (D) diastereomers

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q65. AIPMT 2000

Which one is responsible for production of energy in bio-reaction?

(A) Thyroxine (B) Adrenaline (C) Oestrogen (D) Progesterone

Open solution

Q66. AIPMT 2000

Mg is present in

(A) chlorophyll (B) haemoglobin (C) vitamin-D (D) vitamin-B

Open solution

Q67. AIPMT 1999

Which of the following is the sweetest sugar?

(A) Sucrose (B) Glucose (C) Fructose (D) Maltose

Open solution

Q68. AIPMT 1998

In DNA the complementary bases are

(A) adenine and thymine, guanine and cytosine

(B) uracil and adenine, cytosine and guanine

(C) adenine and guanine, thymine and cytosine

(D) adenine and thymine, guanine and uracil

Open solution

Q69. AIPMT 1998

The number of molecules of ATP produced in the lipid metabolism of a molecule of palmitic acid is

(A) 130 (B) 36 (C) 56 (D) 86

Open solution

Q70. AIPMT 1998

Glucose molecule reacts with 'X' number of molecules of phenylhydrazine to yield osazone. The value of 'X' is

(A) four (B) one (C) two (D) three

Open solution

Q71. AIPMT 1997

Haemoglobin is

(A) a vitamin (B) a carbohydrate

(C) an enzyme (D) a globular protein.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q72. AIPMT 1997

The function of enzymes in the living system is to

(A) catalyse biochemical reactions
(B) provide energy
(C) transport oxygen
(D) provide immunity.

Open solution

Q73. AIPMT 1995

The secondary structure of a protein refers to

(A) regular folding patterns of continuous portions of the polypeptide chain
(B) three-dimensional structure, specially the bond between amino acid residues that are distant from each other in the polypeptide chain
(C) mainly denatured proteins and structures of prosthetic groups
(D) linear sequence of amino acid residues in the polypeptide chain.

Open solution

Q74. AIPMT 1995

The oxidation of glucose is one of the most important reactions in a living cell. What is the number of ATP molecules generated in cells from one molecule of glucose?

(A) 28 (B) 38 (C) 12 (D) 18

Open solution

Q75. AIPMT 1995

The α-*D*-glucose and β-*D*-glucose differ from each other due to difference in carbon atom with respect to its

(A) number of OH groups
(B) size of hemiacetal ring
(C) conformation
(D) configuration.

Open solution

Q76. AIPMT 1995

Which of the following statements about enzymes are true?

(A) Enzymes catalyse chemical reactions by increasing the activation energy.
(B) Enzymes are highly specific both in binding chiral substrates and in catalysing their reactions.
(C) Enzymes lack in nucleophilic groups.
(D) Pepsin is proteolytic enzyme.

Open solution

Q77. AIPMT 1994

Chemically considering digestion is basically

(A) anabolism (B) hydrogenation (C) hydrolysis (D) dehydrogenation.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q78. AIPMT 1994

An example of biopolymer is

(A) teflon (B) neoprene (C) nylon-66 (D) DNA.

Open solution

Q79. AIPMT 1994

By the action of enzymes, the rate of biochemical reaction

(A) does not change (B) increases

(C) decreases (D) either (a) or (c)

Open solution

Q80. AIPMT 1993

Enzymes take part in a reaction and

(A) decrease the rate of a chemical reaction (B) increase the rate of a chemical reaction

(C) both (a) and (b) (D) none of these.

Open solution

Q81. AIPMT 1992

The couplings between base units of DNA is through

(A) hydrogen bonding (B) electrostatic bonding

(C) covalent bonding (D) van der Waals forces.

Open solution

Q82. AIPMT 1991

On hydrolysis of starch, we finally get

(A) glucose (B) fructose (C) both (a) and (b) (D) sucrose.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **D**	2. **D**	3. **C**	4. **B**	5. **D**
6. **D**	7. **B**	8. **C**	9. **A**	10. **B**
11. **D**	12. **C**	13. **C**	14. **A**	15. **C**
16. **B**	17. **C**	18. **A**	19. **A**	20. **D**
21. **C**	22. **C**	23. **D**	24. **D**	25. **A**
26. **B**	27. **C**	28. **D**	29. **B**	30. **B**
31. **B**	32. **A**	33. **C**	34. **C**	35. **D**
36. **A**	37. **B**	38. **C**	39. **C**	40. **C**
41. **C**	42. **D**	43. **C**	44. **B**	45. **D**
46. **C**	47. **C**	48. **A**	49. **D**	50. **C**
51. **D**	52. **B**	53. **C**	54. **B**	55. **C**
56. **B**	57. **A**	58. **B**	59. **B**	60. **A**
61. **B**	62. **A**	63. **A**	64. **B**	65. **A**
66. **A**	67. **C**	68. **A**	69. **A**	70. **D**
71. **D**	72. **A**	73. **A**	74. **B**	75. **D**
76. **B**	77. **C**	78. **D**	79. **B**	80. **B**
81. **A**	82. **A**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs