ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

Alcohol, Phenols and Ethers

NEET Chemistry · Previous Year Questions with Answer Key

79	40	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	79 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 79 questions

Q1. RE-NEET 2026

Open solution

Arrange the following compounds in the increasing order of polarity

A. $CH_3CH_2OCH_2CH_3$

B. CH_3CH_2OH

C. CH_3COCH_3

D. CH_3COOH

Choose the correct answer from the options given below.

(A) $A < C < B < D$

(B) $A < B < C < D$

(C) $C < A < D < B$

(D) $C < A < B < D$

Q2. NEET 2026


Open solution

The pair of molecules that are metamers among the following is :

(A) $CH_3CH_2CH_2OH$ and $CH_3 - CH(OH) - CH_3$

(B) $CH_3CH_2CH_2CH_2CH_3$ and $(CH_3)_2CHCH_2CH_3$

(C)




(D) $CH_3OCH_2CH_2CH_3$ and $CH_3CH_2OCH_2CH_3$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q3. NEET 2026

Open solution

In the following reaction sequence, X and Z respectively are :



(A) $X = POCl_3; Z = CH_3 - \underset{\displaystyle Br}{\underset{|}{CH}} - CH_3$

(B) $X = POCl_3; Z = CH_3CH_2CH_2 - Br$

(C) $X = H_3PO_3; Z = CH_3 - \underset{\displaystyle Br}{\underset{|}{CH}} - CH_3$

(D) $X = H_3PO_3; Z = CH_3CH_2CH_2 - Br$

Q4. NEET 2026

Open solution

The functional group that can be identified through phthalein dye test is :


(A) Aldehyde (B) Phenolic (C) Carboxylic acid (D) Alcohol


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q5. NEET 2024 (Re-Examination)

Open solution

The major product D formed in the following reaction sequence is :



(A) 

(B) 


(C) CH_3CH_2OH

(D) CH_3CH_2Cl

Q6. NEET 2024 (Re-Examination)

Open solution

Identify D in the following sequence of reactions:



(A) n-propyl alcohol

(B) isopropyl alcohol

(C) propanal

(D) propionic acid


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q7. NEET 2024


Open solution

Which one of the following alcohols reacts instantaneously with Lucas reagent?

(A) $CH_3 - CH_2 - CH_2 - CH_2OH$

(B) 

(C) 

(D) 

Q8. NEET 2024

Open solution

The products A and B obtained in the following reactions, respectively, are

$3ROH + PCl_3 \rightarrow 3RCl + A$

$ROH + PCl_5 \rightarrow RCl + HCl + B$

(A) $POCl_3$ and H_3PO_3

(B) $POCl_3$ and H_3PO_4

(C) H_3PO_4 and $POCl_3$


(D) H_3PO_3 and $POCl_3$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q9. NEET 2024

Open solution


Major products A and B formed in the following reaction sequence, are




(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q10. NEET 2023

Open solution

Consider the following reaction and identify the product (P).




(A) $CH_3CH = CH - CH_3$


(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2023


Open solution

Consider the following reaction



Identify products A and B :-


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2023


Open solution

Which amongst the following will be most readily dehydrated under acidic conditions?


(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q13. NEET 2022 Phase 2

Open solution

Match the reagents (List-I) with the product (List-II) obtained from phenol.

	List-I		List-II
(a)	(i) NaOH (ii) CO_2 (iii) H^+	(i)	Benzoquinone
(b)	(i) Aqueous NaOH + $CHCl_3$ (ii) H^+	(ii)	Benzene
(c)	Zn dust, Δ	(iii)	Salicyl aldehyde
(d)	$Na_2Cr_2O_7$, H_2SO_4	(iv)	Salicylic acid

Choose the correct answer from the options given below :

(A) (a) - (iv), (b) - (ii), (c) - (i), (d) - (iii)

(B) (a) - (iii), (b) - (iv), (c) - (i), (d) - (ii)

(C) (a) - (ii), (b) - (i), (c) - (iv), (d) - (iii)

(D) (a) - (iv), (b) - (iii), (c) - (ii), (d) - (i)

Q14. NEET 2022 Phase 2


Open solution

Which one of the following reaction sequence is incorrect method to prepare phenol?

(A)  , oleum, NaOH, H_3O^+

(B) Aniline, $NaNO_2$ + HCl, H_2O, heating

(C) Cumene, O_2, H_3O^+

(D)  Cl , NaOH, STP condition

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q15. NEET 2022 Phase 1

Open solution

Given below are two statements:

Statement I: The acidic strength of monosubstituted nitrophenol is higher than phenol because of electron withdrawing nitro group.

Statement II : o-nitrophenol, m-nitrophenol and p-nitrophenol will have same acidic strength as they have one nitro group attached to the phenolic ring.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Both Statement I and Statement II are correct.

(B) Both Statement I and Statement II are incorrect.

(C) Statement I is correct but Statement II is incorrect.

(D) Statement I is incorrect but Statement II is correct.

Q16. NEET 2022 Phase 1

Open solution

Given below are two statements:

Statement I : In Lucas test, primary, secondary and tertiary alcohols are distinguished on the basis of their reactivity with conc. HCl + $ZnCl_2$, known as Lucas Reagent.

Statement II : Primary alcohols are most reactive and immediately produce turbidity at room temperature on reaction with Lucas Reagent.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Both Statement I and Statement II are correct

(B) Both Statement I and Statement II are incorrect

(C) Statement I is correct but Statement II is incorrect

(D) Statement I is incorrect but Statement II is correct

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q17. NEET 2020 Phase 2

Which of the following substituted phenols is the strongest acid ?

Open solution

(A) 

(B) 

(C) 

(D) 

Q18. NEET 2020 Phase 2

$$CH_3CH_2CH{=}CH_2 \xrightarrow[H_2O,\,H_2O_2,\,OH^-]{B_2H_6} Z$$

Open solution

What is Z?

(A) $CH_3CH_2CH_2CH_3$

(B) $CH_3CH_2CH_2CH_2OH$

(C) $CH_3CH_2\underset{\displaystyle OH}{\underset{|}{C}}HCH_3$


(D) $CH_3CH_2CH_2CHO$


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q19. NEET 2020 Phase 1


Open solution

Anisole on cleavage with HI gives :

(A) 

(B) 

(C) 

(D) 

Q20. NEET 2019 (Odisha)

Open solution

When vapours of a secondary alcohol is passed over heated copper at 573 K, the product formed is

(A) an alkene
(B) a carboxylic acid
(C) an aldehyde
(D) a ketone

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2019 (Odisha)

Open solution

The major products C and D formed in the following reaction respectively are

$$H_3C-CH_2-CH_2-O-C(CH_3)_3 \xrightarrow[\Delta]{\text{excess HI}} C + D$$

(A) $H_3C-CH_2-CH_2-OH$ and $HO-C(CH_3)_3$

(B) $H_3C-CH_2-CH_2-I$ and $I-C(CH_3)_3$

(C) $H_3C-CH_2-CH_2-OH$ and $I-C(CH_3)_3$


(D) $H_3C-CH_2-CH_2-I$ and $HO-C(CH_3)_3$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q22. NEET 2019

Open solution


The structure of intermediate A in the following reaction, is :




(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q23. NEET 2018

The compound A on treatment with Na gives B, and with PCl_5 gives C. B and C react together to give diethyl ether. A, B and C are in the order

Open solution

(A) C_2H_5OH, C_2H_6 , C_2H_5Cl


(B) C_2H_5OH, C_2H_5Cl , C_2H_5ONa

(C) C_2H_5Cl, C_2H_6 , C_2H_5OH

(D) C_2H_5OH, C_2H_5ONa , C_2H_5Cl

Q24. NEET 2018

In the reaction,



Open solution

the electrophile involved is

(A) dichloromethyl cation ($\overset{+}{C}HCl_2$)

(B) formyl cation ($\overset{+}{C}HO$)

(C) dichloromethyl anion ($\overset{-}{C}HCl_2$)


(D) dichlorocarbene ($:CCl_2$)


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q25. NEET 2018


Compound A, $C_8H_{10}O$, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell. A and Y are respectively

Open solution

(A) 

(B) 


(C) 

(D) 

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q26. NEET 2018

Identify the major products P, Q and R in the following sequence of reactions :




Open solution


(A) P Q R




(B) P Q R



(C) P Q R



(D) P Q R



Q27. NEET 2017

The heating of phenyl methyl ether with HI produces

(A) iodobenzene (B) phenol (C) benzene (D) ethyl chloride.

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. NEET 2017

Open solution

Which one is the most acidic compound?


(A)



(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. NEET 2016 Phase 1

Open solution

The reaction



NEETCARE.COM

can be classified as

(A) dehydration reaction
(B) Williamson alcohol synthesis reaction
(C) Williamson ether synthesis reaction
(D) alcohol formation reaction.

Q30. AIPMT 2015

Open solution

Reaction of phenol with chloroform in presence of dilute sodium hydroxide finally introduces which one of the following functional group?

(A) $-COOH$ (B) $-CHCl_2$ (C) $-CHO$ (D) $-CH_2Cl$

Q31. AIPMT 2015

Open solution

Which of the following reaction(s) can be used for the preparation of alkyl halides?

(I) $CH_3CH_2OH + HCl \xrightarrow{\text{Anh. } ZnCl_2}$

(II) $CH_3CH_2OH + HCl \longrightarrow$

(III) $(CH_3)_3COH + HCl \longrightarrow$

(IV) $(CH_3)_2CHOH + HCl \xrightarrow{\text{Anh. } ZnCl_2}$

NEETCARE.COM


(A) (I) and (II) only
(B) (IV) only
(C) (III) and (IV) only
(D) (I), (III) and (IV) only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q32. AIPMT 2015 Cancelled Paper

Open solution

The reaction,



NEETCARE.COM

is called

(A) Etard reaction

(B) Gattermann-Koch reaction

(C) Williamson synthesis

(D) Williamson continuous etherification process

Q33. AIPMT 2014

Open solution

Among the following sets of reactants which one produces anisole?

(A) CH_3CHO ; RMgX

(B) C_6H_5OH ; NaOH ; CH_3I

(C) C_6H_5OH ; neutral $FeCl_3$

(D) $C_6H_5CH_3$; CH_3COCl ; $AlCl_3$

Q34. AIPMT 2014

Open solution

Which of the following will not be soluble in sodium hydrogen carbonate?

(A) 2, 4, 6 - Trinitrophenol

(B) Benzoic acid

(C) o-Nitrophenol

(D) Benzenesulphonic acid

Q35. NEET 2013 (Karnataka)

Open solution

Number of isomeric alcohols of molecular formula $C_6H_{14}O$ which give positive iodoform test is

(A) three

(B) four

(C) five

(D) two


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. NEET 2013 (Karnataka)


Open solution

Phenol is distilled with Zn dust followed by Friedel-Crafts alkylation with propyl chloride in the presence of $AlCl_3$ to give a compound (B). (B) is oxidised in the presence of air to form the compound (C). The structural formula of (C) is


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q37. NEET 2013


Among the following ethers, which one will produce methyl alcohol on treatment with hot concentrated HI?

Open solution

(A)




(B)



(C)



(D)



Q38. AIPMT 2012 Mains

Which of the following compounds can be used as antifreeze in automobile radiators?

(A) Methyl alcohol (B) Glycol (C) Nitrophenol (D) Ethyl alcohol

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q39. AIPMT 2012 Prelims

Open solution

In the following sequence of reactions



the end product (*C*) is

(A) acetone (B) methane (C) acetaldehyde (D) ethyl alcohol

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q40. AIPMT 2011 Prelims

Open solution

In the following reactions,

(i) $CH_3-\underset{\underset{OH}{|}}{CH}-\underset{\underset{CH_3}{|}}{CH}-CH_3 \xrightarrow{H^+/heat} \underset{\text{Major product}}{A} + \underset{\text{Minor product}}{B}$

(ii) $A \xrightarrow[\text{in absece of peroxide}]{\text{Hbr, dark}} \underset{\text{Major product}}{C} + \underset{\text{Minor product}}{D}$

the major products (A) and (C) are respectively

(A) $CH_2=\underset{\underset{CH_3}{|}}{C}-CH_2-CH_3$ and $CH_2(Br)-\underset{\underset{CH_3}{|}}{CH}-CH_2-CH_3$

(B) $CH_3-\underset{\underset{CH_3}{|}}{C}=CH-CH_3$ and $CH_3-\underset{\underset{Br}{|}}{\underset{\underset{CH_3}{|}}{C}}-CH_2-CH_3$

(C) $CH_2=\underset{\underset{CH_3}{|}}{C}-CH_2-CH_3$ and $CH_3-\underset{\underset{Br}{|}}{\underset{\underset{CH_3}{|}}{C}}-CH_2-CH_3$

NEETCARE.COM

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

(D) 

Q41. AIPMT 2010 Mains

Among the following four compounds
(i) Phenol
(ii) Methyl phenol
(iii) *Meta*-nitrophenol
(iv) *Para*-nitrophenol

The acidity order is

(A) (iv) > (iii) > (i) > (ii)
(B) (iii) > (iv) > (i) > (ii)
(C) (i) > (iv) > (iii) > (ii)
(D) (ii) > (i) > (iii) > (iv)

Open solution

Q42. AIPMT 2010 Mains

When glycerol is treated with excess of HI, it produces


(A) 2-iodopropane
(B) allyl iodide
(C) propene
(D) glycerol triiodide

Open solution

Q43. AIPMT 2010 Mains

Following compounds are given

(i) CH_3CH_2OH (ii) CH_3COCH_3

(iii)  (iv) CH_3OH

Which of the above compound(s), on being warmed with iodine solution and NaOH, will give iodoform?

(A) (i), (iii) and (iv)
(B) Only (ii)
(C) (i), (ii) and (iii)
(D) (i) and (ii)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q44. AIPMT 2010 Mains

Match the compounds given in List I with their characteristic reactions given in List II. Select the correct option.

Open solution

List I (Compounds)		List II (Reactions)	
A.	$CH_3(CH_2)_3NH_2$	(i)	Alkaline hydrolysis
B.	$CH_3C{\equiv}CH$	(ii)	With KOH (alcohol) and $CHCl_3$ produces bad smell
C.	$CH_3CH_2COOCH_3$	(iii)	Gives white ppt. with ammoniacal $AgNO_3$
D.	$CH_3CH(OH)CH_3$	(iv)	With Lucas reagent cloudiness appears after 5 minutes

(A) A-(ii), B-(i), C-(iv), D-(iii)

(B) A-(iii), B-(ii), C-(i), D-(iv)

(C) A-(ii), B-(iii), C-(i), D-(iv)

(D) A-(iv), B-(ii), C-(iii), D-(i)

Q45. AIPMT 2010 Prelims

Given are cyclohexanol (I), acetic acid (II), 2, 4, 6-trinitrophenol (III) and phenol (IV). In these the order of decreasing acidic character will be

Open solution

(A) III > II > IV > I

(B) II > III > I > IV

(C) II > III > IV > I

(D) III > IV > II > I


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. AIPMT 2010 Prelims


Open solution

Which of the following compounds has the most acidic nature?


(A)




(B)



(C)



(D)



Q47. AIPMT 2009

Open solution

Consider the following reaction :

$$\text{Phenol} \xrightarrow{\text{Zn dust}} X \xrightarrow[\text{Anhyd. } AlCl_3]{CH_3Cl} Y \xrightarrow{\text{Alkaline } KMnO_4} Z$$

the product Z is

(A) benzaldehyde (B) benzoic acid (C) benzene (D) toluene

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. AIPMT 2009

Open solution


$HOCH_2CH_2OH$ on heating with periodic acid gives

(A) 2HCOOH

(B)



(C)



(D) $2CO_2$

Q49. AIPMT 2009

Open solution

Consider the following reaction :



the product Z is

(A) $CH_3CH_2 - O - CH_2 - CH_3$

(B) $CH_3 - CH_2 - O - SO_3H$

(C) CH_3CH_2OH


(D) $CH_2{=}CH_2$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q50. AIPMT 2007


Open solution

In the reaction :




Which of the following compounds will be formed?


(A)



(B)



(C)



(D)



Q51. AIPMT 2006

Open solution

The general molecular formula, which represents the homologous series of alkanols is

(A) $C_nH_{2n+2}O$ (B) $C_nH_{2n}O_2$ (C) $C_nH_{2n}O$ (D) $C_nH_{2n+1}O$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. AIPMT 2006

Ethylene oxide when treated with Grignard reagent yields

(A) primary alcohol

(B) secondary alcohol

(C) tertiary alcohol

(D) cyclopropyl alcohol

Open solution

Q53. AIPMT 2006

The major organic product in the reaction is


$CH_3 - O - CH(CH_3)_2 + HI \rightarrow$ products

(A) $CH_3I + (CH_3)_2CHOH$

(B) $CH_3OH + (CH_3)_2CHI$

(C) $ICH_2OCH(CH_3)_2$

(D)



Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. AIPMT 2005

Which one of the following compounds is most acidic?

(A) $Cl - CH_2 - CH_2 - OH$


(B)



(C)



(D)



Open solution

Q55. AIPMT 2004

Which one of the following will not form a yellow precipitate on heating with an alkaline solution of iodine?

(A) $CH_3CH(OH)CH_3$

(B) $CH_3CH_2CH(OH)CH_3$

(C) CH_3OH

(D) CH_3CH_2OH

Open solution

Q56. AIPMT 2002

n-propyl alcohol and isopropyl alcohol can be chemically distinguished by which reagent

(A) PCl_5

(B) reduction

(C) oxidation with potassium dichromate

(D) ozonolysis.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. AIPMT 2002

When phenol is treated with $CHCl_3$ and NaOH, the product formed is

(A) benzaldehyde (B) salicylaldehyde (C) salicylic acid (D) benzoic acid.

Open solution

Q58. AIPMT 2001

Which of the following is correct?

(A) On reduction, any aldehyde gives secondary alcohol.

(B) Reaction of vegetable oil with H_2SO_4 gives glycerine

(C) Alcoholic iodine with NaOH gives iodoform.

(D) Sucrose on reaction with NaCl gives invert sugar.

Open solution

Q59. AIPMT 2000

The ionization constant of phenol is higher than that of ethanol because

(A) phenoxide ion is bulkier than ethoxide

(B) phenoxide ion is stronger base than ethoxide

(C) phenoxide ion is stabilized through delocalization

(D) phenoxide ion is less stable than ethoxide

Open solution

Q60. AIPMT 1999

Ethyl chloride is converted into diethyl ether by

(A) Wurtz synthesis (B) Grignard reaction

(C) Perkin's reaction (D) Williamson's synthesis

Open solution

Q61. AIPMT 1998

Which one of the following compounds is resistant to nucleophilic attack by hydroxyl ions?

(A) Methyl acetate (B) Acetonitrile (C) Dimethyl ether (D) Acetamide


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. AIPMT 1998

Open solution

Reaction of



with $R\text{MgX}$ leads to formation of

(A) $R\text{CHOH}R$ (B) $R\text{CHOHCH}_3$ (C) $R\text{CH}_2\text{CH}_2\text{OH}$ (D) $R_2\text{CHCH}_2\text{OH}$

Q63. AIPMT 1995

Open solution

When 3,3-dimethyl-2-butanol is heated with H_2SO_4, the major product obtained is

(A) 2,3-dimethyl-2-butene

(B) *cis* and *trans* isomers of 2,3-dimethyl-2-butene

(C) 2,3-dimethyl-1-butene

(D) 3,3-dimethyl-1-butene.

Q64. AIPMT 1994

Open solution

On heating glycerol with conc. H_2SO_4, a compound is obtained which has bad odour. The compound is

(A) acrolein (B) formic acid

(C) allyl alcohol (D) glycerol sulphate.

Q65. AIPMT 1994

Open solution

The compound which does not react with sodium is

(A) CH_3COOH (B) $\text{CH}_3\text{CHOHCH}_3$ (C) $\text{C}_2\text{H}_5\text{OH}$ (D) CH_3OCH_3

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q66. AIPMT 1993

Ethanol and dimethyl ether form a pair of functional isomers. The boiling point of ethanol is higher than that of dimethyl ether, due to the presence of

(A) H-bonding in ethanol
(B) H-bonding in dimethyl ether
(C) CH_3 group in ethanol
(D) CH_3 group in dimethyl ether.

Open solution

Q67. AIPMT 1993

Increasing order of acid strength among *p*-methoxyphenol, *p*-methylphenol and *p*-nitrophenol is

(A) *p*-nitrophenol, *p*-methoxyphenol, *p*-methylphenol
(B) *p*-methylphenol, *p*-methoxyphenol, *p*-nitrophenol
(C) *p*-nitrophenol, *p*-methylphenol, *p*-methoxyphenol
(D) *p*-methoxyphenol, *p*-methylphenol, *p*-nitrophenol.

Open solution

Q68. AIPMT 1993

Which one of the following on oxidation gives a ketone?

(A) Primary alcohol
(B) Secondary alcohol
(C) Tertiary alcohol
(D) All of these.

Open solution

Q69. AIPMT 1993

What is formed when a primary alcohol undergoes catalytic dehydrogenation?

(A) Aldehyde (B) Ketone (C) Alkene (D) Acid

Open solution

Q70. AIPMT 1992

Methanol is industrially prepared by

(A) oxidation of CH_4 by steam at 900°C
(B) reduction of HCHO using $LiAlH_4$
(C) reaction HCHO with a solution of NaOH
(D) reduction of CO using H_2 and $ZnO-Cr_2O_3$.

Open solution

Q71. AIPMT 1992

HBr reacts fastest with

(A) 2-methylpropan-1-ol
(B) methylpropan-2-ol
(C) propan-2-ol
(D) propan-1-ol.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q72. AIPMT 1992

When phenol is treated with excess bromine water. It gives

(A) *m*-bromophenol
(B) *o*- and *p*-bromophenols
(C) 2,4-dibromophenol
(D) 2,4,6-tribromophenol.

Open solution

Q73. AIPMT 1989

The compound which reacts fastest with Lucas reagent at room temperature is

(A) butan-1-ol
(B) butan-2-ol
(C) 2-methylpropan-1-ol
(D) 2-methylpropan-2-ol.

Open solution

Q74. AIPMT 1989

Which one of the following compounds will be most readily attacked by an electrophile?

(A) Chlorobenzene
(B) Benzene
(C) Phenol
(D) Toluene

Open solution

Q75. AIPMT 1989

Propene, $CH_3CH{=}CH_2$ can be converted into 1-propanol by oxidation. Indicate which set of reagents amongst the following is ideal for the above conversion?

(A) $KMnO_4$ (alkaline)
(B) Osmium tetroxide (OsO_4/CH_2Cl_2)
(C) B_2H_6 and alk. H_2O_2
(D) O_3/Zn.

Open solution

Q76. AIPMT 1989

Phenol is heated with $CHCl_3$ and aqueous KOH when salicylaldehyde is produced. This reaction is known as

(A) Rosenmund's reaction
(B) Reimer-Tiemann reaction
(C) Friedel-Crafts reaction
(D) Sommelet reaction.

Open solution

Q77. AIPMT 1988

Which one is formed when sodium phenoxide is heated with ethyl iodide?

(A) Phenetole
(B) Ethyl phenyl alcohol
(C) Phenol
(D) None of these

Open solution

Q78. AIPMT 1988

Phenol is heated with $CHCl_3$ and aqueous KOH when salicylaldehyde is produced. This reaction is known as

(A) Rosenmund's reaction
(B) Reimer-Tiemann reaction
(C) Friedel-Crafts reaction
(D) Sommelet reaction.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q79. AIPMT 1988

Lucas reagent is

(A) conc. HCl and anhydrous $ZnCl_2$

(B) conc. HNO_3 and hydrous $ZnCl_2$

(C) conc. HCl and hydrous $ZnCl_2$

(D) conc. HNO_3 and anhydrous $ZnCl_2$.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **A**	2. **D**	3. **B**	4. **B**	5. **C**
6. **A**	7. **D**	8. **D**	9. **A**	10. **D**
11. **B**	12. **A**	13. **D**	14. **D**	15. **C**
16. **C**	17. **B**	18. **B**	19. **D**	20. **D**
21. **B**	22. **B**	23. **D**	24. **D**	25. **C**
26. **D**	27. **B**	28. **C**	29. **C**	30. **C**
31. **D**	32. **C**	33. **B**	34. **C**	35. **B**
36. **B**	37. **A**	38. **B**	39. **D**	40. **B**
41. **A**	42. **A**	43. **C**	44. **C**	45. **A**
46. **B**	47. **B**	48. **C**	49. **C**	50. **C**
51. **A**	52. **A**	53. **A**	54. **C**	55. **C**
56. **C**	57. **B**	58. **C**	59. **C**	60. **D**
61. **C**	62. **C**	63. **A**	64. **A**	65. **D**
66. **A**	67. **D**	68. **B**	69. **A**	70. **D**
71. **B**	72. **D**	73. **D**	74. **C**	75. **C**
76. **B**	77. **A**	78. **B**	79. **A**	

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs