ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

Organic Compounds Containing Nitrogen

NEET Chemistry · Previous Year Questions with Answer Key

72	44	1989 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	72 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 72 questions

Q1. RE-NEET 2026

Open solution


One of the products formed in the following reaction is



(A)



(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q2. RE-NEET 2026

Open solution

Given below are two statements:

Statement-I : Oxidation of p-nitrotoluene with acidic $KMnO_4$ gives an acid that is stronger than benzoic acid.

Statement-II : Reduction of p-nitrotoluene with Sn/HCl followed by neutralization gives an amine that is more basic than aniline.

In light of the above statements, choose the most appropriate answer from the options given below.

(A) Statement-I is incorrect but Statement-II is correct

(B) Both Statement-I and Statement-II are correct


(C) Both Statement-I and Statement-II are incorrect

(D) Statement-I is correct but Statement-II is incorrect

Q3. RE-NEET 2026

Open solution

Identify the reactions which give aniline as the major product.



Choose the correct answer from the options given below.

(A) C and D only **(B)** A and B only **(C)** B and D only **(D)** A and C only

Q4. NEET 2026

Open solution

Select the reagents that reduce nitriles to primary amines.

A. (i) $LiAlH_4$; (ii) H_2O

B. $Sn + HCl$

C. H_2/Ni

D. $Na(Hg)/C_2H_5OH$

E. $Br_2/aq.\ NaOH$

Choose the correct answer from the options given below.

(A) B, D and E only **(B)** A, C and D only **(C)** A, D and E only **(D)** A, B and C only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2026

The following two reactions give the same foul smelling product Z.

$C_2H_5Cl \xrightarrow{X} Z$



X and Z, respectively, are :

(A) $X = AgCN; Z = C_2H_5NC$

(B) $X = KCN; Z = C_2H_5CN$


(C) $X = AgCN; Z = C_2H_5CN$

(D) $X = KCN; Z = C_2H_5NC$

Open solution

Q6. NEET 2026

Two products X and Y are formed in the following reaction sequence.



The suitable method that can be used for the separation of products X and Y is :

(A) Fractional distillation

(B) Sublimation

(C) Differential extraction

(D) Continuous extraction

Open solution

Q7. NEET 2026

The major product Z formed in the following sequence of reactions is



(A) $C_2H_5NO_2$

(B) $C_2H_5 - N = N - OH$

(C) C_2H_5OH

(D) $C_2H_5NH_2$

Open solution

Q8. NEET 2025

The correct order of decreasing basic strength of the given amines is:

(A) N -ethylethanamine > ethanamine > N-methylaniline > benzenamine

(B) benzenamine > ethanamine > N-methylaniline > N-ethylethanamine

(C) N -methylaniline > benzenamine > ethanamine > N-ethylethanamine

(D) N-ethylethanamine > ethanamine > benzenamine > N-methylaniline

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q9. NEET 2025

Open solution

Given below are two statements :

Statement-I : Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at $273 - 278\ \mathrm{K}$. It decomposes easily in the dry state.

Statement-II : Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Statement I is correct but Statement II is incorrect

(B) Statement I is incorrect but Statement II is correct

(C) Both Statement I and Statement II are correct


(D) Both Statement I and Statement II are incorrect

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q10. NEET 2024 (Re-Examination)

Open solution


The major product X formed in the following reaction sequence is :




(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2024 (Re-Examination)

The compound that does not undergo Friedel-Crafts alkylation reaction but gives a positive carbylamine test is :

(A) Aniline (B) Pyridine (C) N-methylaniline (D) Triethylamine

Open solution

Q12. NEET 2024

Given below are two statements:

Statement I : Aniline does not undergo Friedel-Crafts alkylation reaction.

Statement II : Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both statement I and Statement II are true

(B) Both Statement I and Statement II are false

(C) Statement I is correct but Statement II is false


(D) Statement I is incorrect but Statement II is true

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q13. NEET 2023

Identify the product in the following reaction:




Open solution

(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2023

Open solution

Which of the following reactions will NOT give primary amine as the product?

(A) $CH_3CN \xrightarrow[(ii)\ H_3O^{\oplus}]{(i)\ LiAlH_4}$ Product

(B) $CH_3NC \xrightarrow[(ii)\ H_3O^{\oplus}]{(i)\ LiAlH_4}$ Product

(C) $CH_3CONH_2 \xrightarrow[(ii)\ H_3O^{\oplus}]{(i)\ LiAlH_4}$ Product


(D) $CH_3CONH_2 \xrightarrow{Br_2/KOH}$ Product

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q15. NEET 2022 Phase 2

Open solution


The product formed from the following reaction sequence is :




(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q16. NEET 2022 Phase 1


Open solution

Which of the following sequence of reactions is suitable to synthesize chlorobenzene?

(A) Benzene, Cl_2, anhydrous $FeCl_3$

(B) Phenol, $NaNO_2$, HCl, CuCl

(C) 

(D) 

Q17. NEET 2022 Phase 1

Open solution

Given below are two statements

Statement I : Primary aliphatic amines react with HNO_2 to give unstable diazonium salts.

Statement II : Primary aromatic amines react with HNO_2 to form diazonium salts which are stable even above 300 K.

In the light of the above statements, choose the most appropriate answer from the options given below.

(A) Both Statement I and Statement II are correct.

(B) Both Statement I and Statement II are incorrect.

(C) Statement I is correct but Statement II is incorrect.


(D) Statement I is incorrect but Statement II is correct.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q18. NEET 2022 Phase 1

Open solution


The product formed from the following reaction sequence is




(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q19. NEET 2021


Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali.

Open solution


(A)




(B)



(C)




(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q20. NEET 2021

The reagent 'R' in the given sequence of chemical reaction is :



Open solution

(A) CuCN/KCN (B) H_2O (C) CH_3CH_2OH (D) HI

Q21. NEET 2020 Phase 2

Reaction of propanamide with ethanolic sodium hydroxide and bromine will give

(A) Aniline (B) Ethylamine (C) Methylamine (D) Propylamine

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2020 Phase 1


Open solution

Which of the following amine will give the carbylamine test?


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q23. NEET 2019 (Odisha)

Open solution

The amine that reacts with Hinsberg's reagent to give an alkali insoluble product is


(A)




(B)



(C)



(D)



Q24. NEET 2019

Open solution

The correct order of the basic strength of methyl substituted amines in aqueous solution is :

(A) $(CH_3)_3N > (CH_3)_2NH > CH_3NH_2$

(B) $CH_3NH_2 > (CH_3)_2NH > (CH_3)_3N$

(C) $(CH_3)_2NH > CH_3NH_2 > (CH_3)_3N$


(D) $(CH_3)_3N > CH_3NH_2 > (CH_3)_2NH$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q25. NEET 2019


Open solution

The major product of the following reaction is :




NEETCARE.Com


(A)



(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q26. NEET 2018

Nitration of aniline in strong acidic medium also gives m-nitroaniline because

(A) inspite of substituents nitro group always goes to only m-position

(B) in electrophilic substitution reactions amino group is meta directive


(C) in absence of substituents nitro group always goes to m-position

(D) in acidic (strong) medium aniline is present as anilinium ion.

Open solution

Q27. NEET 2017

The correct increasing order of basic strength for the following compounds is



(A) III < I < II (B) III < II < I (C) II < I < III (D) II < III < I

Open solution

Q28. NEET 2017

Which of the following reactions is appropriate for converting acetamide to methanamine?

(A) Hoffmann hypobromamide reaction (B) Stephen's reaction

(C) Gabriel phthalimide synthesis (D) Carbylamine reaction

Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. NEET 2016 Phase 2


Which one of the following nitro-compounds does not react with nitrous acid?

Open solution

(A)



(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q30. NEET 2016 Phase 2

Open solution

A given nitrogen-containing aromatic compound 'A' reacts with Sn/HCl, followed by HNO_2 to give instable compound 'B'. 'B', on treatment with phenol, forms a beautiful coloured compound 'C' with the molecular formula $C_{12}H_{10}N_2O$. The structure of compound 'A' is


(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q31. NEET 2016 Phase 1

The correct statement regarding the basicity of arylamines is

(A) arylamines are generally more basic than alkylamines because of aryl group

(B) arylamines are generally more basic than alkylamines, because the nitrogen atom in arylamines is *sp*-hybridised

(C) arylamines are generally less basic than alkylamines because the nitrogen lone-pair electrons are delocalised by interaction with the aromatic ring π-electron system

(D) arylamines are generally more basic than alkylamines because the nitrogen lone-pair electrons are not delocalised by interaction with the aromatic ring π-electron system.

Open solution

Q32. NEET 2016 Phase 1


The product formed by the reaction of an aldehyde with a primary amine is

(A) carboxylic acid (B) aromatic acid (C) Schiff's base (D) ketone

Open solution

Q33. AIPMT 2015

The following reaction



is known by the name

(A) Perkin's reaction (B) Acetylation reaction

(C) Schotten-Baumann reaction (D) Friedel-Craft's reaction

Open solution

Q34. AIPMT 2015

Method by which aniline cannot be prepared is

(A) degradation of benzamide with bromine in alkaline solution

(B) reduction of nitrobenzene with H_2/Pd in ethanol

(C) potassium salt of phthalimide treated with chlorobenzene followed by hydrolysis with aqueous NaOH solution

(D) hydrolysis of phenylisocyanide with acidic solution.

Open solution

Q35. AIPMT 2015

The number of structural isomers possible from the molecular formula C_3H_9N is

(A) 5 (B) 2 (C) 3 (D) 4

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. AIPMT 2015 Cancelled Paper

The electrolytic reduction of nitrobenzene in strongly acidic medium produces

(A) azobenzene (B) aniline (C) p-aminophenol (D) azoxybenzene.


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q37. AIPMT 2014

Open solution


In the following reaction, the product (A) is




(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q38. AIPMT 2014

Which of the following will be most stable diazonium salt $RN_2^+X^-$?

(A) $CH_3N_2^+X^-$ (B) $C_6H_5N_2^+X^-$ (C) $CH_3CH_2N_2^+X^-$ (D) $C_6H_5CH_2N_2^+X^-$

Open solution

Q39. NEET 2013 (Karnataka)

On hydrolysis of a "compound", two compounds are obtained. One of which one treatment with sodium nitrite and hydrochloric acid gives a product which does not respond to iodoform test. The second one reduces Tollens reagent and Fehling's solution. The "compound" is

(A) $CH_3CH_2CH_2NC$

(B) $CH_3CH_2CH_2CN$

(C) $CH_3CH_2CH_2ON=O$


(D) $CH_3CH_2CH_2CON(CH_3)_2$

Open solution

Q40. NEET 2013 (Karnataka)

Some reactions of amines are given. Which one is not correct?

(A)



(B) $CH_3CH_2NH_2 + HNO_2 \rightarrow CH_3CH_2OH + N_2$

(C) $CH_3NH_2 + C_6H_5SO_2Cl \rightarrow CH_3NHSO_2C_6H_5$

(D) $(CH_3)_2NH + NaNO_2 + HCl \rightarrow (CH_3)_2N-N=O$

Open solution

Q41. NEET 2013

Nitrobenzene on reaction with conc. HNO_3/H_2SO_4 at $80-100^oC$ forms which one of the following products?

(A) 1, 4-Dinitrobenzene

(B) 1, 2, 4 - Trinitrobenzene

(C) 1, 2-Dinitrobenzene

(D) 1, 3-Dinitrobenzene


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q42. NEET 2013

Open solution

In the reaction



A is


(A) H_3PO_2 and H_2O (B) H^+/H_2O (C) $HgSO_4/H_2SO_4$ (D) Cu_2Cl_2

Q43. AIPMT 2012 Mains

Open solution


An organic compound (C_3H_9N) (A), when treated with nitrous acid, gave an alcohol and N_2 gas was evolved. (A) on warming with $CHCl_3$ and caustic potash gave (C) which on reduction gave isopropylmethylamine. Predict the structure of (A)

(A)



(B) $CH_3CH_2 - NH - CH_3$

(C)



(D) $CH_3CH_2CH_2 - NH_2$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q44. AIPMT 2011 Mains


Open solution

Which of the following compounds is most basic?


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q45. AIPMT 2011 Prelims

Open solution


What is the product obtained in the following reaction?




(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. AIPMT 2010 Prelims

Acetamide is treated with the following reagents separately. Which one of these would yield methyl amine?

(A) $NaOH/Br_2$ (B) Sodalime (C) Hot conc.H_2SO_4 (D) PCl_5

Open solution

Q47. AIPMT 2010 Prelims

Which of the following statements about primary amines is false?

(A) Alkyl amines are stronger bases than aryl amines.

(B) Alkyl amines react with nitrous acid to produce alcohols.

(C) Aryl amines react with nitrous acid to produce phenols.

(D) Alkyl amines are stronger bases than ammonia.


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. AIPMT 2010 Prelims


Open solution

Aniline in a set of the following reactions yielded a coloured product *Y*.




The structure of '*Y*' would be


(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q49. AIPMT 2009


Nitrobenzene can be prepared from benzene by using a mixture of conc. HNO_3 and conc. H_2SO_4. In the mixture, nitric acid acts as a/an

(A) acid (B) base (C) catalyst (D) reducing agent

Open solution

Q50. AIPMT 2009

Predict the product.




Open solution


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q51. AIPMT 2008


Open solution

In a reaction of aniline a coloured product C was obtained.




The structure of C would be


(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. AIPMT 2007

Which one of the following on reduction with lithium aluminium hydride yields a secondary amine?

(A) Methyl isocyanide (B) Acetamide

(C) Methyl cyanide (D) Nitroethane

Open solution

Q53. AIPMT 2006

Which of the following is more basic than aniline?

(A) Benzylamine (B) Diphenylamine (C) Triphenylamine (D) p-Nitroaniline

Open solution

Q54. AIPMT 2005

Electrolytic reduction of nitrobenzene in weakly acidic medium gives


(A) *N*-phenylhydroxylamine (B) nitrosobenzene

(C) aniline (D) *p*-hydroxyaniline.

Open solution

Q55. AIPMT 2005

Aniline in a set of reactions yielded a product *D*.



Open solution

The structure of the product *D* would be


(A) C_6H_5NHOH (B) $C_6H_5NHCH_2CH_3$ (C) $C_6H_5CH_2NH_2$ (D) $C_6H_5CH_2OH$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q56. AIPMT 2004


Open solution

In a reaction of aniline a coloured product C was obtained.




The structure of C would be


(A)




(B)



(C)



(D)




Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. AIPMT 2003


Open solution

The final product *C*, obtained in this reaction



would be


(A)



(B)



(C)




(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q58. AIPMT 2002

Open solution




Product '*P* in the above reaction is


(A)




(B)



(C)



(D)



Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q59. AIPMT 2001

Intermediates formed during reaction of



are

(A) *R*CONHBr and *R*NCO

(B) *R*NHCOBr and *R*NCO

(C) *R*NH – Br and *R*CONHBr


(D) $RCONBr_2$

Open solution

NEETCARE.COM

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q60. AIPMT 2000




Open solution

then *A* is

(A)




(B)



(C) CH_3NH_2

(D)



Q61. AIPMT 1999

Amides can be converted into amines by a reaction named after

(A) Perkin (B) Claisen (C) Hofmann (D) Kekule

Open solution

Q62. AIPMT 1999

Phenyl isocyanides are prepared from which of the following reaction?

(A) Rosenmund's reaction (B) Carbylamine reaction

(C) Reimer-Tiemann reaction (D) Wurtz reaction

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q63. AIPMT 1998

Aniline is reacted with bromine water and the resulting product is treated with an aqueous solution of sodium nitrite in presence of dilute hydrochloric acid. The compound so formed is converted to a tetrafluoroborate which is subsequently heated. The final product is

Open solution

(A) 1, 3, 5-tribromobenzene
(B) *p*-bromofluorobenzene
(C) *p*-bromoaniline
(D) 2, 4, 6-tribromofluorobenzene

Q64. AIPMT 1997

The compound obtained by heating a mixture of ethyl amine and chloroform with ethanolic potassium hydroxide (KOH) is

Open solution

(A) an amide
(B) an amide and nitro compound
(C) an ethyl isocyanide
(D) an alkyl halide.


Q65. AIPMT 1996

An aniline on nitration gives

Open solution

(A) 

(B) 

(C) 

(D) both (a) and (c).

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q66. AIPMT 1995

Which product is formed, when acetonitrile is hydrolysed partially with cold concentrated HCl?

(A) Methyl cyanide (B) Acetic anhydride (C) Acetic acid (D) Acetamide

Open solution

Q67. AIPMT 1995

When aniline reacts with oil of bitter almonds (C_6H_5CHO) condensation takes place and benzal derivative is formed. This is known as

(A) Schiff's base (B) Benedict's reagent

(C) Millon's base (D) Schiff's reagent.

Open solution

Q68. AIPMT 1994

The action of nitrous acid on an aliphatic primary amine gives

(A) secondary amine (B) nitro alkane (C) alcohol (D) alkyl nitrite.

Open solution

Q69. AIPMT 1994

Which one of the following order is wrong, with respect to the property indicated?

(A) Benzoic acid $>$ phenol $>$ cyclohexanol (acid strength)

(B) Aniline $>$ cyclohexylamine $>$ benzamide (basic strength)

(C) Formic acid $>$ acetic acid $>$ propanoic acid (acid strength)

(D) Fluoroacetic acid $>$ chloroacetic acid $>$ bromoacetic acid (acid strength)

Open solution

Q70. AIPMT 1994

Diazo coupling is useful to prepare some

(A) pesticides (B) dyes (C) proteins (D) vitamins.

Open solution

Q71. AIPMT 1992

For carbylamine reaction, we need hot alcoholic KOH and

(A) any primary amine and chloroform (B) chloroform and silver powder

(C) a primary amine and an alkyl halide (D) a monoalkylamine and trichloromethane.

Open solution

Q72. AIPMT 1989

Indicate which nitrogen compound amongst the following would undergo Hofmann reaction (*i.e.*, reaction with Br_2 and strong KOH) to furnish the primary amine ($R-NH_2$)?

(A) $RCONHCH_3$ (B) $RCOONH_4$ (C) $RCONH_2$ (D) $R-CO-NHOH$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **A**	2. **B**	3. **C**	4. **B**	5. **A**
6. **A**	7. **C**	8. **A**	9. **C**	10. **C**
11. **A**	12. **A**	13. **A**	14. **B**	15. **B**
16. **A**	17. **C**	18. **D**	19. **C**	20. **C**
21. **B**	22. **D**	23. **B**	24. **C**	25. **D**
26. **D**	27. **C**	28. **A**	29. **C**	30. **B**
31. **C**	32. **C**	33. **C**	34. **C**	35. **D**
36. **C**	37. **D**	38. **B**	39. **A**	40. **A**
41. **D**	42. **A**	43. **A**	44. **B**	45. **A**
46. **A**	47. **C**	48. **A**	49. **B**	50. **D**
51. **B**	52. **A**	53. **A**	54. **C**	55. **D**
56. **B**	57. **C**	58. **B**	59. **A**	60. **B**
61. **C**	62. **B**	63. **D**	64. **C**	65. **D**
66. **D**	67. **A**	68. **C**	69. **B**	70. **B**
71. **A**	72. **C**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs