ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Plant Kingdom

NEET Biology · Previous Year Questions with Answer Key

174	50	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	174 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 174 questions

Q1. RE-NEET 2026

Given below are two statements:

Statement I: In gymnosperms, the male and female gametophytes remain within the sporangia.

Statement II: In gymnosperms, seeds are not covered.

In the light of the above statements, choose the most appropriate answer from the options given below:

(A) Statement I is incorrect but Statement II is correct

(B) Both Statement I and Statement II are correct

(C) Both Statement I and Statement II are incorrect

(D) Statement I is correct but Statement II is incorrect

Open solution

Q2. RE-NEET 2026

Sphenopsida class belongs to ____ .

(A) pteridophytes (B) bryophytes (C) angiosperms (D) gymnosperms

Open solution

Q3. NEET 2026

In which one of the following, the ovules are not enclosed by an ovary wall and remain exposed?

(A) Funaria (B) Pinus (C) Selaginella (D) Wolffia

Open solution

Q4. NEET 2025

Which one of the following is the characteristic feature of gymnosperms?

(A) Seeds are absent

(B) Gymnosperms have flowers for reproduction

(C) Seeds are enclosed in fruits

(D) Seeds are naked

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2025

Open solution

Match List-I with List-II.

	List - I		List - II
A	Pteridophyte	I	Salvia
B	Bryophyte	II	Ginkgo
C	Angiosperm	III	Polytrichum
D	Gymnosperm	IV	Salvinia

Choose the option with all correct matches.

(A) A-III, B-IV, C-I, D-II
(B) A-IV, B-III, C-II, D-I
(C) A-III, B-IV, C-II, D-I
(D) A-IV, B-III, C-I, D-II

Q6. NEET 2025

Open solution

In bryophytes, the gemmae help in which one of the following?

(A) Nutrient absorption
(B) Gaseous exchange
(C) Sexual reproduction
(D) Asexual reproduction

Q7. NEET 2025

Open solution

Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.

A. Prothallus stage

B. Meiosis in spore mother cells

C. Fertilisation

D. Formation of archegonia and antheridia in gametophyte.

E. Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the options given below:

(A) D, E, C, A, B
(B) E, D, C, B, A
(C) B, A, D, E, C
(D) B, A, E, C, D

ExamGOAL LEARNING APP
Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2025

The correct sequence of events in the life cycle of bryophytes is

A. Fusion of antherozoid with egg.

B. Attachment of gametophyte to substratum.

C. Reduction division to produce haploid spores.

D. Formation of sporophyte.

E. Release of antherozoids into water.

Choose the correct answer from the options given below :

(A) B, E, A, D, C (B) D, E, A, B, C (C) D, E, A, C, B (D) B, E, A, C, D

Open solution

Q9. NEET 2024 (Re-Examination)

Which one of the following is not found in Gymnosperms?

(A) Sieve cells (B) Albuminous cells (C) Tracheids (D) Vessels

Open solution

Q10. NEET 2024 (Re-Examination)

Identify the incorrect pair :

(A) Sphenopsida – Adiantum (B) Pteropsida – Dryopteris

(C) Psilopsida – Psilotum (D) Lycopsida – Selaginella

Open solution

Q11. NEET 2024 (Re-Examination)

Which of the following is the correct match?

(A) Gymnosperms : Cedrus, Pinus, Sequoia

(B) Angiosperms : Wolffia, Eucalyptus, Sequoia

(C) Bryophytes : Polytrichum, Polysiphonia, Sphagnum

(D) Pteridophytes : Equisetum, Ginkgo, Adiantum

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q12. NEET 2024

Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

A. Asexual reproduction occurs usually by biflagellate zoospores.

B. Sexual reproduction is by oogamous method only.

C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.

D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.

E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

(A) A, B, C and D only
(B) B, C, D and E only
(C) A, C, D and E only
(D) A, B, C and E only

Open solution

Q13. NEET 2023 Manipur

Match List - I with List - II.

	List - I		List - II
(A)	Pteropsida	(I)	Psilotum
(B)	Lycopsida	(II)	Equisetum
(C)	Psilopsida	(III)	Adiantum
(D)	Sphenopsida	(IV)	Selaginella

Choose the correct answer from the options given below :

(A) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
(B) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)
(C) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
(D) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)

Open solution

Q14. NEET 2023 Manipur

Which classes of algae possess pigment fucoxanthin and pigment phycoerythrin, respectively ?

(A) Phaeophyceae and Chlorophyceae
(B) Phaeophyceae and Rhodophyceae
(C) Chlorophyceae and Rhodophyceae
(D) Rhodophyceae and Phaeophyceae

Open solution

Q15. NEET 2023 Manipur

Which of the following statements is **true**?

(A) All pteridophytes exhibit haplo-diplontic pattern.
(B) Seed bearing plants follow haplontic pattern
(C) Most algal genera are diplontic
(D) Most bryophytes do not have haplo-diplontic life cycle.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q16. NEET 2023

Identify the pair of heterosporous pteridophytes among the following :

(A) Selaginella and Salvinia
(B) Psilotum and Salvinia
(C) Equisetum and Salvinia
(D) Lycopodium and Selaginella

Open solution

Q17. NEET 2023

Given below are two statements : One labelled as Assertion A and the other labelled as Reason R:

Assertion A : The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R : Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the most appropriate answer from options given below:

(A) Both A and R are correct but R is NOT the correct explanation of A
(B) A is correct but R is not correct
(C) A is not correct but R is correct
(D) Both A and R are correct and R is the correct explanation of A

Open solution

Q18. NEET 2023

Given below are two statements : One labelled as Assertion A and the other labelled as Reason R :

Assertion A : In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R : Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the correct answer from the options given below :

(A) Both A and R are true but R is NOT the correct explanation of A
(B) A is true but R is false
(C) A is false but R is true
(D) Both A and R are true and R is the correct explanation of A

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q19. NEET 2022 Phase 2

Open solution

Match List-I with List-II :

	List-I		List-II
(a)	Chlamydomonas	(i)	Moss
(b)	Cycas	(ii)	Pteridophyte
(c)	Selaginella	(iii)	Alga
(d)	Sphagnum	(iv)	Gymnosperm

Choose the correct answer from the options given below

(A) (a) - (ii), (b) - (iii), (c) - (i), (d) - (iv)

(B) (a) - (iii), (b) - (i), (c) - (ii), (d) - (iv)


(C) (a) - (iii), (b) - (iv), (c) - (ii), (d) - (i)

(D) (a) - (iii), (b) - (ii), (c) - (i), (d) - (iv)

Q20. NEET 2022 Phase 2

Open solution

Read the following statements and identify the characters related to the alga shown in the diagram :



(a) It is a member of Chlorophyceae

(b) Food is stored in the form of starch

(c) It is monoecious plant showing oogonium and antheridium

(d) Food is stored in the form of laminarin or mannitol

(e) It shows dominance of pigments Chlorophyll a, c and Fucoxanthin

Choose the correct answer from the options given below :

(A) (c), (d) and (e) only

(B) (a), and (b) only

(C) (a), (b) and (c) only

(D) (a), (c) and (d) only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2022 Phase 1

Hydrocolloid carrageen is obtained from :

(A) Chlorophyceae and Phaeophyceae
(B) Phaeophyceae and Rhodophyceae
(C) Rhodophyceae only
(D) Phaeophyceae only

Open solution

Q22. NEET 2022 Phase 1

Which of the following is incorrectly matched?

(A) Ectocarpus - Fucoxanthin
(B) Ulothrix - Mannitol
(C) Porphyra - Floridian Starch
(D) Volvox - Starch

Open solution

Q23. NEET 2022 Phase 1

Match the plant with the kind of life cycle it exhibits:

	List - I		List - II
(a)	Spirogyra	(i)	Dominant diploid sporophyte vascular plant, with highly reduced male or female gametophyte
(b)	Fern	(ii)	Dominant haploid free-living gametophyte
(c)	Funaria	(iii)	Dominant diploid sporophyte alternating with reduced gametophyte called prothallus
(d)	Cycas	(iv)	Dominant haploid leafy gametophyte alternating with partially dependent multicellular sporophyte

Choose the correct answer from the options given below :

(A) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
(B) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
(C) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)
(D) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)

Open solution

Q24. NEET 2021

Gemmae are present in

(A) Some Liverworts
(B) Mosses
(C) Pteridophytes
(D) Some Gymnosperms

Open solution

Q25. NEET 2021

Which of the following algae produce Carrageen?

(A) Blue-green algae (B) Green algae (C) Brown algae (D) Red algae

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q26. NEET 2021

Which of the following algae contains mannitol as reserve food material?

(A) Ulothrix (B) Ectocarpus (C) Gracilaria (D) Volvox

Open solution

Q27. NEET 2020 Phase 2

Male and female gametophytes do not have an independent free living existence in :

(A) Bryophytes (B) Pteridophytes (C) Algae (D) Angiosperms

Open solution

Q28. NEET 2020 Phase 2

Phycoerythrin is the major pigment in :

(A) Brown algae (B) Red algae (C) Blue green algae (D) Green algae

Open solution

Q29. NEET 2020 Phase 2

Which of the following statements is incorrect about gymnosperms ?

(A) Their seeds are not covered

(B) They are heterosporous

(C) Male and female gametophytes are free living

(D) Most of them have narrow leaves with thick cuticle

Open solution

Q30. NEET 2020 Phase 1

Which of the following pairs is of unicellular algae?

(A) *Gelidium and Gracilaria* (B) *Anabaena and Volvox*

(C) *Chlorella and Spirulina* (D) *Laminaria and Sargassum*

Open solution

Q31. NEET 2020 Phase 1

Floridean starch has structure similar to

(A) Amylopectin and glycogen (B) Mannitol and algin

(C) Laminarin and cellulose (D) Starch and cellulose

Open solution

Q32. NEET 2020 Phase 1

Strobili or cones are found in

(A) *Pteris* (B) *Marchantia* (C) *Equisetum* (D) *Salvinia*

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q33. NEET 2019

From evolutionary point of view, retention of the female gametophyte with developing young embryo on the parent sporophyte for some time, is first observed in :

(A) Pteridophytes (B) Mosses (C) Liverworts (D) Gymnosperms

Open solution

Q34. NEET 2019

Pinus seed **cannot** germinate and establish without fungal association. This is because :

(A) it has very hard seed coat

(B) Its seeds contain inhibitors that prevent germination

(C) its embryo is immature

(D) it has obligate association with mycorrhizae

Open solution

Q35. NEET 2018

Which of the following statements is correct?

(A) Selaginella is heterosporous, while Salvinia is homosporous.

(B) Stems are usually unbranched in both Cycas and Cedrus

(C) Ovules are not enclosed by ovary wall in gymnosperms

(D) Horsetails are gymnosperms

Open solution

Q36. NEET 2018

Which one is wrongly matched?

(A) Biflagellate zoospores – Brown algae (B) Uniflagellate gametes – Polysiphonia

(C) Unicellular organism – Chlorella (D) Gemma cups – Marchantia

Open solution

Q37. NEET 2017

An example of colonial alga is

(A) *Volvox* (B) *Ulothrix* (C) *Spirogyra* (D) *Chlorella*

Open solution

Q38. NEET 2017

Select the mismatch

(A) *Cycas* – Dioecious (B) *Salvinia* – Heterosporous

(C) *Equisetum* – Homosporous (D) *Pinus* – Dioecious

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q39. NEET 2017

Zygotic meiosis is characteristic of

(A) *Fucus* (B) *Funaria* (C) *Chlamydomonas* (D) *Marchantia*

Open solution

Q40. NEET 2017

Life cycles of *Ectocarpus* and *Fucus* respectively are

(A) diplontic, haplodiplontic
(B) haplodiplontic, diplontic
(C) haplodiplontic, haplontic
(D) haplontic, diplontic.

Open solution

Q41. NEET 2016 Phase 2

Conifers are adapted to tolerate extreme environmental conditions because of

(A) broad hardy leaves
(B) superficial stomata
(C) thick cuticle
(D) presence of vessels.

Open solution

Q42. NEET 2016 Phase 2

Which one of the following statements is wrong?

(A) Algae increase the level of dissolved oxygen in the immediate environment.
(B) Algin is obtained from red algae, and carrageenan from brown algae.
(C) Agar-agar is obtained from *Gelidium* and *Gracilaria.*
(D) *Laminaria* and *Sargassum* are used as food.

Open solution

Q43. NEET 2016 Phase 1

Select the correct statement

(A) *Sequoia* is one of the tallest trees.
(B) The leaves of gymnosperms are not well adapted to extremes of climate.
(C) Gymnosperms are both homosporous and heterosporous.
(D) *Salvinia, Ginkgo* and *Pinus* all are gymnosperms.

Open solution

Q44. NEET 2016 Phase 1

In bryophytes and pteridophytes, transport of male gametes requires

(A) birds (B) water (C) wind (D) insects.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q45. AIPMT 2015

Which one is a wrong statement?

(A) Haploid endosperm is typical feature of Gymnosperms.

(B) Brown algae have chlorophyll a and c and fucoxanthin.

(C) Archegonia are found in Bryophyta, Pteridophyta and Gymnosperms.

(D) *Mucor* has biflagellate zoospores.

Open solution

Q46. AIPMT 2015 Cancelled Paper

Which one of the following statements is wrong?

(A) *Chlorella* and *Spirulina* are used as space food.

(B) Mannitol is stored food in Rhodophyceae.

(C) Algin and carrageenan are products of algae.

(D) Agar-agar is obtained from *Gelidium* and *Gracilaria.*

Open solution

Q47. AIPMT 2015 Cancelled Paper

In which of the following, gametophyte is not independent free living?

(A) *Pteris* (B) *Pinus* (C) *Funaria* (D) *Marchantia*

Open solution

Q48. AIPMT 2015 Cancelled Paper

Read the following five statements (A to E) and select the option with all correct statements.

A. Mosses and lichens are the first organisms to colonise a bare rock.

B. *Selaginella* is a homosporous pteridophyte

C. Coralloid roots in *Cycas* have VAM.

D. Main plant body in bryophytes is gametophytic, whereas in pteridophytes it is sporophytic.

E. In gymnosperms, male and female gametophytes are present within sporangia located on sporophyte.

(A) A, D and E (B) B, C and E (C) A, C and D (D) B, C and D

Open solution

Q49. AIPMT 2015 Cancelled Paper

Male gametes are flagellated in

(A) *Ectocarpus* (B) *Spirogyra* (C) *Polysiphonia* (D) *Anabaena.*

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q50. AIPMT 2014

Which one of the following is wrong about *Chara*?

(A) Upper oogonium and lower round antheridium

(B) Globule and nucule present on the same plant

(C) Upper antheridium and lower oogonium

(D) Globule is male reproductive structure

Open solution

Q51. AIPMT 2014

Which of the following is responsible for peat formation?

(A) *Marchanita* (B) *Riccia* (C) *Funaria* (D) *Sphagnum*

Open solution

Q52. AIPMT 2014

Male gametophyte with least number of cells is present in

(A) *Pteris* (B) *Funaria* (C) *Lilium* (D) *Pinus.*

Open solution

Q53. AIPMT 2014

Which one of the following shows isogamy with non-flagellated gametes?

(A) *Sargassum* (B) *Ectocarpus* (C) *Ulothrix* (D) *Spirogyra*

Open solution

Q54. NEET 2013 (Karnataka)

Syngamy can occur outside the body of the organism in

(A) mosses (B) algae (C) ferns (D) Fungi

Open solution

Q55. NEET 2013 (Karnataka)

What is common in all the three, *Funaria, Dryopteris* and *Ginkgo*?

(A) Presence of archegonia (B) Well developed vascular tissues

(C) Independent gametophyte (D) Independent sporophyte

Open solution

Q56. NEET 2013 (Karnataka)

Which one of the following is wrongly matched?

(A) *Spirogyra* - Motile gametes (B) *Sargassum* - Chlorophyll

(C) Basidiomycetes - Puffballs (D) *Nostoc* - Water blooms

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q57. NEET 2013 (Karnataka)

The plant body is thalloid in

(A) *Sphagnum* (B) *Salvinia* (C) *Marchantia* (D) *Funaria.*

Open solution

Q58. NEET 2013

Select the wrong statement

(A) In Oomycetes, female gamete is smaller and motile, while male gamete is larger and non-motile.

(B) *Chlamydomonas* exhibits both isogamy and anisogamy and *Fucus* shows oogamy.

(C) Isogametes are similar in structure, function and behaviour.

(D) Anisogametes differ either in structure, function or behaviour.

Open solution

Q59. NEET 2013

Isogamous condition with non-flagellated gametes is found in

(A) *Volvox* (B) *Fucus* (C) *Chlamydomonas* (D) *Spirogyra.*

Open solution

Q60. NEET 2013

Monoecious plant of *Chara* shows occurrence of

(A) upper antheridium and lower oogonium on the same plant

(B) upper oogonium and lower antheridium on the same plant

(C) antheridiophore and archegoniophore on the same plant

(D) stamen and carpel on the same plant.

Open solution

Q61. NEET 2013

Read the following statements (A - E) and answer the question which follows them.

(A) In liverworts, mosses and ferns gametophytes are free-living.
(B) Gymnosperms and some ferns are heterosporous.
(C) Sexual reproduction in *Fucus, Volvox* and *Albugo* is oogamous.
(D) The sporophyte in liverworts is more elaborate than that in mosses.
(E) Both, *Pinus* and *Marchantia* are dioecious.

How many of the above statements are correct?

(A) Three (B) Four (C) One (D) Two

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. AIPMT 2012 Mains

Which one of the following pairs is wrongly matched?

(A) *Ginkgo* – Archegonia
(B) *Salvinia* – Prothallus
(C) Viroids – RNA
(D) Mustard – Synergids

Open solution

Q63. AIPMT 2012 Mains

Read the following five statements (A - E) and answer as asked next to them.

(A) In *Equisetum,* the female gametophyte is retained on the parent sporophyte.
(B) In *Ginkgo,* male gametophyte is not independent.
(C) The sporophyte in *Riccia* is more developed than that in *Polytrichum.*
(D) Sexual reproduction in *Volvox* is isogamous.
(E) The spores of slime moulds lack cell walls.

How many of the above statements are correct?

(A) Two
(B) Three
(C) Four
(D) One

Open solution

Q64. AIPMT 2012 Mains

How many organisms in the list given below are autotrophs?
Lactobacillus, Nostoc, Chara, Nitrosomonas, Nitrobacter, Streptomyces, Saccharomyces, Trypanosoma, Porphyra, Wolffia

(A) Four
(B) Five
(C) Six
(D) Three

Open solution

Q65. AIPMT 2012 Prelims

Which one of the following is common to multicellular fungi, filamentous algae and protonema of mosses?

(A) diplontic life cycle
(B) Members of Kingdom Plantae
(C) Mode of Nutrition
(D) Multiplication by fragmentation

Open solution

Q66. AIPMT 2012 Prelims

Which one of the following is a correct statement?

(A) Pteridophyte gametophyte has a protonemal and leafy stage.
(B) In gymnosperms, female gametophyte is free-living.
(C) Antheridiophores and archegoniophores are present in pterido phytes.
(D) Origin of seed habit can be traced in pteridophytes.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q67. AIPMT 2012 Prelims

Cycas and *Adiantum* resemble each other in having

(A) seeds (B) motile sperms (C) cambium (D) vessels

Open solution

Q68. AIPMT 2011 Mains

Selaginella and *Salvinia* are considered to represent a significant step toward evolution of seed habit because

(A) female gametophyte is free and gets dispersed like seeds.

(B) female gametophyte lacks archegonia.

(C) megaspores possess endosperm and embryo surrounded by seed coat.

(D) embryo develops in female gametophyte which is retained on parent sporophyte.

Open solution

Q69. AIPMT 2011 Mains

Consider the following four statements whether they are correct or wrong.

A. The sporophyte in liverworts is more eleborate than that in mosses.

B. *Salvinia* is heterosporous.

C. The life-cycle in all seed-bearing plants is diplontic.

D. In *Pinus* male and female cones are borne on different trees.

The two wrong statements together are

(A) A and C (B) A and D (C) B and C (D) A and B.


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q70. AIPMT 2011 Mains

Open solution

Examine the figure given below and select the correct option giving all the four parts (A, B, C and D) rightly identified.



(A) (A) Archegoniophore
(B) Female thallus
(C) Gemmacup
(D) Rhizoids

(B) (A) Antheridiophore
(B) Male thallus
(C) Globule
(D) Roots

(C) (A) Archegoniophore
(B) Female thallus
(C) Bud
(D) Foot

(D) (A) Seta
(B) Sporophyte
(C) Protonema
(D) Rhizoids

Q71. AIPMT 2011 Prelims

Open solution

The gametophyte is **not** an independent, free-living generation in

(A) *Polytrichum* (B) *Adiantum* (C) *Marchantia* (D) *Pinus.*

Q72. AIPMT 2011 Prelims

Open solution

Compared with the gametophytes of the bryophytes, the gametophytes of vascular plants tend to be

(A) smaller but to have larger sex organs
(B) larger but to have smaller sex organs
(C) larger and to have larger sex organs
(D) smaller and to have smaller sex organs.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q73. AIPMT 2011 Prelims

Archegoniophore is present in

(A) *Marchantia* (B) *Chara* (C) *Adiantum* (D) *Funaria.*

Open solution

Q74. AIPMT 2011 Prelims

A prokaryotic autotrophic nitrogen fixing symbiont is found in

(A) *Alnus* (B) *Cycas* (C) *Cicer* (D) *Pisum*

Open solution

Q75. AIPMT 2010 Mains


Which one of the following is monoecious?

(A) *Marchantia* (B) *Cycas* (C) *Pinus* (D) Date palm

Open solution

Q76. AIPMT 2010 Mains

Examine the figures A, B, C and D. In which one of the four options all the items A, B, C and D are correct?



(A) (A) → Funaria, (B) → Adiantum, (C) → Salvinia, (D) → Riccia

(B) (A) → Equisetum, (B) → Ginkgo, (C) → Selaginella, (D) → Lycopodium

(C) (A) → Chara, (B) → Marchantia, (C) → Fucus, (D) → Pinus

(D) (A) → Selaginella, (B) → Equisetum, (C) → Salvinia, (D) → Ginkgo

Open solution

Q77. AIPMT 2010 Prelims

Algae have cell wall made up of:

(A) cellulose, galactans and mannans (B) hemicellulose, pectins and proteins

(C) pectins, cellulose and proteins (D) cellulose, hemicellulose and pectins.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q78. AIPMT 2010 Prelims

Male and female gametophytes are independent and free-living in

(A) mustard (B) castor (C) *Pinus* (D) *Sphagnum.*

Open solution

Q79. AIPMT 2009

Which one of the following is a vascular cryptogam?

(A) *Ginkgo* (B) *Marchantia* (C) *Cedrus* (D) *Equisetum*

Open solution

Q80. AIPMT 2009

Mannitol is the stored food in

(A) *Porphyra* (B) *Fucus* (C) *Gracillaria* (D) *Chara.*

Open solution

Q81. AIPMT 2009

Which one of the following is considered important in the development of seed habit?

(A) Heterospory (B) Haplontic life cycle

(C) Free-living gametophyte (D) Dependent sporophyte

Open solution

Q82. AIPMT 2009

Which one of the following has haplontic life cycle?

(A) *Polytrichum* (B) *Ustilago* (C) Wheat (D) *Funaria*

Open solution

Q83. AIPMT 2009

Which one of the following plants is monoecious?

(A) *Pinus* (B) *Cycas* (C) Papaya (D) *Marchantia*

Open solution

Q84. AIPMT 2008

Select one of the following pairs of important features distinguishing *Gnetum* from *Cycas* and *Pinus* and showing affinities with angiosperms.

(A) Perianth and two integuments

(B) Embryo development and apical meristem

(C) Absence of resin duct and leaf venation

(D) Presence of vessel elements and absence of archegonia

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q85. AIPMT 2008

In which one of the following male and female gametophytes do not have free living independent existance?

(A) *Polytrichum* (B) *Cedrus* (C) *Pteris* (D) *Funaria*

Open solution

Q86. AIPMT 2008

Which one of the following is heterosporous?

(A) *Adiantum* (B) *Equisetum* (C) *Dryopteris* (D) *Salvinia*

Open solution

Q87. AIPMT 2007

In gymnosperms, the pollen chamber represents

(A) a cavity in the ovule in which pollen grains are stored after pollination

(B) an opening in the megagametophyte through which the pollen tube approaches the egg

(C) the microsporangium in which pollen grains develop

(D) a cell in the pollen grain in which the sperms are formed.

Open solution

Q88. AIPMT 2007

Spore dissemination in some liverworts is added by

(A) indusium (B) calyptra (C) peristome teeth (D) elaters.

Open solution

Q89. AIPMT 2007

Flagellated male gametes are present in all the three of which one of the following sets?

(A) *Zygnema, Saprolegnia* and *Hydrilla* (B) *Fucus, Marsilea* and *Calotropis*

(C) *Riccia, Dryopteris* and *Cycas* (D) *Anthoceros, Funaria* and *Spirogyra*

Open solution

Q90. AIPMT 2007

If you are asked to classify the various algae into distinct groups, which of the following characters you should choose?

(A) Nature of stored food materials in the cell

(B) Structural organization of thallus

(C) Chemical composition of the cell wall

(D) Types of pigments present in the cell

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q91. AIPMT 2007

In the prothallus of a vascular cryptogam, the antherozoids and eggs mature at different times. As a result

(A) there is high degree of sterility

(B) one can conclude that the plant is apomictic

(C) self fertilization is prevented

(D) there is no change in success rate of fertilization.

Open solution

Q92. AIPMT 2006

Peat moss is used as a packing material for sending flowers and live plants to distant places because

(A) it serves as a disinfectant

(B) it is easily available

(C) it is hygroscopic

(D) it reduces transpiration.

Open solution

Q93. AIPMT 2006

Conifers differ from grasses in the

(A) formation of endosperm before fertilization

(B) production of seeds from ovules

(C) lack of xylem tracheids

(D) absence of pollen tubes.

Open solution

Q94. AIPMT 2006

In a moss, the sporophyte

(A) manufactures food for itself, as well as for the gametophyte

(B) is partially parasitic on the gametophyte

(C) produces gametes that give rise to the gametophyte

(D) arises form a spore produced from the gametophyte.

Open solution

Q95. AIPMT 2005

Auxospores and hormogonia are formed, respectively, by

(A) some diatoms and several cyanobacteria

(B) some cyanobacteria and many diatoms

(C) several cyanobacteria and several diatoms

(D) several diatoms and a few cyanobacteria.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q96. AIPMT 2005

Ectophloic siphonostele is found in

(A) *Osmunda* and *Equisetum*

(B) *Marsilea* and *Botrychium*

(C) *Adiantum* and *Cucurbitaceae*

(D) *Dicksonia* and *Maiden hair fern.*

Open solution

Q97. AIPMT 2005

Match items in column I with those in column II.

Column I		Column II	
(A)	Peritrichous flagellation	(J)	Ginkgo
(B)	Living fossil	(K)	Macrocystis
(C)	Rhizophore	(L)	Eschericha coli
(D)	Smallest flowering plant	(M)	Selaginella
(E)	Largest perennial alga	(N)	Wolffia

Open solution

Select the correct answer from the following.

(A) (A) - (L); (B) - (J); (C) - (M); (D) - (N); (E) - (K)

(B) (A) - (K); (B) - (J); (C) - (L); (D) - (M); (E) - (N)

(C) (A) - (N); (B) - (L); (C) - (K); (D) - (N); (E) - (J)

(D) (A) - (J); (B) - (K); (C) - (N); (D) - (L); (E) - (K)

Q98. AIPMT 2005

Top-shaped multiciliate male gametes and the nature seed which bears only one embryo with two cotyledons, are characterised features of

(A) cycads

(B) conifers

(C) polypetalous angiosperms

(D) gamopetalous angiosperms

Open solution

Q99. AIPMT 2004

Diversification in plant life appeared

(A) due to long periods of evolutionary changes

(B) due to abrupt mutations

(C) suddenly on earth

(D) by seed dispersal.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q100. AIPMT 2004

Angiosperms have dominated the land flora primarily because of their

(A) power of adaptability in diverse habitat

(B) property of producing large number of seeds

(C) nature of self pollination

(D) domestication by man.

Open solution

Q101. AIPMT 2003

Which one of the following pairs of plants are not seed producers?

(A) Fern and *Funaria*

(B) *Funaria* and *Ficus*

(C) *Ficus* and *Chlamydomonas*

(D) *Funaria* and *Pinus*

Open solution

Q102. AIPMT 2003

Sexual reproduction in *Spirogyra* is an advanced feature because it shows

(A) different sizes of motile sex organs

(B) same size of motile sex organs

(C) morphologically different sex organs

(D) physiologically differentiated sex organs.

Open solution

Q103. AIPMT 2003

Plants reproducing by spores such as mosses and ferns are grouped under the general term

(A) cryptogams (B) bryophytes (C) sporophytes (D) thallophytes.

Open solution

Q104. AIPMT 2003

Which one pair of examples will correctly represent the grouping spermatophyta according to one of the schemes of classifying plants?

(A) *Acacia, sugarcane*

(B) *Pinus, Cycas*

(C) *Rhizopus, Tritticum*

(D) *Ginkgo, Pisum*

Open solution

Q105. AIPMT 2002

Which of the following is without exception in angiosperms?

(A) Presence of vessels

(B) Double fertilisation

(C) Secondary growth

(D) Autotrophic nutrition

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q106. AIPMT 2002

Which of the following plants produces seeds but not flowers?

(A) Maize (B) Mint (C) Peepal (D) *Pinus*

Open solution

Q107. AIPMT 2001

Cycas has two cotyledons but not included in angiosperms because of

(A) naked ovules (B) seems like monocot

(C) circinate ptyxis (D) compound leaves.

Open solution

Q108. AIPMT 2000

A student observed an algae with chlorophyll a, d and phycoerythrin, it should belong to

(A) Phaeophyta (B) Rhodophyta (C) Chlorophyta (D) Bacillariophyta

Open solution

Q109. AIPMT 2000

In ferns, meiosis takes place at the time of

(A) spore formation (B) spore germination

(C) gamete formation (D) antheridia and archegonia formation

Open solution

Q110. AIPMT 2000

Plant group with largest ovule, largest tree, and largest gametes is

(A) gymnosperm (B) angiosperm (C) bryophyta (D) pteridophyta.

Open solution

Q111. AIPMT 1999

The book 'Genera Plantarum' was written by :

(A) Hutchinson (B) Bessey

(C) Engler and Prantl (D) Bentham and Hooker

Open solution

Q112. AIPMT 1999

A system of classification in which a large number of traits are considered is :

(A) phylogenetic system (B) artificial system

(C) natural system (D) synthetic system

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q113. AIPMT 1999

The antherozoids of *Funaria* are :

(A) monociliated (B) biciliated (C) multiciliated (D) aciliated

Open solution

Q114. AIPMT 1999

Bryophytes comprise

(A) small sporophyte phase generally parasitic on gametophyte

(B) sporophyte of longer duration

(C) dominant phase of gametophyte which produces spores

(D) dominant phase of sporophyte which is parasitic

Open solution

Q115. AIPMT 1999

In which of the following would you place the plants having vascular tissue lacking seeds ?

(A) Gymnosperms (B) Algae (C) Pteridophytes (D) Bryophytes

Open solution

Q116. AIPMT 1999

Which of the following is true about bryophytes ?

(A) They are thalloid (B) They possess archegonia

(C) They contain chloroplasts (D) All of the above

Open solution

Q117. AIPMT 1999

Dichotomous branching is found in :

(A) *Marchantia* (B) fern (C) liverworts (D) *Funaria*

Open solution

Q118. AIPMT 1999

The endosperm of gymnosperm is

(A) polyploid (B) haploid (C) triploid (D) diploid

Open solution

Q119. AIPMT 1998

Which one of the following statements about *Cycas* is incorrect?

(A) Its roots contain some blue-green algae

(B) It does not have a well organized female flower

(C) It has circinate vernation

(D) Its xylem is mainly composed of xylem vessels

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q120. AIPMT 1998

Largest sperms in the plants world are found in

(A) *Thuja* (B) *Pinus* (C) Banyan (D) *Cycas*

Open solution

Q121. AIPMT 1998

Ulothrix can be described as a

(A) filamentous alga with flagellated reproductive stages

(B) non-motile colonial alga lacking zoospores

(C) filamentous alga lacking flagellated reproductive stages

(D) membranous alga producing zoospores

Open solution

Q122. AIPMT 1998

Bryophytes are dependent on water because

(A) archegonium has to remain filled with water for fertilization

(B) water is essential for fertilization for their homosporous nature

(C) water is essential for their vegetative propagation

(D) the sperms can easily reach upto egg in the archegonium

Open solution

Q123. AIPMT 1998

The walking fern is so named because

(A) its spores are able to walk

(B) it is dispersed through the agency of walking animals

(C) it propagates vegetatively by its leaf tips

(D) it knows how to walk by itself

Open solution

Q124. AIPMT 1998

Transfusion tissue is present in the leaves of

(A) *Dryopteris* (B) *Cycas* (C) *Pinus* (D) Both (b) and (c)

Open solution

Q125. AIPMT 1998

Floral features are chiefly used in angiosperms identification because

(A) flowers are nice to work with

(B) flowers are of various colours

(C) flowers can be safely pressed

(D) reproductive parts are more stable and conservative than vegetative parts

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q126. AIPMT 1997

Heterospory and seed habit are often exhibited by a plant possessing

(A) petiole (B) ligule (C) bract (D) spathe

Open solution

Q127. AIPMT 1997

An alga, very rich in protein, is

(A) *Chlorella* (B) *Nostoc* (C) *Spirogyra* (D) *Ulothrix*

Open solution

Q128. AIPMT 1997

Ulothrix filaments produce

(A) heterogametes (B) basidiospores (C) isogametes (D) anisogametes

Open solution

Q129. AIPMT 1997

Bryophytes can be separated from algae, because they

(A) possess archegonia (B) contain chloroplast

(C) are thalloid forms (D) have no conducting tissue

Open solution

Q130. AIPMT 1997

Multicellular branched rhizoids and leafy gametophytes are the characteristics of

(A) some bryophytes (B) pteridophytes (C) all bryophytes (D) gymnosperms

Open solution

Q131. AIPMT 1997

Brown algae is characterised by the presence of

(A) fucoxanthin (B) haematochrome (C) phycocyanin (D) phycoerythrin

Open solution

Q132. AIPMT 1996

The smallest plant family 'Gymnosperm' has how many species?

(A) 640 (B) 300 (C) 1000 (D) 900

Open solution

Q133. AIPMT 1996

Which of the following plant kingdom is called 'amphibians'?

(A) Pteridophyta (B) Thallophyta (C) Tracheophyta (D) Bryophyta

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q134. AIPMT 1996

Elater mechanism for spore dispersal is exhibited by

(A) liverworts (B) *Marchantia* (C) *Riccia* (D) *Funaria*

Open solution

Q135. AIPMT 1996

A gymnospermic leaf carries 16 chromosomes. The number of chromosomes in its endosperm will be

(A) 12 (B) 8 (C) 16 (D) 24

Open solution

Q136. AIPMT 1995

The pyrenoids are made up of

(A) proteinaceous centre and starchy sheath

(B) core of nucleic acid surrounded by protein sheath

(C) core of protein surrounded by fatty sheath

(D) core of starch surrounded by sheath of protein

Open solution

Q137. AIPMT 1995

The plant body of moss (*Funaria*) is

(A) completely sporophyte

(B) predominantly gametophyte with sporophyte

(C) completely gametophyte

(D) predominantly sporophyte with gametophyte

Open solution

Q138. AIPMT 1995

A well developed archegonium with neck consisting of 4-6 rows and neck canal cells, characterises

(A) gymnosperms and flowering plants (B) pteridophytes and gymnosperms

(C) gymnosperms only (D) bryophytes and pteridophytes

Open solution

Q139. AIPMT 1994

Phylogenetic classification is one which is based on

(A) overall similarities (B) utilitarian system

(C) habits of plants (D) common evolutionary descent

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q140. AIPMT 1994

In Chlorophyceae, the mode of sexual reproduction is

(A) isogamy (B) anisogamy (C) oogamy (D) all of these

Open solution

Q141. AIPMT 1994

In *Pinus*, the wings of the seed develops from

(A) ovuliferous scale (B) integument

(C) nucellus (D) bract

Open solution

Q142. AIPMT 1994

In bryophytes

(A) both generations are independent

(B) gametophytes are dependent upon sporophytes

(C) sporophytes complete their life cycle

(D) sporophytes are dependent upon gametophytes

Open solution

Q143. AIPMT 1993

Which one is the most advanced from evolutionary view point?

(A) *Selaginella* (B) *Funaria* (C) *Chlamydomonas* (D) *Pinus*

Open solution

Q144. AIPMT 1993

Pinus differs from mango in having

(A) tree habit (B) green leaves

(C) ovules not enclosed in ovary (D) wood

Open solution

Q145. AIPMT 1993

Pyrenoids are the centres for formation of

(A) *Porphyra* (B) enzymes (C) fat (D) starch

Open solution

Q146. AIPMT 1993

Pteridophytes differ from bryophytes and thallophytes in having

(A) vascular tissues (B) motile antherozoids

(C) archegonia (D) alternation of generations

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q147. AIPMT 1993

Chloroplast of *Chlamydomonas* is

(A) stellate (B) cup-shaped (C) collar-shaped (D) spiral

Open solution

Q148. AIPMT 1993

In *Ulothrix*/*Spirogyra*, reduction division (meiosis) occurs at the time of

(A) gamete formation (B) zoospore formation

(C) zygospore germination (D) vegetative reproduction

Open solution

Q149. AIPMT 1993

Pteridophytes differ from mosses/bryophytes in possessing

(A) independent gametophyte (B) well developed vascular system

(C) archegonia (D) flagellate spermatozoids

Open solution

Q150. AIPMT 1993

Protonema occurs in the life cycle of

(A) *Riccia* (B) *Funaria* (C) *Anthoceros* (D) *Spirogya*

Open solution

Q151. AIPMT 1992

Resin and turpentine are obtained from

(A) *Cycas* (B) *Pinus* (C) *Cedrus* (D) *Abies*

Open solution

Q152. AIPMT 1992

Turpentine is got from

(A) angiospermous wood (B) bryophytes

(C) gymnospermous wood (D) ferns

Open solution

Q153. AIPMT 1992

In *Pinus*, the pollen grain has 6 chromosomes then in its endosperm will have

(A) 12 (B) 18 (C) 6 (D) 24

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q154. AIPMT 1992

A plant having seeds but lacking flowers and fruits belongs to

(A) pteridophytes (B) mosses (C) ferns (D) gymnosperms

Open solution

Q155. AIPMT 1992

Which one of the following is not common between *Funaria* and *Selaginella*?

(A) Archegonium (B) Embryo

(C) Flagellate sperms (D) Roots

Open solution

Q156. AIPMT 1992

The plant group that produces spores and embryo but lacks vascular tissues and seeds is

(A) Pteridophyta (B) Rhodophyta (C) Bryophyta (D) Phaeophyta

Open solution

Q157. AIPMT 1992

A plant in which sporophytic generation is represented by zygote is

(A) *Pinus* (B) *Selaginella* (C) *Chlamydomonas* (D) *Dryopteris*

Open solution

Q158. AIPMT 1991

An important criterion for modern day classification is

(A) resemblances in morphology (B) anatomical and physiological traits

(C) breeding habits (D) presence or absence of notochord

Open solution

Q159. AIPMT 1991

Bryophytes are amphibians because

(A) they require a layer of water for carrying out sexual reproduction

(B) they occur in damp places

(C) they are mostly aquatic

(D) all the above

Open solution

Q160. AIPMT 1991

Which one has the largest gametophyte?

(A) *Cycas* (B) Angiosperm (C) *Selaginella* (D) Moss

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q161. AIPMT 1991

The common mode of sexual reproduction in *Chlamydomonas* is

(A) isogamous (B) anisogamous (C) oogamous (D) hologamous

Open solution

Q162. AIPMT 1991

The product of conjugation in *Spirogyra* or fertilization of *Chlamydomonas* is

(A) zygospore (B) zoospore (C) oospore (D) carpospore

Open solution

Q163. AIPMT 1990

Protonema occurs in the life cycle of

(A) *Riccia* (B) *Funaria* (C) *Anthoceros* (D) *Spirogya*

Open solution

Q164. AIPMT 1990

Moss peristome takes part in

(A) spore dispersal (B) photosynthesis (C) protection (D) absorption

Open solution

Q165. AIPMT 1990

Apophysis in the capsule of *Funaria* is

(A) lower part (B) upper part (C) middle part (D) fertile part

Open solution

Q166. AIPMT 1989

System of classification used by Linnaeus was

(A) natural system (B) artificial system
(C) phylogenetic system (D) asexual system

Open solution

Q167. AIPMT 1989

Artificial system of classification was first used by

(A) Linnaeus (B) De Candolle
(C) Pliny the Elder (D) Bentham and Hooker

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q168. AIPMT 1989

In *Pinus*/gymnosperms, the haploid structure are

(A) megaspore, endosperm and embryo
(B) megaspore, pollen grain and endosperm
(C) megaspore, integument and root
(D) pollen grain, leaf and root

Open solution

Q169. AIPMT 1989

Sperms of both *Funaria* and *Pteris* were released together near the archegonia of *Pteris*. Only its sperms enter the archegonia as

(A) *Pteris* archegonia repel *Funaria* sperms
(B) *Funaria* sperms get killed by *Pteris* sperms
(C) *Funaria* sperms are less mobile
(D) *Pteris* archegonia release chemical to attract its sperms

Open solution

Q170. AIPMT 1989

Evolutionary important character of *Selaginella* is

(A) heterosporous nature
(B) rhizophore
(C) strobili
(D) ligule

Open solution

Q171. AIPMT 1988

Classification given by Bentham and Hooker is

(A) artificial
(B) natural
(C) phylogenetic
(D) numerical

Open solution

Q172. AIPMT 1988

In *Pinus*/*Cycas*/gymnosperms, the endosperm is

(A) triploid
(B) haploid
(C) diploid
(D) tetraploid

Open solution

Q173. AIPMT 1988

Prothallus (gametophyte) gives rise to fern plant (sporophyte) without fertilization. It is

(A) apospory
(B) apogamy
(C) parthenocarpy
(D) parthenogenesis

Open solution

Q174. AIPMT 1988

Sexual reproduction involving fusion of two cells in *Chlamydomonas* is

(A) isogamy
(B) homogamy
(C) somatogamy
(D) hologamy

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

1. **B**	2. **A**	3. **B**	4. **D**	5. **D**
6. **D**	7. **C**	8. **A**	9. **D**	10. **A**
11. **A**	12. **C**	13. **D**	14. **B**	15. **A**
16. **A**	17. **D**	18. **B**	19. **C**	20. **C**
21. **C**	22. **B**	23. **B**	24. **A**	25. **D**
26. **B**	27. **D**	28. **B**	29. **C**	30. **C**
31. **A**	32. **C**	33. **A**	34. **D**	35. **C**
36. **B**	37. **A**	38. **D**	39. **C**	40. **B**
41. **C**	42. **B**	43. **A**	44. **B**	45. **D**
46. **B**	47. **B**	48. **A**	49. **A**	50. **C**
51. **D**	52. **C**	53. **D**	54. **B**	55. **A**
56. **A**	57. **C**	58. **A**	59. **D**	60. **B**
61. **A**	62. **B**	63. **D**	64. **C**	65. **D**
66. **D**	67. **B**	68. **D**	69. **B**	70. **A**
71. **D**	72. **D**	73. **A**	74. **B**	75. **C**
76. **D**	77. **A**	78. **D**	79. **D**	80. **B**
81. **A**	82. **D**	83. **A**	84. **D**	85. **B**
86. **D**	87. **C**	88. **D**	89. **C**	90. **D**
91. **C**	92. **C**	93. **A**	94. **B**	95. **D**
96. **A**	97. **A**	98. **A**	99. **A**	100. **A**
101. **A**	102. **D**	103. **A**	104. **D**	105. **B**
106. **D**	107. **A**	108. **B**	109. **A**	110. **A**
111. **D**	112. **C**	113. **B**	114. **A**	115. **C**
116. **D**	117. **A**	118. **B**	119. **D**	120. **D**
121. **A**	122. **D**	123. **C**	124. **D**	125. **D**
126. **B**	127. **A**	128. **C**	129. **A**	130. **A**
131. **A**	132. **D**	133. **D**	134. **B**	135. **B**
136. **A**	137. **B**	138. **D**	139. **D**	140. **D**
141. **A**	142. **D**	143. **D**	144. **C**	145. **D**
146. **A**	147. **B**	148. **C**	149. **B**	150. **B**
151. **B**	152. **C**	153. **C**	154. **D**	155. **D**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

156. **C**	157. **C**	158. **B**	159. **A**	160. **D**
161. **A**	162. **A**	163. **B**	164. **A**	165. **A**
166. **B**	167. **A**	168. **B**	169. **D**	170. **A**
171. **B**	172. **B**	173. **B**	174. **D**	

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs