ExamGOAL
PYQ PDF

Free · With answer key

NEET · CHEMISTRY · CHAPTER-WISE PYQS

Coordination Compounds

NEET Chemistry · Previous Year Questions with Answer Key

122	45	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	121 questions
MCQ (More than One Correct Answer)	1 question
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 121 questions

Q1. RE-NEET 2026

The formula of tetraammineaquachloridocobalt(III) chloride is

(A) $[Co(NH_3)_4(H_2O)Cl]Cl_2$

(B) $[Co(NH_3)_4Cl_2] \times H_2O$

(C) $[Co(NH_3)_4]Cl_3 \times H_2O$

(D) $[Co(NH_3)_4(H_2O)Cl]Cl$

Open solution

Q2. RE-NEET 2026

Given below are two statements:

Statement-I : $[Fe(ox)_3]^{3-}$ is chiral.

Statement-II : trans $-[Cr(H_2O)_2(ox)_2]^-$is chiral.

(Given : $oxH_2 = HOOC - COOH$)

In light of the above statements, choose the most appropriate answer from the options given below:

(A) Statement-I is incorrect but Statement-II is correct

(B) Both Statement-I and Statement-II are correct

(C) Both Statement-I and Statement-II are incorrect

(D) Statement-I is correct but Statement-II is incorrect

Open solution

Q3. RE-NEET 2026

The complex which has facial and meridional isomers is

(Given : py = pyridine and en = $H_2N - CH_2 - CH_2 - NH_2$)

(A) $[Ni(en)_2(H_2O)_2]^{2+}$

(B) $[Cr(py)_3(Cl)_3]$

(C) $[Cr(H_2O)_6]^{3+}$

(D) $[Co(NH_3)_4(H_2O)_2]^{3+}$

Open solution

Q4. RE-NEET 2026

A $1:3$ electrolyte in an aqueous solution is

(A) $[Co(NH_3)_3(NO_2)_3]$

(B) $[CoCl_2(NH_3)_4]Cl$

(C) $[CoCl(NH_3)_5]Cl_2$

(D) $[Co(NH_3)_6]Cl_3$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. RE-NEET 2026

According to crystal field theory, the correct order of ligands with respect to their decreasing order of field strength is

Open solution

(A) $Cl^- > NH_3 > H_2O > CO$

(B) $CO > NH_3 > H_2O > Cl^-$

(C) $CO > H_2O > NH_3 > Cl^-$

(D) $Cl^- > H_2O > NH_3 > CO$

Q6. RE-NEET 2026

Among the species given below, the spin-only magnetic moment is highest for (Given: Atomic number of $Ti = 22, Mn = 25, Fe = 26$ and $Co = 27$)

Open solution

(A) $[Ti(H_2O)_6]^{3+}$

(B) $[Mn(CN)_6]^{3-}$

(C) $[Fe(CN)_6]^{3-}$

(D) $[Co(NH_3)_6]^{3+}$

Q7. NEET 2026

Match List I with List II :

Open solution

List-I (Complex)		List-II (Type of isomerism)	
A.	$[Pt(NH_3)_2Cl_2]$	I.	Optical
B.	$[Co(en)_3]^{3+}$	II.	Solvate
C.	$[Co(NH_3)_5NO_2]Cl_2$	III.	Geometrical
D.	$[Cr(H_2O)_6]Cl_3$	IV.	Linkage

Choose the correct answer from the options given below :

(A) A-III, B-I, C-II, D-IV

(B) A-I, B-III, C-II, D-IV

(C) A-II, B-IV, C-III, D-I

(D) A-III, B-I, C-IV, D-II

Q8. NEET 2026

Which one of the following is an ambidentate ligand?

Open solution

(A) Ethane-1,2-diamine

(B) Ethylenediaminetetraacetate ion

(C) Thiocyanate

(D) Oxalate

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q9. NEET 2026

Open solution

Match List I with List II :

List I (Complex/ion)		List II (Shape/geometry)	
A.	$[Pt(Cl_2)(NH_3)_2]$	I.	Octahedral
B.	$[Co(NH_3)_6]Cl_3$	II.	Trigonal bipyramidal
C.	$[NiCl_4]^{2-}$	III.	Square planar
D.	$[Fe(CO)_5]$	IV.	Tetrahedral

Choose the correct answer from the options given below :

(A) A-III, B-IV, C-I, D-II **(B)** A-III, B-I, C-IV, D-II

(C) A-IV, B-I, C-III, D-II **(D)** A-I, B-III, C-IV, D-II

Q10. NEET 2025

Open solution

Which of the following are paramagnetic?

A. $[NiCl_4]^{2-}$

B. $Ni(CO)_4$

C. $[Ni(CN)_4]^{2-}$

D. $[Ni(H_2O)_6]^{2+}$

E. $Ni(PPh_3)_4$

Choose the correct answer from the options given below :

(A) A and D only **(B)** A, D and E only **(C)** A and C only **(D)** B and E only

Q11. NEET 2025

Open solution

The correct order of the wavelength of light absorbed by the following complexes is,

A. $[Co(NH_3)_6]^{3+}$

B. $[Co(CN)_6]^{3-}$

C. $[Cu(H_2O)_4]^{2+}$

D. $[Ti(H_2O)_6]^{3+}$

Choose the correct answer from the options given below:

(A) C < D < A < B **(B)** C < A < D < B **(C)** B < D < A < C **(D)** B < A < D < C

Q12. NEET 2024 (Re-Examination)

Open solution

Ethylene diaminetetraacetate ion is a/an:

(A) hexadentate ligand **(B)** ambidentate ligand

(C) monodentate ligand **(D)** bidentate ligand

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q13. NEET 2024 (Re-Examination)

Which of the following is not an ambidentate ligand?

(A) $C_2O_4^{2-}$ (B) SCN^- (C) NO_2^- (D) CN^-

Open solution

Q14. NEET 2024 (Re-Examination)

$[Mn_2(CO)_{10}]$ and $[Co_2(CO)_8]$ structures have

A. Metal-Metal linkage

B. Terminal CO groups

C. Bridging CO groups

D. Metal in zero oxidation state

Choose the correct answer from the options given below

(A) Only A, B, C (B) Only B, C, D (C) Only A, C, D (D) Only A, B, D

Open solution

Q15. NEET 2024

Match List I with List II.

	List I (Complex)		List II (Type of isomerism)
A.	$[Co(NH_3)_5(NO_2)]Cl_2$	I.	Solvate isomerism
B.	$[Co(NH_3)_5(SO_4)]Br$	II.	Linkage isomerism
C.	$[Co(NH_3)_6][Cr(CN)_6]$	III.	Ionization isomerism
D.	$[Co(H_2O)_6]Cl_3$	IV.	Coordination isomerism

Choose the correct answer from the options given below:

(A) A-II, B-III, C-IV, D-I (B) A-I, B-III, C-IV, D-II

(C) A-I, B-IV, C-III, D-II (D) A-II, B-IV, C-III, D-I

Open solution

Q16. NEET 2024

Given below are two statements :

Statement I: Both $[Co(NH_3)_6]^{3+}$ and $[CoF_6]^{3-}$ complexes are octahedral but differ in their magnetic behaviour.

Statement II: $[Co(NH_3)_6]^{3+}$ is diamagnetic whereas $[CoF_6]^{3-}$ is paramagnetic.

In the light of the above statements, choose the correct answer from the options given below:

(A) Both Statement I and Statement II are true

(B) Both Statement I and Statement II are false

(C) Statement I is true but Statement II is false

(D) Statement I is false but Statement II is true

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. NEET 2024

Open solution

Given below are two statements :

Statement I : $[Co(NH_3)_6]^{3+}$ is a homoleptic complex whereas $[Co(NH_3)_4Cl_2]^{+}$ is a heteroleptic complex.

Statement II : Complex $[Co(NH_3)_6]^{3+}$ has only one kind of ligands but $[Co(NH_3)_4Cl_2]^{+}$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below.

(A) Both Statement I and Statement II are true

(B) Both Statement I and Statement II are false

(C) Statement I is true but Statement II is false

(D) Statement I is false but Statement II is true

Q18. NEET 2023 Manipur

Open solution

Select the element (M) whose trihalides cannot be hydrolysed to produce an ion of the form $[M(H_2O)_6]^{3+}$

(A) Ga (B) In (C) Al (D) B

Q19. NEET 2023 Manipur

Open solution

Which of the following forms a set of complex and a double salt, respectively?

(A) $CuSO_4 \cdot 5H_2O$ and $CuCl_2, 4NH_3$

(B) $PtCl_2 \cdot 2NH_3$ and $PtCl_4 \cdot 2HCl$

(C) $K_2PtCl_2 \cdot 2NH_3$ and $KAl(SO_4)_2 \cdot 12H_2O$

(D) $NiCl_2 \cdot 6H_2O$ and $NiCl_2(H_2O)_4$

Q20. NEET 2023 Manipur

Open solution

Type of isomerism exhibited by compounds $[Cr(H_2O)_6]Cl_3$, $[Cr(H_2O)_5Cl]Cl_2 \cdot H_2O$, $[Cr(H_2O)_4Cl_2]Cl \cdot 2H_2O$ and the value of coordination number (CN) of central metal ion in all these compounds, respectively is :

(A) Geometrical isomerism, CN = 2 (B) Optical isomerism, CN = 4

(C) Ionisation isomerism, CN = 4 (D) Solvate isomerism, CN = 6

Q21. NEET 2023

Open solution

Homoleptic complex from the following complexes is :

(A) Diamminechloridonitrito-N-platinum (II)

(B) Pentaamminecarbonatocobalt (III) chloride

(C) Triamminetriaquachromium (III) chloride

(D) Potassium trioxalatoaluminate (III)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2023

Which complex compound is most stable?

Open solution

(A) $[Co(NH_3)_3(NO_3)_3]$

(B) $[CoCl_2(en)_2]NO_3$

(C) $[Co(NH_3)_6]_2(SO_4)_3$

(D) $[Co(NH_3)_4(H_2O)Br](NO_3)_2$

Q23. NEET 2022 Phase 2

Match List-I with List-II :

Open solution

	List-I (Complexes)		List-II (Types)
(a)	$[Co(NH_3)_5NO_2]Cl_2$ and $[Co(NH_3)_5ONO]Cl_2$	(i)	ionisation isomerism
(b)	$[Cr(NH_3)_6][Co(CN)_6]$ and $[Cr(CN)_6][Co(NH_3)_6]$	(ii)	coordination isomerism
(c)	$[Co(NH_3)_5(SO_4)]Br$ and $[Co(NH_3)_5Br]SO_4$	(iii)	linkage isomerism
(d)	$[Cr(H_2O)_6]Cl_3$ and $[Cr(H_2O)_5Cl]Cl_2 \cdot H_2O$	(iv)	solvate isomerism

Choose the correct answer from the options given below :

(A) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

(B) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv)

(C) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

(D) (a)-(iii), (b)-(ii), (c)-(i), (d)-(iv)

Q24. NEET 2022 Phase 2

Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : The metal carbon bond in metal carbonyls possesses both σ and π character.

Reason (R) : The ligand to metal bond is a π bond and metal to ligand bond is a σ bond.

In the light of the above statements, choose the most appropriate answer from the options given below.

Open solution

(A) (A) is not correct but (R) is correct

(B) Both (A) and (R) are correct and (R) is the correct explanation of (A)

(C) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(D) (A) is correct but (R) is not correct

Q25. NEET 2022 Phase 1

The IUPAC name of the complex -

$[Ag(H_2O)_2][Ag(CN)_2]$ is:

Open solution

(A) dicyanidosilver(II) diaquaargentate (II)

(B) diaquasilver(II) dicyanidoargentate(II)

(C) dicyanidosilver(I) diaquaargentate(I)

(D) diaquasilver(I) dicyanidoargentate(I)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q26. NEET 2022 Phase 1

The order of energy absorbed which is responsible for the color of complexes

(A) $[Ni(H_2O)_2(en)_2]^{2+}$

(B) $[Ni(H_2O)_4(en)]^{2+}$ and

(C) $[Ni(en)_3]^{2+}$

is

(A) (A) > (B) > (C) **(B)** (C) > (B) > (A) **(C)** (C) > (A) > (B) **(D)** (B) > (A) > (C)

Open solution

Q27. NEET 2021

Ethylene diaminetetraacetate (EDTA) ion is :

(A) Tridentate ligand with three "N" donor atoms

(B) hexadentate ligand with four "O" and two "N" donor atoms

(C) Unidentate ligand

(D) Bidentate ligand with two "N" donor atoms

Open solution

Q28. NEET 2021

Match List-I with List-II :

	List-I		List-II
(a)	$[Fe(CN)_6]^{3-}$	(i)	5.92 BM
(b)	$[Fe(H_2O)_6]^{3+}$	(ii)	0 BM
(c)	$[Fe(CN)_6]^{4-}$	(iii)	4.90 BM
(d)	$[Fe(H_2O)_6]^{2+}$	(iv)	1.73 BM

Open solution

Choose the correct answer from the options given below.

(A) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii) **(B)** (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii)

(C) (a)-(ii), (b)-(iv), (c)-(iii), (d)-(i) **(D)** (a)-(i), (b)-(iii), (c)-(iv), (d)-(ii)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q29. NEET 2020 Phase 2

Match the coordination number and type of hybridisation with distribution of hybrid orbitals in space based on Valence bond theory.

Open solution

Coordination number and type of hybridisation	Distribution of hybrid orbitals in space
(a) 4, sp^3	(i) trigonal bipyramidal
(b) 4, dsp^2	(ii) octahedral
(c) 5, sp^3d	(iii) tetrahedral
(d) 6, d^2sp^3	(iv) square planar

Select the correct option :

(A) (a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)

(B) (a)-(ii) (b)-(iii) (c)-(iv) (d)-(i)

(C) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)

(D) (a)-(iv) (b)-(i) (c)-(ii) (d)-(iii)

Q30. NEET 2020 Phase 1

The calculated spin only magnetic moment of Cr^{2+} ion is?

Open solution

(A) 4.90 BM **(B)** 5.92 BM **(C)** 2.84 BM **(D)** 3.87 BM

Q31. NEET 2020 Phase 1

Urea reacts with water to form A which will decompose to form B. B when passed through Cu^{2+} (aq), deep blue colour solution C is formed. What is the formula of C from the following?

Open solution

(A) $[Cu(NH_3)_4]^{2+}$ **(B)** $Cu(OH)_2$ **(C)** $CuCO_3.Cu(OH)_2$ **(D)** $CuSO_4$

Q32. NEET 2020 Phase 1

Which of the following is the correct order of increasing field strength of ligands to form coordination compounds?

Open solution

(A) $SCN^- < F^- < CN^- < C_2O_4^{2-}$

(B) $F^- < SCN^- < C_2O_4^{2-} < CN^-$

(C) $CN^- < C_2O_4^{2-} < SCN^- < F^-$

(D) $SCN^- < F^- < C_2O_4^{2-} < CN^-$

Q33. NEET 2019 (Odisha)

The Crystal Field Stabilisation Energy (CFSE) for $[CoCl_6]^{4-}$ is $18000\ cm^{-1}$. The CFSE for $[CoCl_4]^{2-}$ will be

Open solution

(A) $8000\ cm^{-1}$ **(B)** $6000\ cm^{-1}$ **(C)** $16000\ cm^{-1}$ **(D)** $18000\ cm^{-1}$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. NEET 2019

What is the **correct** electronic configuration of the central atom in $K_4[Fe(CN)_6]$ based on crystal field theory?

(A) $t_{2g}^4 e_g^2$ (B) $t_{2g}^6 e_g^0$ (C) $e^3 t_2^3$ (D) $e^4 t_2^2$

Open solution

Q35. NEET 2018

The type of isomerism shown by the complex $[CoCl_2(en)_2]$ is

(A) geometrical isomerism (B) coordination isomerism
(C) ionization isomerism (D) linkage isomerism.

Open solution

Q36. NEET 2018

The geometry and magnetic behaviour of the complex $[Ni(CO)_4]$ are

(A) square planar geometry and diamagnetic (B) tetrahedral geometry and diamagnetic
(C) square planar geometry and paramagnetic (D) tetrahedral geometry and paramagnetic.

Open solution

Q37. NEET 2018

Iron carbonyl, $Fe(CO)_5$ is

(A) tetranuclear (B) mononuclear (C) trinuclear (D) dinuclear

Open solution

Q38. NEET 2017

An example of a sigma bonded organometallic compound is

(A) Grignard's reagent (B) ferrocene
(C) cobaltocene (D) ruthenocene.

Open solution

Q39. NEET 2017

The correct order of the stoichiometries of AgCl formed when $AgNO_3$ in excess is treated with the complexes : $CoCl_3.6NH_3$, $CoCl_3.5NH_3$, $CoCl_3.4NH_3$ respectively is

(A) 3AgCl, 1AgCl, 2AgCl (B) 3AgCl, 2AgCl, 1AgCl
(C) 2AgCl, 3AgCl, 2AgCl (D) 1AgCl, 3AgCl, 2AgCl

Open solution

Q40. NEET 2017

Correct increasing order for the wavelengths of absorption in the visible region for the complexes of Co^{3+} is

(A) $[Co(H_2O)_6]^{3+}$, $[Co(en)_3]^{3+}$, $[Co(NH_3)_6]^{3+}$ (B) $[Co(H_2O)_6]^{3+}$, $[Co(NH_3)_6]^{3+}$, $[Co(en)_3]^{3+}$
(C) $[Co(NH_3)_6]^{3+}$, $[Co(en)_3]^{3+}$, $[Co(H_2O)_6]^{3+}$ (D) $[Co(en)_3]^{3+}$, $[Co(NH_3)_6]^{3+}$, $[Co(H_2O)_6]^{3+}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. NEET 2017

Pick out the correct statement with respect to $[Mn(CN)_6]^{3-}$.

(A) It is sp^3d^2 hybridised and tetrahedral.

(B) It is d^2sp^3 hybridised and octahedral.

(C) It is dsp^2 hybridised and square planar.

(D) It is sp^3d^2 hybridised and octahedral.

Open solution

Q42. NEET 2016 Phase 2

The correct increasing order of *trans*-effect of the following species is

(A) $NH_3 > CN^- > Br^- > C_6H_5^-$

(B) $CN^- > C_6H_5^- > Br^- > NH_3$

(C) $Br^- > CN^- > NH_3 > C_6H_5^-$

(D) $CN^- > Br^- > C_6H_5^- > NH_3$

Open solution

Q43. NEET 2016 Phase 2

Jahn-Teller effect is not observed in high spin complexes of

(A) d^7 (B) d^8 (C) d^4 (D) d^9

Open solution

Q44. NEET 2016 Phase 1

Which of the following has longest C—O bond length? (Free C—O bond length in CO is 1.128 $\overset{o}{A}$.)

(A) $[Fe(CO)_4]^{2-}$ (B) $[Mn(CO)_6]^+$ (C) $Ni(CO)_4$ (D) $[Co(CO)_4]^-$

Open solution

Q45. AIPMT 2015

The hybridization involved in complex $[Ni(CN)_4]^{2-}$ is (At. No. Ni = 28)

(A) sp^3 (B) d^2sp^2 (C) d^2sp^3 (D) dsp^2

Open solution

Q46. AIPMT 2015

The name of complex ion, $[Fe(CN)_6]^{3-}$ is

(A) hexacyanitoferrate (III) ion

(B) tricyanoferrate (III) ion

(C) hexacyanidoferrate (III) ion

(D) hexacyanoiron (III) ion.

Open solution

Q47. AIPMT 2015

The sum of coordination number and oxidation number of the metal M in the complex $[M(en)_2(C_2O_4)]Cl$ (where *en* is ethylenediamine) is

(A) 6 (B) 7 (C) 8 (D) 9

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. AIPMT 2015

Number of possible isomers for the complex $[Co(en)_2Cl_2]Cl$ will be (en = ethylenediamine)

(A) 1 (B) 3 (C) 4 (D) 2

Open solution

Q49. AIPMT 2015 Cancelled Paper

Cobalt (III) chloride forms several octahedral complexes with ammonia. Which of the following will not give test for chloride ions with silver nitrate at 25^oC?

(A) $CoCl_3 \cdot 5NH_3$ (B) $CoCl_3 \cdot 6NH_3$ (C) $CoCl_3 \cdot 3NH_3$ (D) $CoCl_3 \cdot 4NH_3$

Open solution

Q50. AIPMT 2015 Cancelled Paper

Which of these statements about $[Co(CN)_6]^{3-}$ is true?

(A) $[Co(CN)_6]^{3-}$ has four unpaired electrons and will be in a high-spin configuration.

(B) $[Co(CN)_6]^{3-}$ has no unpaired electrons and will be in a high-spin configuration.

(C) $[Co(CN)_6]^{3-}$ has no unpaired electrons and will be in a low-spin configuration.

(D) $[Co(CN)_6]^{3-}$ has four unpaired electrons and will be in a low-spin configuration.

Open solution

Q51. AIPMT 2014

Among the following complexes the one which shows zero crystal field stabilization energy (CFSE) is

(A) $[Mn(H_2O)_6]^{3+}$ (B) $[Fe(H_2O)_6]^{3+}$ (C) $[Co(H_2O)_6]^{2+}$ (D) $[Co(H_2O)_6]^{3+}$

Open solution

Q52. AIPMT 2014

Which of the following complexes is used to be as an anticancer agent?

(A) *mer*-$[Co(NH_3)_3Cl_3]$ (B) *cis*-$PtCl_2(NH_3)_2]$

(C) *cis*-$K_2[PtCl_2Br_2$ (D) Na_2CoCl_4

Open solution

Q53. NEET 2013 (Karnataka)

Nitrogen detection in an organic compound is carried out by Lassaigne's test. The blue colour formed corresponds to which of the following formulae?

(A) $Fe_3[Fe(CN)_6]_2$ (B) $Fe_4[Fe(CN)_6]_3$ (C) $Fe_4[Fe(CN)_6]_2$ (D) $Fe_3[Fe(CN)_6]_3$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q54. NEET 2013 (Karnataka)

Crystal field splitting energy for high spin d^4 octahedral complex is

(A) $-1.2\,\Delta_o$ (B) $-0.6\,\Delta_0$ (C) $-0.8\,\Delta_o$ (D) $-1.6\,\Delta_o$

Open solution

Q55. NEET 2013 (Karnataka)

In a particular isomer of $[Co(NH_3)_4Cl_2]^o$, the Cl—Co—Cl angle is 90°, this isomer is known as

(A) optical isomer (B) *cis*-isomer (C) position isomer (D) linkage isomer.

Open solution

Q56. NEET 2013 (Karnataka)

The anion of acetylacetone (acac) forms Co $(acac)_3$ chelate with Co^{3+}. The rings of the chelate are

(A) five membered (B) four membered (C) six membered (D) three membered.

Open solution

Q57. NEET 2013 (Karnataka)

The correct IUPAC name for $[CrF_2(en)_2]Cl$ is

(A) chloro difluorido ethylene diaminechromium (III) chloride
(B) difluoridobis (ethylene diamine) chromium (III) chloride
(C) difluorobis-(ethylene diamine) chromium (III) chloride
(D) chloro difluoridobis (ethylene diamine) chromium (III)

Open solution

Q58. NEET 2013 (Karnataka)

Which among the following is a paramagnetic complex?

(A) $[Co(NH_3)_6]^{3+}$ (B) $[Pt(en)Cl_2]$ (C) $[CoBr_4]2-$ (D) $Mo(CO)_6$

Open solution

Q59. NEET 2013 (Karnataka)

Which is diamagnetic?

(A) $[Co(F)_6]^{3-}$ (B) $[Ni(CN)_4]^{2-}$ (C) $[NiCl_4]^{2-}$ (D) $[Fe(CN)_6]^{3-}$

Open solution

Q60. NEET 2013

A magnetic moment at 1.73 BM will be shown by one among of the following

(A) $TiCl_4$ (B) $[CoCl_6]^{4-}$ (C) $[Cu(NH_3)_4]^{2+}$ (D) $[Ni(CN)_4]2^-$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q61. NEET 2013

An excess of $AgNO_3$ is added to 100 mL of a 0.01 M solution of dichlorotetraaquachromium (III) chloride. The number of moles of AgCl precipitated would be

(A) 0.003 (B) 0.01 (C) 0.001 (D) 0.002

Open solution

Q62. AIPMT 2012 Mains

Low spin complex of d^6-cation in an octahedral field will have the following energy


(A) $\frac{-12}{5}\Delta_o + P$ (B) $\frac{-12}{5}\Delta_o + 3P$

(C) $\frac{-2}{5}\Delta_o + 2P$ (D) $\frac{-2}{5}\Delta_o + P$

Open solution

Q63. AIPMT 2012 Mains

Red precipitate is obtained when ethanol solution of dimethylglyoxime is added to ammoniacal Ni(II). Which of the following statements is not true?



(A) Red complex has a square planar geometry.

(B) Complex has symmetrical H-bonding.

(C) Red complex has a tetrahedral geometry.

(D) Dimethylglyoxime functions as bidentate ligand.

Open solution

Q64. AIPMT 2012 Prelims

Which one of the following is an outer orbital complex and exhibits paramagnetic behaviour?

(A) $[Ni(NH_3)_6]^{2+}$ (B) $[Zn(NH_3)_6]^{2+}$ (C) $[Cr(NH_3)_6]^{3+}$ (D) $[Co(NH_3)_6]^{3+}$

Open solution

Q65. AIPMT 2011 Mains

Which of the following carbonyls will have the strongest C–O bond ?

(A) Cr $(CO)_6$ (B) Fe $(CO)_5$ (C) Mn $(CO)_6^+$ (D) $V(CO)_6^-$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q66. AIPMT 2011 Mains

Which of the following complex compounds will exhibit highest paramagnetic behaviour?
(At. No. Ti = 22, Cr = 24, Co = 27, Zn = 30)

(A) $[Cr(NH_3)_6]^{3+}$ (B) $[Co(NH_3)_6]^{3+}$ (C) $[Zn(NH_3)_6]^{2+}$ (D) $[Ti(NH_3)_6]^{3+}$

Open solution

Q67. AIPMT 2011 Prelims

Of the following complex ions, which is diamagnetic in nature?

(A) $[NiCl_4]^{2-}$ (B) $[Ni(CN)_4]^{2-}$ (C) $[CuCl_4]^{2-}$ (D) $[CoF_6]^{3-}$

Open solution

Q68. AIPMT 2011 Prelims

The complexes $[Co(NH_3)_6][Cr(CN)_6]$ and $[Cr(NH_3)_6][Co(CN)_6]$ are the examples of which type of isomerism?

(A) Linkage isomerism (B) Ionization isomerism
(C) Coordination isomerism (D) Geometrical isomerism

Open solution

Q69. AIPMT 2011 Prelims

The complex, $[Pt(Py)(NH_3)BrCl]$ will have how many geometrical isomers ?

(A) 3 (B) 4 (C) 0 (D) 2

Open solution

Q70. AIPMT 2011 Prelims

The *d*-electron configurations of Cr^{2+}, Mn^{2+}, Fe^{2+} and Co^{2+} are d^4, d^5, d^6 and d^7 respectively. Which one of the following will exhibit minimum paramagnetic behaviour?
(At. Nos. Cr = 24, Mn = 25, Fe = 26, Co = 27)

(A) $[Mn(H_2O)_6]^{2+}$ (B) $[Fe(H_2O)_6]^{2+}$ (C) $[Co(H_2O)_6]^{2+}$ (D) $[Cr(H_2O)_6]^{2+}$

Open solution

Q71. AIPMT 2011 Prelims

Which of the following carbonyls will have the strongest C – O bond?

(A) $Mn(CO)_6^+$ (B) $Cr(CO)_6$ (C) $V(CO)_6^-$ (D) $Fe(CO)_5$

Open solution

Q72. AIPMT 2011 Prelims

Which of the following complex compounds will exhibit highest paramagnetic behaviour?

(A) $[Ti(NH_3)_6]^{3+}$ (B) $[Cr(NH_3)_6]^{3+}$ (C) $[Co(NH_3)_6]^{3+}$ (D) $[Zn(NH_3)_6]^{2+}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q73. AIPMT 2010 Mains

Which one of the following complexes is not expected to exhibit isomerism?

(A) $[Ni(NH_3)_4(H_2O)_2]^{2+}$ (B) $[Pt(NH_3)_2Cl_2]$

(C) $[Ni(NH_3)_2Cl_2]$ (D) $[Ni(en)_3]^{2+}$

Open solution

Q74. AIPMT 2010 Prelims

Which of the following complex ions is not expected to absorb visible light?

(A) $[Ni(CN)_4]^{2-}$ (B) $[Cr(NH_3)_6]^{3+}$ (C) $[Fe(H_2O)_6]^{2+}$ (D) $[Ni(H_2O)_6]^{2+}$

Open solution

Q75. AIPMT 2010 Prelims

Crystal field stabilization energy for high spin d^4 octahedral complex is

(A) $-1.8\,\Delta_0$ (B) $-1.6\,\Delta_0 + P$ (C) $-1.2\,\Delta_0$ (D) $-0.6\,\Delta_0$

Open solution

Q76. AIPMT 2010 Prelims

The existance of two different coloured complexes with the composition of $[Co(NH_3)_4Cl_2]^+$ is due to

(A) linkage isomerism (B) geometrical isomerism

(C) coordination isomerism (D) ionization isomerism.

Open solution

Q77. AIPMT 2009

Out of TiF_6^{2-}, CoF_6^{3-}, Cu_2Cl_2 and $NiCl_4^{2-}$ (Z of Ti = 22, Co = 27, Cu = 29, Ni = 28) the colourless species are

(A) Cu_2Cl_2 and $NiCl_4^{2-}$ (B) TiF_6^{2-} and Cu_2Cl_2

(C) CoF_6^{3-} and $NiCl_4^{2-}$ (D) TiF_6^{2-} and CoF_6^{3-}

Open solution

Q78. AIPMT 2009

Which of the following does not show optical isomerism?

(en = ethylenediamine)

(A) $[Co(NH_3)_3Cl_3]^0$ (B) $[Co(en)Cl_2(NH_3)_2]^+$

(C) $[Co(en)_3]^{3+}$ (D) $[Co(en)_2Cl_2]^+$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q79. AIPMT 2009

Which of the following complex ions is expected to absorb visible light?
(At. nos. Zn = 30, Sc = 21, Ti = 22, Cr = 24)

(A) $[Ti(en)_2(NH_3)_2]^{4+}$

(B) $[Cr(NH_3)_6]^{3+}$

(C) $[Zn(NH_3)_6]^{2+}$

(D) $[Sc(H_2O)_3(NH_3)_3]^{3+}$

Open solution

Q80. AIPMT 2008

Which of the following complexes exhibits the highest paramagnetic behaviour?
where *gly* = glycine, *en* = ethylenediamine and *bpy* = bipyridyl moities.
(At. nos. Ti = 22, V = 23, Fe = 26, Co = 27)

(A) $[Co(ox)_2(OH)_2]^-$

(B) $[Ti(NH_3)_6]^{3+}$

(C) $[V(gly)_2(OH)_2(NH_3)_2]^+$

(D) $[Fe(en)(bpy)(NH_3)_2]^{2+}$

Open solution

Q81. AIPMT 2008

In which of the following coordination entities the magnitude of Δ_o (CFSE in octahedral field) will be maximum?
(At. No. Co = 27)

(A) $[Co(CN)_6]^{3-}$ (B) $[Co(C_2O_4)_3]3^-$ (C) $[Co(H_2O)_6]^{3+}$ (D) $[Co(NH_3)_6]^{3+}$

Open solution

Q82. AIPMT 2007

Which of the following will give a pair of enantiomorphs?
(en = $NH_2CH_2CH_2NH_2$)

(A) $[Cr(NH_3)_6][Co(CN)_6]$

(B) $[Co(en)_2Cl_2]Cl$

(C) $[Pt(NH_3)_4][PtCl_6]$

(D) $[Co(NH_3)_4Cl_2]NO_2$

Open solution

Q83. AIPMT 2007

The d electron configurations of Cr^{2+}, Mn^{2+}, Fe^{2+} and Ni^{2+} are $3d^4$, $3d^5$, $3d^6$ and $3d^8$ respectively. Which one of the following aqua complexes will exhibit the minimum paramagnetic behaviour?

(At. No. Cr = 24, Mn = 25, Fe = 26, Ni = 28)

(A) $[Fe(H_2O)_6]^{2+}$ (B) $[Ni(H_2O)_6]^{2+}$ (C) $[Cr(H_2O)_6]^{2+}$ (D) $[Mn(H_2O)_6]^{2+}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q84. AIPMT 2006

$[Cr(H_2O)_6]Cl_3$ (At. no. of Cr = 24) has a magnetic momen of 3.83 B.M. The correct distribution of 3d electrons in the chromium of the complex is

(A) $3d^1_{x\,y}$, $3d^1_{y\,z}$, $3d^1_{z^2}$

(B) $3d^1_{(x^2-y^2)}$, $3d^1_{z^2}$, $3d^1_{xz}$

(C) $3d^1_{x\,y}$, $3d^1_{(x^2-y^2)}$, $3d^1_{y\,z}$

(D) $3d^1_{x\,y}$, $3d^1_{y\,z}$, $3d^1_{x\,z}$

Open solution

Q85. AIPMT 2006

$[Co(NH_3)_4(NO_2)_2]Cl$ exhibits

(A) linkage isomerism, geometrical isomerism and optical isomerism

(B) linkage isomerism, ionization isomerism and optical isomerism

(C) linkage isomerism, ionization isomerism and geometrical isomerism

(D) ionization isomerism, geometrical isomerism and oprical isomerism.

Open solution

Q86. AIPMT 2005

Which one of the following is an inner orbital complex as well as diamagnetic in behaviour?

(A) $[Zn(NH_3)_6]^{2+}$ (B) $[Cr(NH_3)_6]^{3+}$ (C) $[Co(NH_3)_6]^{3+}$ (D) $[Ni(NH_3)_6]^{2+}$

Open solution

Q87. AIPMT 2005

Which one of the following is expected to exhibit optical isomerism? (en = ethylenediamine)

(A) *cis*-$[Pt(NH_3)_2Cl_2]$

(B) *trans*-$[Pt(NH_3)_2Cl_2]$

(C) *cis*-$[Co(en)_2Cl_2]^+$

(D) *trans*-$[Co(en)_2Cl_2]^+$

Open solution

Q88. AIPMT 2004

Which of the following coordination compounds would exhibit optical isomerism?

(A) Pentaamminenitrocobalt (III) iodide

(B) Diamminedichloroplatinum (II)

(C) *trans*-Dicyanobis (ethyleneddiamine) chromium (III) chloride

(D) *tris*-(Ethylenediamine) cobalt (III) bromide.

Open solution

Q89. AIPMT 2004

Among $[Ni(CO)_4]$, $[Ni(CN)_4]^{2-}$, $[NiCl_4]^{2-}$ species, the hybridisation states at the Ni atom are, respectively

[Atomic number of Ni = 28]

(A) sp^3, dsp^2, dsp^2 (B) sp^3, dsp^2, sp^3 (C) sp^3, sp^3, dsp^2 (D) dsp^2, sp^3, sp^3

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q90. AIPMT 2004

CN^- is a strong field ligand. This is due to the fact that

(A) it carries negative charge

(B) it is a pseudohalide

(C) it can accept electrons from metal species

(D) it forms high spin complexes with metal species.

Open solution

Q91. AIPMT 2004

Considering H_2O as a weak field ligand, the number of unpaired electrons in $[Mn(H_2O)_6]^{2+}$ will be (atomic number of Mn = 25)

(A) three (B) five (C) two (D) four

Open solution

Q92. AIPMT 2004

Which of the following does not have a metal carbon bond?

(A) $Al(OC_2H_5)_3$ (B) C_2H_5MgBr (C) $K[Pt(C_2H_4)Cl_3]$ (D) $Ni(CO)_4$

Open solution

Q93. AIPMT 2004

In an octahedral structure, the pair of d orbitals involved in d^2sp^3 hybridisation is

(A) $d_{x^2-y^2}, d_{z^2}$ (B) $d_{xz}, d_{x^2-y^2}$ (C) d_{z^2}, d_{xz} (D) d_{xy}, d_{yz}


Open solution


Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play


Q94. AIPMT 2004


Which of the following is considered to be an anticancer species?

Open solution

(A) 

(B) 

(C) 

(D) 

Q95. AIPMT 2003

The number of unpaired electrons in the complex ion $[CoF_6]^{3-}$ is
(Atomic no. : Co = 27)

(A) 2 (B) 3 (C) 4 (D) zero

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q96. AIPMT 2003

Among the following which is not the π-bonded organometallic compound?

(A) K $[PtCl_3(\eta^2 - C_2H_4)]$

(B) Fe $(\eta^5 - C_5H_5)_2$

(C) Cr $(\eta^6 - C_6H_6)_2$

(D) $(CH_3)_4Sn$

Open solution

Q97. AIPMT 2003

Which one of the following octahedral complexes will not show geometrical isomerism? (A and B are monodentate ligands)

(A) $[MA_4B_2]$ (B) $[MA_5B]$ (C) $[MA_2B_4]$ (D) $[MA_3B_3]$

Open solution

Q98. AIPMT 2003

According to IUPAC nomenclature sodium nitroprusside is named as

(A) sodium pentacyanonitrosyl ferrate (II)

(B) sodium pentacyanonitrosyl ferrate (III)

(C) sodium nitroferricyanide

(D) sodium nitroferrocyanide

Open solution

Q99. AIPMT 2002

Atomic number of Cr and Fe are respectively 24 and 26, which of the following is paramagetic with the spin of electron?

(A) $[Cr(CO)_6]$ (B) $[Fe(CO)_5]$ (C) $[Fe(CN)_6]^{4-}$ (D) $[Cr(NH_3)_6]^{3+}$

Open solution

Q100. AIPMT 2002

The hypothetical complex chloro diaquatriammine cobalt(III) chloride can be represented as

(A) $[CoCl(NH_3)_3(H_2O)_2]Cl_2$

(B) $[Co(NH_3)_3(H_2O)Cl_3]$

(C) $[Co(NH_2)_3(H_2O)_2Cl]$

(D) $[Co(NH_3)_3(H_2O)_3]Cl_3$

Open solution

Q101. AIPMT 2002

In the silver plating of copper, $K[Ag(CN)_2]$ is used instead of $AgNO_3$. The reason is

(A) a thin layer of Ag is formed on Cu

(B) more voltage is required

(C) Ag^+ ions are completely removed from solution

(D) less availability of Ag^+ ions, as Cu can not displace Ag from $[Ag(CN)_2]^-$ ion.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q102. AIPMT 2002

$CuSO_4$ when reacts with KCN forms CuCN, which is insoluble in water. It is soluble in excess of KCN, due to formation of the following complex

(A) $K_2[Cu(CN)_4]$ (B) $K_3[Cu(CN)_4]$ (C) $CuCN_2$ (D) $Cu[KCu(CN)_4]$.

Open solution

Q103. AIPMT 2001

Which of the following will give maximum number of isomers?

(A) $[Co(NH_3)_4Cl_2]$ (B) $[Ni(en)(NH_3)_4]^{2+}$

(C) $[Ni(C_2O_4)(en)_2]^{2-}$ (D) $[Cr(SCN)_2(NH_3)_4]^{+}$

Open solution

Q104. AIPMT 2001

Coordination number of Ni in $[Ni(C_2O_4)_3]^{4-}$ is

(A) 3 (B) 6 (C) 4 (D) 2

Open solution

Q105. AIPMT 2001

Which of the following organometallic compounds is σ and π bonded?

(A) $[Fe(\eta^5 - C_2H_5)_2]$ (B) $K[PtCl_3(\eta^2 - C_2H_4)]$

(C) $[Co(CO)_5NH_3]^{2+}$ (D) $Fe(CH_3)_3$

Open solution

Q106. AIPMT 2001

Which statement is incorrect?

(A) $Ni(CO)_4$ – tetrahedral, paramagnetic (B) $[Ni(CN)_4]^{2-}$ - square planar, diamagnetic

(C) $Ni(CO)_4$ - tetrahedral, diamagnetic (D) $[Ni(Cl)_4]^{2-}$ - tetrahedral, paramagnetic.

Open solution

Q107. AIPMT 2001

Which of the following will exhibit maximum ionic conductivity?

(A) $K_4[Fe(CN)_6]$ (B) $[Co(NH_3)_6]Cl_3$ (C) $[Cu(NH_3)_4]Cl_2$ (D) $[Ni(CO)_4$

Open solution

Q108. AIPMT 2000

In quantitative analysis of second group in laboratory, H_2S gas is passed in acidic medium for precipitation. When Cu^{2+} react with KCN, then for product, true statement is

(A) $K_2[Cu(CN)_4]$ more soluble (B) $K_2[Cd(CN)_4]$ less stable

(C) $K_2[Cu(CN)_2]$ less stable (D) $K_2[Cd(CN)_3]$ more stable

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q109. AIPMT 2000

Shape of $Fe(CO)_5$ is

(A) octahedral
(B) square planar
(C) trigonal bipyramidal
(D) square pyramidal.

Open solution

Q110. AIPMT 2000

Which complex compound will give four isomers?

(A) $[Fe(en)_3]Cl_3$
(B) $[Co(en)_2Cl_2]Cl$
(C) $[Fe(PPh_3)_3NH_3ClBr]Cl$
(D) $[Co(PPh_3)_3Cl]Cl_3$

Open solution

Q111. AIPMT 1998

The total number of possible isomers for the complex compound $[Cu^{II}(NH_3)_4][Pt^{II}Cl_4]$

(A) 3
(B) 6
(C) 5
(D) 4

Open solution

Q112. AIPMT 1998

A co-ordination complex compound of cobalt has the molecular formula containing five ammonia molecules, one nitro group and two chlorine atoms for one cobalt atom. One mole of this compound produces three mole ions in an aqueous solution. On reacting this solution with excess of $AgNO_3$ solution, we get two moles of AgCl precipitate. The ionic formula for this complex would be

(A) $[Co(NH_3)_4(NO_2)Cl][(NH_3)Cl]$
(B) $[Co(NH_3)_5Cl][Cl(NO_2)]$
(C) $[Co(NH_3)_5(NO_2)]Cl_2$
(D) $[Co(NH_3)_5][(NO_2)_2Cl_2]$

Open solution

Q113. AIPMT 1998

IUPAC name of $[Pt(NH_3)_3(Br)(NO_2)Cl]Cl$ is

(A) Triammine chlorobromonitro platinum (IV) chloride
(B) Triammine bromonitrochloro platinum (IV) chloride
(C) Triammine bromochloronitro platinum (IV) chloride
(D) Triammine nitrochlorobromo platinum (IV) chloride

Open solution

Q114. AIPMT 1997

The formula of dichlorobis(urea)copper(II) is

(A) $[Cu\{O{=}C(NH_2)_2\}Cl]Cl$
(B) $[CuCl_2]\{O{=}C(NH_2)_2\}$
(C) $[Cu\{O{=}C(NH_2)_2\}Cl_2]$
(D) $[CuCl_2\{O{=}C(NH_2)_2\}_2]$.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q115. AIPMT 1997

The number of geometrical isomers of the complex $[Co(NO_2)_3(NH_3)_3]$ is

(A) 4 (B) 0 (C) 2 (D) 3

Open solution

Q116. AIPMT 1995

The coordination number and oxidation state of Cr in $K_3Cr(C_2O_4)_3$ are respectively

(A) 3 and $+3$ (B) 3 and 0 (C) 6 and $+3$ (D) 4 and $+2$

Open solution

Q117. AIPMT 1995

The number of geometrical isomers for $[Pt(NH_3)_2Cl_2]$ is

(A) 3 (B) 4 (C) 1 (D) 2

Open solution

Q118. AIPMT 1995

In metal carbonyl having general formula $M(CO)_x$ where M = metal, $x = 4$ and the metal is bonded to

(A) carbon and oxygen (B) $C \equiv O$

(C) oxygen (D) carbon.

Open solution

Q119. AIPMT 1994

Which of the following ligands is expected to be bidentate?

(A) CH_3NH_2 (B) $CH_3C \equiv N$ (C) Br (D) $C_2O_4^{2-}$

Open solution

Q120. AIPMT 1990

The complex ion $[Co(NH_3)_6]^{3+}$ is formed by sp^3d^2 hybridisation. Hence the ion should possess

(A) octahedral geometry (B) tetrahedral geometry

(C) square planar geometry (D) tetragonal geometry.

Open solution

Q121. AIPMT 1988

Hypo is used in photography to

(A) reduce AgBr grains to metallic silver

(B) convert metallic silver to silver salt

(C) remove undecomposed silver bromide as a soluble complex

(D) remove reduced silver.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

MCQ (More than One Correct Answer) 1 questions

Q122. NEET 2025

Out of the following complex compounds, which of the compound will be having the minimum conductance solution?

Open solution

(A) $[Co(NH_3)_6]Cl_3$

(B) $[Co(NH_3)_5Cl]Cl$

(C) $[Co(NH_3)_3Cl_3]$

(D) $[Co(NH_3)_4Cl_2]$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**	2. **D**	3. **B**	4. **D**	5. **B**
6. **B**	7. **D**	8. **C**	9. **B**	10. **A**
11. **D**	12. **A**	13. **A**	14. **D**	15. **A**
16. **A**	17. **A**	18. **D**	19. **C**	20. **D**
21. **D**	22. **B**	23. **D**	24. **D**	25. **D**
26. **C**	27. **B**	28. **A**	29. **C**	30. **A**
31. **A**	32. **D**	33. **A**	34. **B**	35. **A**
36. **B**	37. **B**	38. **A**	39. **B**	40. **D**
41. **B**	42. **B**	43. **B**	44. **A**	45. **D**
46. **C**	47. **D**	48. **B**	49. **C**	50. **C**
51. **B**	52. **B**	53. **B**	54. **B**	55. **B**
56. **C**	57. **B**	58. **C**	59. **B**	60. **C**
61. **C**	62. **B**	63. **C**	64. **A**	65. **C**
66. **A**	67. **B**	68. **C**	69. **A**	70. **C**
71. **A**	72. **B**	73. **C**	74. **A**	75. **D**
76. **B**	77. **B**	78. **A**	79. **B**	80. **A**
81. **A**	82. **B**	83. **B**	84. **D**	85. **C**
86. **C**	87. **C**	88. **D**	89. **B**	90. **B**
91. **B**	92. **A**	93. **A**	94. **C**	95. **C**
96. **D**	97. **B**	98. **B**	99. **D**	100. **A**
101. **D**	102. **B**	103. **D**	104. **B**	105. **C**
106. **A**	107. **A**	108. **C**	109. **C**	110. **B**
111. **D**	112. **C**	113. **C**	114. **D**	115. **C**
116. **C**	117. **D**	118. **D**	119. **D**	120. **A**
121. **C**				

MCQ (More than One Correct Answer)

122. **C, D**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs