ExamGOAL
PYQ PDF

Free · With answer key

JEE MAIN · MATHEMATICS · CHAPTER-WISE PYQS

Sequences and Series

JEE Main Mathematics · Previous Year Questions with Answer Key

339	193	2002 – 2026	107	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	182 questions
Numerical	50 questions
Out of syllabus	107 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 182 questions

Q1. JEE Main 2026 (Online) 8th April Evening Shift

Let $\alpha = 3 + 4 + 8 + 9 + 13 + 14 + \ldots$ upto 40 terms. If $(\tan\beta)^{\frac{\alpha}{1020}}$ is a root of the equation $x^2 + x - 2 = 0, \beta \in \left(0, \frac{\pi}{2}\right)$, then $\sin^2\beta + 3\cos^2\beta$ is equal to :

(A) 2 (B) $\frac{7}{4}$ (C) $\frac{5}{2}$ (D) $\frac{3}{2}$

Open solution

Q2. JEE Main 2026 (Online) 6th April Evening Shift

Consider the quadratic equation $\left(n^2 - 2n + 2\right)x^2 - 3x + \left(n^2 - 2n + 2\right)^2 = 0, n \in \mathbf{R}$. Let α be the minimum value of the product of its roots and β be the maximum value of the sum of its roots. Then the sum of the first six terms of the G.P., whose first term is α and the common ratio is $\frac{\alpha}{\beta}$, is :

(A) $\frac{61}{37}$ (B) $\frac{121}{81}$ (C) $\frac{364}{243}$ (D) $\frac{1093}{729}$

Open solution

Q3. JEE Main 2026 (Online) 6th April Evening Shift

The sum $1 + \frac{1}{2}\left(1^2 + 2^2\right) + \frac{1}{3}\left(1^2 + 2^2 + 3^2\right) + \ldots$ upto 10 terms is equal to :

(A) 130 (B) 155 (C) $\frac{315}{2}$ (D) $\frac{325}{2}$

Open solution

Q4. JEE Main 2026 (Online) 6th April Morning Shift

The value of $1^3 - 2^3 + 3^3 - \ldots + 15^3$ is:

(A) 1706 (B) 1856 (C) 1982 (D) 2403

Open solution

Q5. JEE Main 2026 (Online) 6th April Morning Shift

The sum of the first ten terms of an A.P. is 160 and the sum of the first two terms of a G.P. is 8 . If the first term of the A.P. is equal to the common ratio of the G.P. and the first term of the G.P. is equal to common difference of the A.P., then the sum of all possible values of the first term of the G.P. is:

(A) $\frac{34}{9}$ (B) $\frac{34}{13}$ (C) $\frac{32}{9}$ (D) $\frac{32}{13}$

Open solution

Q6. JEE Main 2026 (Online) 5th April Evening Shift

Let α, β be the roots of the equation $x^2 - x + \mathrm{p} = 0$ and γ, δ be the roots the equation $x^2 - 4x + \mathrm{q} = 0; p, q \in \mathbf{Z}$. If $\alpha, \beta, \gamma, \delta$ are in G.P., then $|p + q|$ equals :

(A) 16 (B) 32 (C) 34 (D) 38

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q7. JEE Main 2026 (Online) 5th April Evening Shift

If the sum of the first 10 terms of the series $\frac{1}{1+1^4\times4}+\frac{2}{1+2^4\times4}+\frac{3}{1+3^4\times4}+\frac{4}{1+4^4\times4}+\ldots\ldots$ is $\frac{m}{n}, \gcd(m,n)=1$, then $m+n$ is equal to :

(A) 256 (B) 264 (C) 276 (D) 284

Open solution

Q8. JEE Main 2026 (Online) 5th April Evening Shift

Let $A_1, A_2, A_3, \ldots\ldots\ldots, A_{39}$ be 39 arithmetic means between the numbers 59 and 159. Then the mean of A_{25}, A_{28}, A_{31} and A_{36} is equal to :

(A) 129 (B) 136 (C) 131.50 (D) 134

Open solution

Q9. JEE Main 2026 (Online) 5th April Morning Shift

Let the sum of the first n terms of an A.P. be $3n^2+5n$. Then the sum of squares of the first 10 terms of the A.P. is:

(A) 10220 (B) 12860 (C) 15220 (D) 19780

Open solution

Q10. JEE Main 2026 (Online) 5th April Morning Shift

$\sum_{n=1}^{10}\left(\frac{528}{n(n+1)(n+2)}\right)$ is equal to:

(A) 65 (B) 130 (C) 220 (D) 440

Open solution

Q11. JEE Main 2026 (Online) 4th April Morning Shift

The first term of an A.P. of 30 non-negative terms is $\frac{10}{3}$. If the sum of this A.P. is the cube of its last term, then its common difference is:

(A) $\frac{5}{87}$ (B) $\frac{25}{83}$ (C) $\frac{15}{29}$ (D) $\frac{5}{29}$

Open solution

Q12. JEE Main 2026 (Online) 2nd April Evening Shift

Let $a_1, a_2, a_3, \ldots$ be an A.P. and $g_1=a_1, g_2, g_3, \ldots$ be an increasing G.P. If $a_1=a_2+g_2=1$ and $a_3+g_3=4$, then $a_{10}+g_5$ is equal to:

(A) 81 (B) 76 (C) 62 (D) 55

Open solution

Q13. JEE Main 2026 (Online) 2nd April Evening Shift

The sum $\frac{1^3}{1}+\frac{1^3+2^3}{1+3}+\frac{1^3+2^3+3^3}{1+3+5}+\ldots$ up to 8 terms, is :

(A) 70 (B) 71 (C) 72 (D) 73

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. JEE Main 2026 (Online) 2nd April Morning Shift

Let A be the set of first 101 terms of an A.P., whose first term is 1 and the common difference is 5 and let B be the set of first 71 terms of an A.P., whose first term is 9 and the common difference is 7. Then the number of elements in $A \cap B$, which are divisible by 3, is :

Open solution

(A) 4 (B) 5 (C) 6 (D) 7

Q15. JEE Main 2026 (Online) 28th January Evening Shift

Let the arithmetic mean of $\frac{1}{a}$ and $\frac{1}{b}$ be $\frac{5}{16}$, $a > 2$. If α is such that a, 4, α, b are in A.P., then the equation $\alpha x^2 - ax + 2(\alpha - 2b) = 0$ has :

Open solution

(A) one root in $(1, 4)$ and another in $(-2, 0)$ (B) one root in $(0, 2)$ and another in $(-4, -2)$

(C) both roots in the interval $(-2, 0)$ (D) complex roots of magnitude less than 2

Q16. JEE Main 2026 (Online) 28th January Evening Shift

$\frac{6}{3^{26}} + \frac{10 \cdot 1}{3^{25}} + \frac{10 \cdot 2}{3^{24}} + \frac{10 \cdot 2^2}{3^{23}} + \ldots + \frac{10 \cdot 2^{24}}{3}$ is equal to :

Open solution

(A) 2^{26} (B) 3^{25} (C) 3^{26} (D) 2^{25}

Q17. JEE Main 2026 (Online) 28th January Morning Shift

The value of $\sum_{k=1}^{\infty} (-1)^{k+1} \left(\frac{k(k+1)}{k!}\right)$ is

Open solution

(A) e/2 (B) $\sqrt{e}$ (C) 2/e (D) 1/e

Q18. JEE Main 2026 (Online) 28th January Morning Shift

The common difference of the A.P.: $a_1, a_2, \ldots, a_m$ is 13 more than the common difference of the A.P.: $b_1, b_2, \ldots, b_n$. If $b_{31} = -277, b_{43} = -385$ and $a_{78} = 327$, then a_1 is equal to

Open solution

(A) 21 (B) 19 (C) 24 (D) 16

Q19. JEE Main 2026 (Online) 24th January Evening Shift

Let a_1, a_2, a_3, a_4 be an A.P. of four terms such that each term of the A.P. and its common difference l are integers. If $a_1 + a_2 + a_3 + a_4 = 48$ and $a_1 a_2 a_3 a_4 + l^4 = 361$, then the largest term of the A.P. is equal to

Open solution

(A) 27 (B) 24 (C) 23 (D) 21

Q20. JEE Main 2026 (Online) 24th January Evening Shift

$\left(\frac{1}{3} + \frac{4}{7}\right) + \left(\frac{1}{3^2} + \frac{1}{3} \times \frac{4}{7} + \frac{4^2}{7^2}\right) + \left(\frac{1}{3^3} + \frac{1}{3^2} \times \frac{4}{7} + \frac{1}{3} \times \frac{4^2}{7^2} + \frac{4^3}{7^3}\right) + \ldots$ upto infinite terms, is equal to

Open solution

(A) $\frac{7}{4}$ (B) $\frac{4}{3}$ (C) $\frac{6}{5}$ (D) $\frac{5}{2}$

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. JEE Main 2026 (Online) 24th January Morning Shift

Let $729, 81, 9, 1, \ldots$ be a sequence and P_n denote the product of the first n terms of this sequence.

If $2\sum_{n=1}^{40}(\mathrm{P}_n)^{\frac{1}{n}} = \frac{3^{\alpha}-1}{3^{\beta}}$ and $\gcd(\alpha,\beta)=1$, then

$\alpha+\beta$ is equal to

(A) 73 (B) 74 (C) 75 (D) 76

Open solution

Q22. JEE Main 2026 (Online) 24th January Morning Shift

Consider an A.P.: $a_1, a_2, \ldots, a_n; a_1 > 0$. If $a_2 - a_1 = \frac{-3}{4}$, $a_n = \frac{1}{4}a_1$, and $\sum_{i=1}^{n} a_i = \frac{525}{2}$, then $\sum_{i=1}^{17} a_i$ is equal to

(A) 238 (B) 136 (C) 476 (D) 952

Open solution

Q23. JEE Main 2026 (Online) 23rd January Evening Shift

Let $\sum_{k=1}^{n} a_k = \alpha n^2 + \beta n$. If $a_{10} = 59$ and $a_6 = 7a_1$, then $\alpha+\beta$ is equal to :

(A) 3 (B) 5 (C) 7 (D) 12

Open solution

Q24. JEE Main 2026 (Online) 22nd January Morning Shift

If the sum of the first four terms of an A.P. is 6 and the sum of its first six terms is 4 , then the sum of its first twelve terms is

(A) -26 (B) -20 (C) -24 (D) -22

Open solution

Q25. JEE Main 2026 (Online) 21st January Evening Shift

The positive integer **n**, for which the solutions of the equation

$x(x+2)+(x+2)(x+4)+\cdots+(x+2n-2)(x+2n)=\frac{8n}{3}$ are two consecutive even integers, is :

(A) 3 (B) 6 (C) 9 (D) 12

Open solution

Q26. JEE Main 2026 (Online) 21st January Evening Shift

Let $a_1, \frac{a_2}{2}, \frac{a_3}{2^2}, \ldots, \frac{a_{10}}{2^9}$ be a G.P. of common ratio $\frac{1}{\sqrt{2}}$. If $a_1+a_2+\ldots+a_{10}=62$, then a_1 is equal to:

(A) $\sqrt{2}-1$ (B) $2(\sqrt{2}-1)$ (C) $2-\sqrt{2}$ (D) $2(2-\sqrt{2})$

Open solution

Q27. JEE Main 2026 (Online) 21st January Morning Shift

Let $a_1, a_2, a_3, \ldots$ be a G.P. of increasing positive terms such that $a_2 \cdot a_3 \cdot a_4 = 64$ and $a_1+a_3+a_5=\frac{813}{7}$. Then $a_3+a_5+a_7$ is equal to :

(A) 3256 (B) 3252 (C) 3248 (D) 3244

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q28. JEE Main 2025 (Online) 8th April Evening Shift

If $\frac{1}{1^4}+\frac{1}{2^4}+\frac{1}{3^4}+\ldots\infty=\frac{\pi^4}{90}$,

$\frac{1}{1^4}+\frac{1}{3^4}+\frac{1}{5^4}+\ldots\infty=\alpha$,

$\frac{1}{2^4}+\frac{1}{4^4}+\frac{1}{6^4}+\ldots\infty=\beta$,

then $\frac{\alpha}{\beta}$ is equal to :

(A) 23 (B) 14 (C) 18 (D) 15

Open solution

Q29. JEE Main 2025 (Online) 7th April Evening Shift

Let a_n be the nth term of an A.P. If $S_n=a_1+a_2+a_3+\ldots+a_n=700$, $a_6=7$ and $S_7=7$, then a_n is equal to :

(A) 65 (B) 56 (C) 70 (D) 64

Open solution

Q30. JEE Main 2025 (Online) 7th April Evening Shift

If the sum of the second, fourth and sixth terms of a G.P. of positive terms is 21 and the sum of its eighth, tenth and twelfth terms is 15309, then the sum of its first nine terms is :

(A) 757 (B) 755 (C) 750 (D) 760

Open solution

Q31. JEE Main 2025 (Online) 7th April Morning Shift

Let x_1, x_2, x_3, x_4 be in a geometric progression. If $2, 7, 9, 5$ are subtracted respectively from x_1, x_2, x_3, x_4, then the resulting numbers are in an arithmetic progression. Then the value of $\frac{1}{24}(x_1x_2x_3x_4)$ is:

(A) 18 (B) 216 (C) 36 (D) 72

Open solution

Q32. JEE Main 2025 (Online) 4th April Evening Shift

If the sum of the first 20 terms of the series $\frac{4\cdot1}{4+3\cdot1^2+1^4}+\frac{4\cdot2}{4+3\cdot2^2+2^4}+\frac{4\cdot3}{4+3\cdot3^2+3^4}+\frac{4\cdot4}{4+3\cdot4^2+4^4}+\ldots$ is $\frac{\mathrm{m}}{\mathrm{n}}$, where m and n are coprime, then $\mathrm{m}+\mathrm{n}$ is equal to :

(A) 423 (B) 421 (C) 422 (D) 420

Open solution

Q33. JEE Main 2025 (Online) 4th April Evening Shift

Consider two sets A and B, each containing three numbers in A.P. Let the sum and the product of the elements of A be 36 and p respectively and the sum and the product of the elements of B be 36 and q respectively. Let d and D be the common differences of $\mathrm{AP}'\mathrm{s}$ in A and B respectively such that $D=d+3, d>0$. If $\frac{p+q}{p-q}=\frac{19}{5}$, then $\mathrm{p}-\mathrm{q}$ is equal to

(A) 540 (B) 450 (C) 600 (D) 630

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q34. JEE Main 2025 (Online) 4th April Morning Shift

Let $A = \{1, 6, 11, 16, \ldots\}$ and $B = \{9, 16, 23, 30, \ldots\}$ be the sets consisting of the first 2025 terms of two arithmetic progressions. Then $n(A \cup B)$ is

(A) 3814 (B) 4003 (C) 4027 (D) 3761

Open solution

Q35. JEE Main 2025 (Online) 4th April Morning Shift

$1 + 3 + 5^2 + 7 + 9^2 + \ldots$ upto 40 terms is equal to

(A) 40870 (B) 41880 (C) 43890 (D) 33980

Open solution

Q36. JEE Main 2025 (Online) 3rd April Evening Shift

The sum $1 + \frac{1+3}{2!} + \frac{1+3+5}{3!} + \frac{1+3+5+7}{4!} + \ldots$ upto ∞ terms, is equal to

(A) $3e$ (B) $2e$ (C) $4e$ (D) $6e$

Open solution

Q37. JEE Main 2025 (Online) 3rd April Morning Shift

Let $a_1, a_2, a_3, \ldots$. be a G.P. of increasing positive numbers. If $a_3 a_5 = 729$ and $a_2 + a_4 = \frac{111}{4}$, then $24\,(a_1 + a_2 + a_3)$ is equal to

(A) 128 (B) 129 (C) 131 (D) 130

Open solution

Q38. JEE Main 2025 (Online) 3rd April Morning Shift

The sum $1 + 3 + 11 + 25 + 45 + 71 + \ldots$ upto 20 terms, is equal to

(A) 7240 (B) 8124 (C) 7130 (D) 6982

Open solution

Q39. JEE Main 2025 (Online) 2nd April Evening Shift

The number of terms of an A.P. is even; the sum of all the odd terms is 24 , the sum of all the even terms is 30 and the last term exceeds the first by $\frac{21}{2}$. Then the number of terms which are integers in the A.P. is :

(A) 6 (B) 4 (C) 8 (D) 10

Open solution

Q40. JEE Main 2025 (Online) 2nd April Morning Shift

Let $a_1, a_2, a_3, \ldots$ be in an A.P. such that $\sum_{k=1}^{12} a_{2k-1} = -\frac{72}{5} a_1, a_1 \neq 0$. If $\sum_{k=1}^{n} a_k = 0$, then n is :

(A) 18 (B) 17 (C) 11 (D) 10

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q41. JEE Main 2025 (Online) 29th January Morning Shift

Consider an A. P. of positive integers, whose sum of the first three terms is 54 and the sum of the first twenty terms lies between 1600 and 1800. Then its 11th term is :

(A) 108 (B) 90 (C) 122 (D) 84

Open solution

Q42. JEE Main 2025 (Online) 28th January Evening Shift

For positive integers n, if $4a_n = \left(n^2 + 5n + 6\right)$ and $S_n = \sum_{k=1}^{n} \left(\frac{1}{a_k}\right)$, then the value of $507S_{2025}$ is :

(A) 540 (B) 675 (C) 1350 (D) 135

Open solution

Q43. JEE Main 2025 (Online) 28th January Morning Shift

Let $\langle a_n \rangle$ be a sequence such that $a_0 = 0, a_1 = \frac{1}{2}$ and $2a_{n+2} = 5a_{n+1} - 3a_n, n = 0, 1, 2, 3, \ldots$. Then $\sum_{k=1}^{100} a_k$ is equal to

(A) $3a_{100} + 100$ (B) $3a_{100} - 100$ (C) $3a_{99} - 100$ (D) $3a_{99} + 100$

Open solution

Q44. JEE Main 2025 (Online) 28th January Morning Shift

Let T_r be the rth term of an A.P. If for some m, $T_m = \frac{1}{25}$, $T_{25} = \frac{1}{20}$, and $20\sum_{r=1}^{25} T_r = 13$, then $5m\sum_{r=m}^{2m} T_r$ is equal to

(A) 98 (B) 126 (C) 112 (D) 142

Open solution

Q45. JEE Main 2025 (Online) 24th January Evening Shift

In an arithmetic progression, if $S_{40} = 1030$ and $S_{12} = 57$, then $S_{30} - S_{10}$ is equal to :

(A) 525 (B) 505 (C) 510 (D) 515

Open solution

Q46. JEE Main 2025 (Online) 24th January Evening Shift

If $7 = 5 + \frac{1}{7}(5 + \alpha) + \frac{1}{7^2}(5 + 2\alpha) + \frac{1}{7^3}(5 + 3\alpha) + \ldots\ldots\ldots\ldots\infty$, then the value of α is :

(A) $\frac{1}{7}$ (B) 1 (C) $\frac{6}{7}$ (D) 6

Open solution

Q47. JEE Main 2025 (Online) 24th January Morning Shift

Let $S_n = \frac{1}{2} + \frac{1}{6} + \frac{1}{12} + \frac{1}{20} + \ldots$ upto n terms. If the sum of the first six terms of an A.P. with first term -p and common difference p is $\sqrt{2026\, S_{2025}}$, then the absolute difference between 20th and 15th terms of the A.P. is

(A) 20 (B) 45 (C) 90 (D) 25

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q48. JEE Main 2025 (Online) 23rd January Morning Shift

If the first term of an A.P. is 3 and the sum of its first four terms is equal to one-fifth of the sum of the next four terms, then the sum of the first 20 terms is equal to

(A) -120 (B) -1200 (C) -1080 (D) -1020

Open solution

Q49. JEE Main 2025 (Online) 22nd January Evening Shift

Suppose that the number of terms in an A.P. is $2k, k \in N$. If the sum of all odd terms of the A.P. is 40 , the sum of all even terms is 55 and the last term of the A.P. exceeds the first term by 27 , then k is equal to:

(A) 8 (B) 6 (C) 4 (D) 5

Open solution

Q50. JEE Main 2025 (Online) 22nd January Morning Shift

Let $a_1, a_2, a_3, \ldots$ be a G.P. of increasing positive terms. If $a_1 a_5 = 28$ and $a_2 + a_4 = 29$, then a_6 is equal to:

(A) 812 (B) 784 (C) 628 (D) 526

Open solution

Q51. JEE Main 2024 (Online) 9th April Evening Shift

Let $a, ar, ar^2, \ldots\ldots\ldots$ be an infinite G.P. If $\sum_{n=0}^{\infty} ar^n = 57$ and $\sum_{n=0}^{\infty} a^3 r^{3n} = 9747$, then $a + 18r$ is equal to

(A) 27 (B) 38 (C) 31 (D) 46

Open solution

Q52. JEE Main 2024 (Online) 9th April Morning Shift

If the sum of the series $\frac{1}{1\cdot(1+\mathrm{d})} + \frac{1}{(1+\mathrm{d})(1+2\,\mathrm{d})} + \ldots + \frac{1}{(1+9\,\mathrm{d})(1+10\,\mathrm{d})}$ is equal to 5, then $50\,\mathrm{d}$ is equal to :

(A) 5 (B) 10 (C) 15 (D) 20

Open solution

Q53. JEE Main 2024 (Online) 8th April Evening Shift

In an increasing geometric progression of positive terms, the sum of the second and sixth terms is $\frac{70}{3}$ and the product of the third and fifth terms is 49. Then the sum of the 4th, 6th and 8th terms is equal to:

(A) 78 (B) 96 (C) 91 (D) 84

Open solution

Q54. JEE Main 2024 (Online) 6th April Evening Shift

Let ABC be an equilateral triangle. A new triangle is formed by joining the middle points of all sides of the triangle ABC and the same process is repeated infinitely many times. If P is the sum of perimeters and Q is the sum of areas of all the triangles formed in this process, then :

(A) $\mathrm{P}^2 = 72\sqrt{3}\mathrm{Q}$ (B) $\mathrm{P}^2 = 36\sqrt{3}\mathrm{Q}$

(C) $\mathrm{P} = 36\sqrt{3}\mathrm{Q}^2$ (D) $\mathrm{P}^2 = 6\sqrt{3}\mathrm{Q}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q55. JEE Main 2024 (Online) 6th April Evening Shift

A software company sets up m number of computer systems to finish an assignment in 17 days. If 4 computer systems crashed on the start of the second day, 4 more computer systems crashed on the start of the third day and so on, then it took 8 more days to finish the assignment. The value of m is equal to:

(A) 125 (B) 160 (C) 150 (D) 180

Open solution

Q56. JEE Main 2024 (Online) 5th April Evening Shift

For $x \geqslant 0$, the least value of K, for which $4^{1+x}+4^{1-x}, \frac{\mathrm{K}}{2}, 16^{x}+16^{-x}$ are three consecutive terms of an A.P., is equal to :

(A) 10 (B) 4 (C) 8 (D) 16

Open solution

Q57. JEE Main 2024 (Online) 5th April Morning Shift

If $\frac{1}{\sqrt{1}+\sqrt{2}}+\frac{1}{\sqrt{2}+\sqrt{3}}+\ldots+\frac{1}{\sqrt{99}+\sqrt{100}}=m$ and $\frac{1}{1 \cdot 2}+\frac{1}{2 \cdot 3}+\ldots+\frac{1}{99 \cdot 100}=\mathrm{n}$, then the point (m, n) lies on the line

(A) $11(x-1)-100y=0$ (B) $11x-100y=0$

(C) $11(x-1)-100(y-2)=0$ (D) $11(x-2)-100(y-1)=0$

Open solution

Q58. JEE Main 2024 (Online) 4th April Evening Shift

The value of $\frac{1 \times 2^{2}+2 \times 3^{2}+\ldots+100 \times(101)^{2}}{1^{2} \times 2+2^{2} \times 3+\ldots+100^{2} \times 101}$ is

(A) $\frac{305}{301}$ (B) $\frac{306}{305}$ (C) $\frac{32}{31}$ (D) $\frac{31}{30}$

Open solution

Q59. JEE Main 2024 (Online) 4th April Evening Shift

Let three real numbers a, b, c be in arithmetic progression and $a+1, b, c+3$ be in geometric progression. If $a>10$ and the arithmetic mean of a, b and c is 8, then the cube of the geometric mean of a, b and c is

(A) 120 (B) 316 (C) 312 (D) 128

Open solution

Q60. JEE Main 2024 (Online) 4th April Morning Shift

Let the first three terms 2, p and q, with $q \neq 2$, of a G.P. be respectively the $7^{\text{th}}, 8^{\text{th}}$ and 13th terms of an A.P. If the 5th term of the G.P. is the nth term of the A.P., then n is equal to:

(A) 151 (B) 177 (C) 163 (D) 169

Open solution

Q61. JEE Main 2024 (Online) 1st February Evening Shift

Let S_{n} denote the sum of the first n terms of an arithmetic progression. If $S_{10}=390$ and the ratio of the tenth and the fifth terms is $15:7$, then $\mathrm{S}_{15}-\mathrm{S}_{5}$ is equal to :

(A) 800 (B) 890 (C) 790 (D) 690

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q62. JEE Main 2024 (Online) 1st February Morning Shift

Let $3, a, b, c$ be in A.P. and $3, a-1, b+1, c+9$ be in G.P. Then, the arithmetic mean of a, b and c is :

(A) -4 (B) -1 (C) 13 (D) 11

Open solution

Q63. JEE Main 2024 (Online) 31st January Evening Shift

Let $2^{nd}, 8^{th}$ and 44th terms of a non-constant A. P. be respectively the $1^{st}, 2^{nd}$ and 3rd terms of a G. P. If the first term of the A. P. is 1, then the sum of its first 20 terms is equal to -

(A) 990 (B) 980 (C) 960 (D) 970

Open solution

Q64. JEE Main 2024 (Online) 31st January Morning Shift

For $0 < c < b < a$, let $(a+b-2c)x^2 + (b+c-2a)x + (c+a-2b) = 0$ and $\alpha \neq 1$ be one of its roots. Then, among the two statements

(I) If $\alpha \in (-1, 0)$, then b cannot be the geometric mean of a and c

(II) If $\alpha \in (0, 1)$, then b may be the geometric mean of a and c

(A) only (II) is true (B) Both (I) and (II) are true

(C) only (I) is true (D) Neither (I) nor (II) is true

Open solution

Q65. JEE Main 2024 (Online) 31st January Morning Shift

The sum of the series $\frac{1}{1-3\cdot1^2+1^4} + \frac{2}{1-3\cdot2^2+2^4} + \frac{3}{1-3\cdot3^2+3^4} + \ldots$ up to 10 -terms is

(A) $\frac{45}{109}$ (B) $-\frac{55}{109}$ (C) $\frac{55}{109}$ (D) $-\frac{45}{109}$

Open solution

Q66. JEE Main 2024 (Online) 30th January Evening Shift

Let a and b be two distinct positive real numbers. Let 11th term of a GP, whose first term is a and third term is b, is equal to p^{th} term of another GP, whose first term is a and fifth term is b. Then p is equal to

(A) 20 (B) 24 (C) 21 (D) 25

Open solution

Q67. JEE Main 2024 (Online) 30th January Morning Shift

Let S_n denote the sum of first n terms of an arithmetic progression. If $S_{20} = 790$ and $S_{10} = 145$, then $S_{15} - S_5$ is :

(A) 405 (B) 390 (C) 410 (D) 395

Open solution

Q68. JEE Main 2024 (Online) 29th January Evening Shift

If $\log_e a, \log_e b, \log_e c$ are in an A.P. and $\log_e a - \log_e 2b, \log_e 2b - \log_e 3c, \log_e 3c - \log_e a$ are also in an A.P, then $a : b : c$ is equal to

(A) $6 : 3 : 2$ (B) $9 : 6 : 4$ (C) $25 : 10 : 4$ (D) $16 : 4 : 1$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q69. JEE Main 2024 (Online) 29th January Evening Shift

If each term of a geometric progression $a_1, a_2, a_3, \ldots$ with $a_1 = \frac{1}{8}$ and $a_2 \neq a_1$, is the arithmetic mean of the next two terms and $S_n = a_1 + a_2 + \ldots\ldots + a_n$, then $S_{20} - S_{18}$ is equal to

(A) -2^{15} (B) 2^{15} (C) -2^{18} (D) 2^{18}

Open solution

Q70. JEE Main 2024 (Online) 29th January Morning Shift

If in a G.P. of 64 terms, the sum of all the terms is 7 times the sum of the odd terms of the G.P, then the common ratio of the G.P. is equal to

(A) 7 (B) 6 (C) 5 (D) 4

Open solution

Q71. JEE Main 2024 (Online) 29th January Morning Shift

In an A.P., the sixth term $a_6 = 2$. If the product $a_1 a_4 a_5$ is the greatest, then the common difference of the A.P. is equal to

(A) $\frac{2}{3}$ (B) $\frac{5}{8}$ (C) $\frac{3}{2}$ (D) $\frac{8}{5}$

Open solution

Q72. JEE Main 2024 (Online) 27th January Evening Shift

The 20th term from the end of the progression $20, 19\frac{1}{4}, 18\frac{1}{2}, 17\frac{3}{4}, \ldots, -129\frac{1}{4}$ is :

(A) -115 (B) -100 (C) -110 (D) -118

Open solution

Q73. JEE Main 2024 (Online) 27th January Morning Shift

The number of common terms in the progressions

$4, 9, 14, 19, \ldots\ldots$, up to 25th term and

$3, 6, 9, 12, \ldots\ldots$, up to 37th term is :

(A) 9 (B) 8 (C) 5 (D) 7

Open solution

Q74. JEE Main 2023 (Online) 15th April Morning Shift

Let A_1 and A_2 be two arithmetic means and G_1, G_2, G_3 be three geometric means of two distinct positive numbers. Then $G_1^4 + G_2^4 + G_3^4 + G_1^2 G_3^2$ is equal to :

(A) $(A_1 + A_2)^2 G_1 G_3$ (B) $(A_1 + A_2) G_1^2 G_3^2$

(C) $2(A_1 + A_2) G_1^2 G_3^2$ (D) $2(A_1 + A_2) G_1 G_3$

Open solution

Q75. JEE Main 2023 (Online) 13th April Evening Shift

Let $a_1, a_2, a_3, \ldots$ be a G.P. of increasing positive numbers. Let the sum of its 6th and 8th terms be 2 and the product of its 3rd and 5th terms be $\frac{1}{9}$. Then $6(a_2 + a_4)(a_4 + a_6)$ is equal to

(A) $2\sqrt{2}$ (B) 2 (C) $3\sqrt{3}$ (D) 3

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q76. JEE Main 2023 (Online) 13th April Morning Shift

Let $s_1, s_2, s_3, \ldots, s_{10}$ respectively be the sum to 12 terms of 10 A.P. s whose first terms are $1, 2, 3, \ldots .10$ and the common differences are $1, 3, 5, \ldots \ldots, 19$ respectively. Then $\sum_{i=1}^{10} s_i$ is equal to :

(A) 7360 (B) 7220 (C) 7260 (D) 7380

Open solution

Q77. JEE Main 2023 (Online) 11th April Evening Shift

Let a, b, c and d be positive real numbers such that $a+b+c+d=11$. If the maximum value of $a^5b^3c^2d$ is 3750β, then the value of β is

(A) 110 (B) 108 (C) 90 (D) 55

Open solution

Q78. JEE Main 2023 (Online) 11th April Morning Shift

Let $x_1, x_2, \ldots, x_{100}$ be in an arithmetic progression, with $x_1 = 2$ and their mean equal to 200 . If $y_i = i\,(x_i - i), 1 \leq i \leq 100$, then the mean of $y_1, y_2, \ldots, y_{100}$ is :

(A) 10051.50 (B) 10049.50 (C) 10100 (D) 10101.50

Open solution

Q79. JEE Main 2023 (Online) 10th April Morning Shift

Let the first term α and the common ratio r of a geometric progression be positive integers. If the sum of squares of its first three terms is 33033, then the sum of these three terms is equal to

(A) 241 (B) 231 (C) 220 (D) 210

Open solution

Q80. JEE Main 2023 (Online) 8th April Morning Shift

Let $S_K = \frac{1+2+\ldots+K}{K}$ and $\sum_{j=1}^{n} S_j^2 = \frac{n}{A}\left(Bn^2 + Cn + D\right)$, where $A, B, C, D \in \mathbb{N}$ and A has least value.

Then

(A) $A+B+C+D$ is divisible by 5 (B) $A+C+D$ is not divisible by B

(C) $A+B=5(D-C)$ (D) $A+B$ is divisible by D

Open solution

Q81. JEE Main 2023 (Online) 31st January Evening Shift

Let $a_1, a_2, a_3, \ldots$ be an A.P. If $a_7 = 3$, the product a_1a_4 is minimum and the sum of its first n terms is zero, then $n! - 4a_{n(n+2)}$ is equal to :

(A) 24 (B) $\frac{381}{4}$ (C) 9 (D) $\frac{33}{4}$

Open solution

Q82. JEE Main 2023 (Online) 31st January Morning Shift

If the sum and product of four positive consecutive terms of a G.P., are 126 and 1296 , respectively, then the sum of common ratios of all such GPs is

(A) 7 (B) 14 (C) 3 (D) $\frac{9}{2}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q83. JEE Main 2023 (Online) 30th January Evening Shift

Let $a, b, c > 1, a^3, b^3$ and c^3 be in A.P., and $\log_a b, \log_c a$ and $\log_b c$ be in G.P. If the sum of first 20 terms of an A.P., whose first term is $\frac{a+4b+c}{3}$ and the common difference is $\frac{a-8b+c}{10}$ is -444, then abc is equal to :

Open solution

(A) 343 (B) 216 (C) $\frac{343}{8}$ (D) $\frac{125}{8}$

Q84. JEE Main 2023 (Online) 24th January Morning Shift

For three positive integers p, q, r, $x^{pq^2} = y^{qr} = z^{p^2r}$ and r = pq + 1 such that 3, 3 $\log_y x$, 3 $\log_z y$, 7 $\log_x z$ are in A.P. with common difference $\frac{1}{2}$. Then r-p-q is equal to

Open solution

(A) 12 (B) -6 (C) 6 (D) 2

Q85. JEE Main 2022 (Online) 30th July Evening Shift

For $|\alpha| \geq 1$, let $5^{4-2\alpha}$, 63, $5^{2\alpha-1}$ be in A.P. with the common difference d. Let S_n denote the sum of the first n terms of an A.P., whose first term is α^2 and the common difference is d. If $S_{30} - S_{15} = 30k$, then k is equal to

Open solution

(A) 715 (B) 695 (C) 684 (D) 683

Q86. JEE Main 2022 (Online) 29th July Morning Shift

If $\frac{1}{(20-a)(40-a)} + \frac{1}{(40-a)(60-a)} + \ldots + \frac{1}{(180-a)(200-a)} = \frac{1}{256}$, then the maximum value of a is :

Open solution

(A) 198 (B) 202 (C) 212 (D) 218

Q87. JEE Main 2022 (Online) 27th July Evening Shift

Let the sum of an infinite G.P., whose first term is a and the common ratio is r, be 5 . Let the sum of its first five terms be $\frac{98}{25}$. Then the sum of the first 21 terms of an AP, whose first term is $10ar$, n^{th} term is a_n and the common difference is $10ar^2$, is equal to :

Open solution

(A) $21\, a_{11}$ (B) $22\, a_{11}$ (C) $15\, a_{16}$ (D) $14\, a_{16}$

Q88. JEE Main 2022 (Online) 27th July Morning Shift

Suppose $a_1, a_2, \ldots, a_n, \ldots$ be an arithmetic progression of natural numbers. If the ratio of the sum of first five terms to the sum of first nine terms of the progression is $5 : 17$ and , $110 < a_{15} < 120$, then the sum of the first ten terms of the progression is equal to

Open solution

(A) 290 (B) 380 (C) 460 (D) 510

Q89. JEE Main 2022 (Online) 26th July Morning Shift

Consider two G.Ps. 2, 2^2, 2^3, ... and 4, 4^2, 4^3, ... of 60 and n terms respectively. If the geometric mean of all the 60 + n terms is $(2)^{\frac{225}{8}}$, then $\sum_{k=1}^{n} k(n-k)$ is equal to :

Open solution

(A) 560 (B) 1540 (C) 1330 (D) 2600

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q90. JEE Main 2022 (Online) 28th June Evening Shift

If n arithmetic means are inserted between a and 100 such that the ratio of the first mean to the last mean is 1 : 7 and a + n = 33, then the value of n is :

(A) 21 (B) 22 (C) 23 (D) 24

Open solution

Q91. JEE Main 2022 (Online) 28th June Morning Shift

Let $A_1, A_2, A_3, \ldots\ldots$ be an increasing geometric progression of positive real numbers. If $A_1A_3A_5A_7 = \frac{1}{1296}$ and $A_2 + A_4 = \frac{7}{36}$, then the value of $A_6 + A_8 + A_{10}$ is equal to

(A) 33 (B) 37 (C) 43 (D) 47

Open solution

Q92. JEE Main 2022 (Online) 27th June Evening Shift

If $a_1, a_2, a_3 \ldots\ldots$ and $b_1, b_2, b_3 \ldots\ldots$ are A.P., and $a_1 = 2$, $a_{10} = 3$, $a_1b_1 = 1 = a_{10}b_{10}$, then $a_4\, b_4$ is equal to -

(A) $\frac{35}{27}$ (B) 1 (C) $\frac{27}{28}$ (D) $\frac{28}{27}$

Open solution

Q93. JEE Main 2022 (Online) 27th June Morning Shift

$x = \sum_{n=0}^{\infty} a^n, y = \sum_{n=0}^{\infty} b^n, z = \sum_{n=0}^{\infty} c^n$, where a, b, c are in A.P. and |a| < 1, |b| < 1, |c| < 1, abc $\neq$ 0, then :

(A) x, y, z are in A.P.

(B) x, y, z are in G.P.

(C) $\frac{1}{x}, \frac{1}{y}, \frac{1}{z}$ are in A.P.

(D) $\frac{1}{x} + \frac{1}{y} + \frac{1}{z} = 1 - (a + b + c)$

Open solution

Q94. JEE Main 2022 (Online) 25th June Morning Shift

If $\frac{1}{2 \cdot 3^{10}} + \frac{1}{2^2 \cdot 3^9} + \ldots\ldots + \frac{1}{2^{10} \cdot 3} = \frac{K}{2^{10} \cdot 3^{10}}$, then the remainder when K is divided by 6 is :

(A) 1 (B) 2 (C) 3 (D) 5

Open solution

Q95. JEE Main 2022 (Online) 24th June Evening Shift

Let x, y > 0. If $x^3y^2 = 2^{15}$, then the least value of 3x + 2y is

(A) 30 (B) 32 (C) 36 (D) 40

Open solution

Q96. JEE Main 2022 (Online) 24th June Morning Shift

If $\{a_i\}_{i=1}^{n}$, where n is an even integer, is an arithmetic progression with common difference 1, and $\sum_{i=1}^{n} a_i = 192$, $\sum_{i=1}^{n/2} a_{2i} = 120$, then n is equal to :

(A) 48 (B) 96 (C) 92 (D) 104

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q97. JEE Main 2021 (Online) 1st September Evening Shift

Let $a_1, a_2, \ldots\ldots\ldots, a_{21}$ be an AP such that $\sum_{n=1}^{20} \frac{1}{a_n a_{n+1}} = \frac{4}{9}$. If the sum of this AP is 189, then $a_6 a_{16}$ is equal to :

(A) 57 (B) 72 (C) 48 (D) 36

Open solution

Q98. JEE Main 2021 (Online) 31st August Evening Shift

Let $a_1, a_2, a_3, \ldots..$ be an A.P. If $\frac{a_1+a_2+\ldots.+a_{10}}{a_1+a_2+\ldots.+a_p} = \frac{100}{p^2}$, $p \neq 10$, then $\frac{a_{11}}{a_{10}}$ is equal to :

(A) $\frac{19}{21}$ (B) $\frac{100}{121}$ (C) $\frac{21}{19}$ (D) $\frac{121}{100}$

Open solution

Q99. JEE Main 2021 (Online) 31st August Morning Shift

Three numbers are in an increasing geometric progression with common ratio r. If the middle number is doubled, then the new numbers are in an arithmetic progression with common difference d. If the fourth term of GP is $3r^2$, then $r^2 - d$ is equal to :

(A) $7 - 7\sqrt{3}$ (B) $7 + \sqrt{3}$ (C) $7 - \sqrt{3}$ (D) $7 + 3\sqrt{3}$

Open solution

Q100. JEE Main 2021 (Online) 26th August Morning Shift

If the sum of an infinite GP a, ar, ar^2, ar^3, ... is 15 and the sum of the squares of its each term is 150, then the sum of ar^2, ar^4, ar^6, ... is :

(A) $\frac{5}{2}$ (B) $\frac{1}{2}$ (C) $\frac{25}{2}$ (D) $\frac{9}{2}$

Open solution

Q101. JEE Main 2021 (Online) 25th July Morning Shift

Let S_n be the sum of the first n terms of an arithmetic progression. If $S_{3n} = 3S_{2n}$, then the value of $\frac{S_{4n}}{S_{2n}}$ is :

(A) 6 (B) 4 (C) 2 (D) 8

Open solution

Q102. JEE Main 2021 (Online) 22th July Evening Shift

Let S_n denote the sum of first n-terms of an arithmetic progression. If $S_{10} = 530$, $S_5 = 140$, then $S_{20} - S_6$ is equal to:

(A) 1862 (B) 1842 (C) 1852 (D) 1872

Open solution

Q103. JEE Main 2021 (Online) 18th March Evening Shift

Let S_1 be the sum of first 2n terms of an arithmetic progression. Let S_2 be the sum of first 4n terms of the same arithmetic progression. If $(S_2 - S_1)$ is 1000, then the sum of the first 6n terms of the arithmetic progression is equal to :

(A) 7000 (B) 1000 (C) 3000 (D) 5000

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q104. JEE Main 2021 (Online) 26th February Morning Shift

In an increasing geometric series, the sum of the second and the sixth term is $\frac{25}{2}$ and the product of the third and fifth term is 25. Then, the sum of 4th, 6th and 8th terms is equal to :

(A) 30 (B) 32 (C) 26 (D) 35

Open solution

Q105. JEE Main 2021 (Online) 25th February Evening Shift

The minimum value of $f(x) = a^{a^x} + a^{1-a^x}$, where a, $x \in R$ and a > 0, is equal to :

(A) $a + \frac{1}{a}$ (B) 2a (C) a + 1 (D) $2\sqrt{a}$

Open solution

Q106. JEE Main 2020 (Online) 6th September Evening Slot

The common difference of the A.P.
$b_1, b_2, \ldots, b_m$ is 2 more than the common
difference of A.P. $a_1, a_2, \ldots, a_n$. If
$a_{40} = -159$, $a_{100} = -399$ and $b_{100} = a_{70}$, then b_1 is equal to :

(A) 127 (B) 81 (C) −127 (D) -81

Open solution

Q107. JEE Main 2020 (Online) 6th September Morning Slot

Let a , b, c , d and p be any non zero distinct real numbers such that
$(a^2 + b^2 + c^2)p^2 - 2(ab + bc + cd)p + (b^2 + c^2 + d^2) = 0$. Then :

(A) a, c, p are in G.P. (B) a, b, c, d are in G.P.
(C) a, b, c, d are in A.P. (D) a, c, p are in A.P.

Open solution

Q108. JEE Main 2020 (Online) 5th September Evening Slot

If the sum of the second, third and fourth terms of a positive term G.P. is 3 and the sum of its sixth, seventh and eighth terms is 243, then the sum of the first 50 terms of this G.P. is :

(A) $\frac{2}{13}\left(3^{50} - 1\right)$ (B) $\frac{1}{13}\left(3^{50} - 1\right)$
(C) $\frac{1}{26}\left(3^{49} - 1\right)$ (D) $\frac{1}{26}\left(3^{50} - 1\right)$

Open solution

Q109. JEE Main 2020 (Online) 5th September Morning Slot

If $3^{2\sin 2\alpha - 1}$, 14 and $3^{4 - 2\sin 2\alpha}$ are the first three terms of an A.P. for some α, then the sixth term of this A.P. is:

(A) 66 (B) 81 (C) 65 (D) 78

Open solution

Q110. JEE Main 2020 (Online) 4th September Evening Slot

The minimum value of $2^{\sin x} + 2^{\cos x}$ is :

(A) $2^{-1+\sqrt{2}}$ (B) $2^{1-\frac{1}{\sqrt{2}}}$ (C) $2^{1-\sqrt{2}}$ (D) $2^{-1+\frac{1}{\sqrt{2}}}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q111. JEE Main 2020 (Online) 4th September Evening Slot

Let $a_1, a_2, ...,$ an be a given A.P. whose common difference is an integer and $S_n = a_1 + a_2 + ... + a_n$. If $a_1 = 1$, $a_n = 300$ and $15 \leq n \leq 50$, then the ordered pair (S_{n-4}, a_{n-4}) is equal to:

Open solution

(A) (2480, 249) (B) (2480, 248) (C) (2490, 248) (D) (2490, 249)

Q112. JEE Main 2020 (Online) 3rd September Morning Slot

If the first term of an A.P. is 3 and the sum of its first 25 terms is equal to the sum of its next 15 terms, then the common difference of this A.P. is :

Open solution

(A) $\frac{1}{4}$ (B) $\frac{1}{5}$ (C) $\frac{1}{7}$ (D) $\frac{1}{6}$

Q113. JEE Main 2020 (Online) 2nd September Evening Slot

If the sum of first 11 terms of an A.P., $a_1, a_2, a_3, ...$ is 0 ($a \neq 0$), then the sum of the A.P., $a_1, a_3, a_5, ..., a_{23}$ is ka_1, where k is equal to :

Open solution

(A) $\frac{121}{10}$ (B) $-\frac{121}{10}$ (C) $\frac{72}{5}$ (D) $-\frac{72}{5}$

Q114. JEE Main 2020 (Online) 2nd September Morning Slot

The sum of the first three terms of a G.P. is S and their product is 27. Then all such S lie in :

Open solution

(A) $[-3, \infty)$ (B) $(-\infty, 9]$

(C) $(-\infty, -9] \cup [-3, \infty)$ (D) $(-\infty, -3] \cup [9, \infty)$

Q115. JEE Main 2020 (Online) 9th January Evening Slot

Let a_n be the nth term of a G.P. of positive terms.

Open solution

$$\sum_{n=1}^{100} a_{2n+1} = 200 \text{ and } \sum_{n=1}^{100} a_{2n} = 100,$$

then $\sum_{n=1}^{200} a_n$ is equal to :

(A) 150 (B) 175 (C) 225 (D) 300

Q116. JEE Main 2020 (Online) 8th January Evening Slot

If the 10th term of an A.P. is $\frac{1}{20}$ and its 20th term is $\frac{1}{10}$, then the sum of its first 200 terms is

Open solution

(A) 100 (B) $100\frac{1}{2}$ (C) $50\frac{1}{4}$ (D) 50

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q117. JEE Main 2020 (Online) 8th January Morning Slot

Let $f : \mathbf{R} \to \mathbf{R}$ be such that for all $x \in R$ $(2^{1+x} + 2^{1-x})$, $f(x)$ and $(3^x + 3^{-x})$ are in A.P., then the minimum value of $f(x)$ is

(A) 2 (B) 0 (C) 3 (D) 4

Open solution

Q118. JEE Main 2020 (Online) 7th January Evening Slot

Let a_1 , a_2 , a_3 ,..... be a G.P. such that $a_1 < 0$, $a_1 + a_2 = 4$ and $a_3 + a_4 = 16$.
If $\sum_{i=1}^{9} a_i = 4\lambda$, then λ is equal to:

(A) 171 (B) -171 (C) -513 (D) $\frac{511}{3}$

Open solution

Q119. JEE Main 2020 (Online) 7th January Morning Slot

Five numbers are in A.P. whose sum is 25 and product is 2520. If one of these five numbers is $-\frac{1}{2}$, then the greatest number amongst them is:

(A) $\frac{21}{2}$ (B) 27 (C) 7 (D) 16

Open solution

Q120. JEE Main 2019 (Online) 12th April Evening Slot

If $a_1, a_2, a_3, \ldots$ are in A.P. such that $a_1 + a_7 + a_{16} = 40$, then the sum of the first 15 terms of this A.P. is :

(A) 120 (B) 200 (C) 150 (D) 280

Open solution

Q121. JEE Main 2019 (Online) 12th April Morning Slot

Let S_n denote the sum of the first n terms of an A.P. If $S_4 = 16$ and $S_6 = -48$, then S_{10} is equal to :

(A) - 320 (B) - 380 (C) - 460 (D) - 210

Open solution

Q122. JEE Main 2019 (Online) 10th April Evening Slot

Let a, b and c be in G.P. with common ratio r, where $a \neq 0$ and $0 < r \leq \frac{1}{2}$. If $3a$, 7b and 15c are the first three terms of an A.P., then the 4th term of this A.P. is :

(A) a (B) $\frac{7}{3}a$ (C) $5a$ (D) $\frac{2}{3}a$

Open solution

Q123. JEE Main 2019 (Online) 10th April Evening Slot

Let $a_1, a_2, a_3, \ldots$ be an A.P. with $a_6 = 2$. Then the common difference of this A.P., which maximises the product $a_1a_4a_5$, is :

(A) $\frac{3}{2}$ (B) $\frac{6}{5}$ (C) $\frac{8}{5}$ (D) $\frac{2}{3}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q124. JEE Main 2019 (Online) 10th April Morning Slot

If $a_1, a_2, a_3, \ldots\ldots\ldots\ldots a_n$ are in A.P. and $a_1 + a_4 + a_7 + \ldots\ldots\ldots + a_{16} = 114$, then $a_1 + a_6 + a_{11} + a_{16}$ is equal to :

(A) 38 (B) 98 (C) 76 (D) 64

Open solution

Q125. JEE Main 2019 (Online) 9th April Evening Slot

If the sum and product of the first three terms in an A.P. are 33 and 1155, respectively, then a value of its 11th term is :-

(A) −25 (B) −36 (C) 25 (D) −35

Open solution

Q126. JEE Main 2019 (Online) 9th April Morning Slot

Let the sum of the first n terms of a non-constant A.P., $a_1, a_2, a_3, \ldots.$ be $50n + \frac{n(n-7)}{2}A$, where A is a constant. If d is the common difference of this A.P., then the ordered pair (d, a_{50}) is equal to

(A) (A, 50+45A) (B) (50, 50+45A) (C) (A, 50+46A) (D) (50, 50+46A)

Open solution

Q127. JEE Main 2019 (Online) 8th April Evening Slot

If three distinct numbers a, b, c are in G.P. and the equations $ax^2 + 2bx + c = 0$ and $dx^2 + 2ex + f = 0$ have a common root, then which one of the following statements is correct?

(A) $\frac{d}{a}, \frac{e}{b}, \frac{f}{c}$ are in G.P. (B) d, e, f are in A.P

(C) d, e, f are in G.P (D) $\frac{d}{a}, \frac{e}{b}, \frac{f}{c}$ are in A.P.

Open solution

Q128. JEE Main 2019 (Online) 8th April Morning Slot

The sum of all natural numbers 'n' such that 100 < n < 200 and H.C.F. (91, n) > 1 is :

(A) 3221 (B) 3121 (C) 3203 (D) 3303

Open solution

Q129. JEE Main 2019 (Online) 12th January Evening Slot

If $\sin^4\alpha + 4\cos^4\beta + 2 = 4\sqrt{2}\sin\alpha\cos\beta;\ \alpha, \beta \in [0, \pi]$,
then $\cos(\alpha + \beta) - \cos(\alpha - \beta)$ is equal to :

(A) $-\sqrt{2}$ (B) 0 (C) -1 (D) $\sqrt{2}$

Open solution

Q130. JEE Main 2019 (Online) 12th January Evening Slot

If ${}^nC_4$, ${}^nC_5$ and ${}^nC_6$ are in A.P., then n can be :

(A) 11 (B) 12 (C) 9 (D) 14

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q131. JEE Main 2019 (Online) 12th January Morning Slot

The product of three consecutive terms of a G.P. is 512. If 4 is added to each of the first and the second of these terms, the three terms now form an A.P. Then the sum of the original three terms of the given G.P. is :

(A) 36 (B) 28 (C) 32 (D) 24

Open solution

Q132. JEE Main 2019 (Online) 11th January Evening Slot

If 19th term of a non-zero A.P. is zero, then its (49th term) : (29th term) is :

(A) 2 : 1 (B) 4 : 1 (C) 1 : 3 (D) 3 : 1

Open solution

Q133. JEE Main 2019 (Online) 11th January Evening Slot

Let x, y be positive real numbers and m, n positive integers. The maximum value of the expression $\frac{x^m y^n}{(1+x^{2m})(1+y^{2n})}$ is :

(A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{m+n}{6mn}$ (D) 1

Open solution

Q134. JEE Main 2019 (Online) 11th January Morning Slot

The sum of an infinite geometric series with positive terms is 3 and the sum of the cubes of its terms is $\frac{27}{19}$.Then the common ratio of this series is :

(A) $\frac{4}{9}$ (B) $\frac{1}{3}$ (C) $\frac{2}{3}$ (D) $\frac{2}{9}$

Open solution

Q135. JEE Main 2019 (Online) 11th January Morning Slot

Let $a_1, a_2, \ldots\ldots, a_{10}$ be a G.P. If $\frac{a_3}{a_1} = 25$, then $\frac{a_9}{a_5}$ equals

(A) 5^3 (B) $2(5^2)$ (C) $4(5^2)$ (D) 5^4

Open solution

Q136. JEE Main 2019 (Online) 10th January Evening Slot

Let $a_1, a_2, a_3, \ldots\ldots a_{10}$ be in G.P. with $a_i > 0$ for i = 1, 2, ..., 10 and S be the set of pairs (r, k), r, k $\in$ N (the set of natural numbers) for which

$$\begin{vmatrix} \log_e a_1{}^r a_2{}^k & \log_e a_2{}^r a_3{}^k & \log_e a_3{}^r a_4{}^k \\ \log_e a_4{}^r a_5{}^k & \log_e a_5{}^r a_6{}^k & \log_e a_6{}^r a_7{}^k \\ \log_e a_7{}^r a_8{}^k & \log_e a_8{}^r a_9{}^k & \log_e a_9{}^r a_{10}{}^k \end{vmatrix} = 0.$$

Then the number of elements in S, is -

(A) 10 (B) 4 (C) 2 (D) infinitely many

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q137. JEE Main 2019 (Online) 10th January Morning Slot

The sum of all two digit positive numbers which when divided by 7 yield 2 or 5 as remainder is -

(A) 1356 (B) 1256 (C) 1365 (D) 1465

Open solution

Q138. JEE Main 2019 (Online) 9th January Evening Slot

Let a, b and c be the 7th, 11th and 13th terms respectively of a non-constant A.P. If these are also three consecutive terms of a G.P., then $\frac{a}{c}$ is equal to :

(A) 2 (B) $\frac{1}{2}$ (C) $\frac{7}{13}$ (D) 4

Open solution

Q139. JEE Main 2019 (Online) 9th January Morning Slot

If a, b, c be three distinct real numbers in G.P. and a + b + c = xb , then x **cannot** be

(A) 2 (B) -3 (C) 4 (D) -2

Open solution

Q140. JEE Main 2019 (Online) 9th January Morning Slot

Let $a_1, a_2, \ldots\ldots, a_{30}$ be an A.P.,

$S = \sum_{i=1}^{30} a_i$ and $T = \sum_{i=1}^{15} a_{(2i-1)}$.

If a_5 = 27 and S - 2T = 75, then a_{10} is equal to :

(A) 47 (B) 42 (C) 52 (D) 57

Open solution

Q141. JEE Main 2018 (Online) 16th April Morning Slot

Let $\frac{1}{x_1}, \frac{1}{x_2}, \ldots, \frac{1}{x_n}$ ($x_i \neq 0$ for i = 1, 2, ..., n) be in A.P. such that x_1=4 and x_{21} = 20. If n is the least positive integer for which $x_n > 50$, then $\sum_{i=1}^{n} \left(\frac{1}{x_i}\right)$ is equal to :

(A) $\frac{1}{8}$ (B) 3 (C) $\frac{13}{8}$ (D) $\frac{13}{4}$

Open solution

Q142. JEE Main 2018 (Offline)

Let $a_1, a_2, a_3, \ldots\ldots\ldots, a_{49}$ be in A.P. such that

$\sum_{k=0}^{12} a_{4k+1} = 416$ and $a_9 + a_{43} = 66$.

$a_1^2 + a_2^2 + \ldots\ldots\ldots + a_{17}^2 = 140m$, then m is equal to

(A) 33 (B) 66 (C) 68 (D) 34

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q143. JEE Main 2018 (Online) 15th April Evening Slot

If a, b, c are in A.P. and a^2, b^2, c^2 are in G.P. such that $a < b < c$ and $a + b + c = \frac{3}{4}$, then the value of a is :

(A) $\frac{1}{4} - \frac{1}{4\sqrt{2}}$ (B) $\frac{1}{4} - \frac{1}{3\sqrt{2}}$

(C) $\frac{1}{4} - \frac{1}{2\sqrt{2}}$ (D) $\frac{1}{4} - \frac{1}{\sqrt{2}}$

Open solution

Q144. JEE Main 2018 (Online) 15th April Morning Slot

If $x_1, x_2, \ldots, x_n$ and $\frac{1}{h_1}, \frac{1}{h_2}, \ldots, \frac{1}{h_n}$ are two A.P.s such that $x_3 = h_2 = 8$ and $x_8 = h_7 = 20$, then $x_5.h_{10}$ equals :

(A) 2560 (B) 2650 (C) 3200 (D) 1600

Open solution

Q145. JEE Main 2018 (Online) 15th April Morning Slot

If b is the first term of an infinite G.P. whose sum is five, then b lies in the interval :

(A) $(-\infty, -10]$ (B) $(-10, 0)$ (C) $(0, 10)$ (D) $[10, \infty)$

Open solution

Q146. JEE Main 2017 (Online) 9th April Morning Slot

If three positive numbers a, b and c are in A.P. such that abc = 8, then the minimum possible value of b is :

(A) 2 (B) $4^{\frac{1}{3}}$ (C) $4^{\frac{2}{3}}$ (D) 4

Open solution

Q147. JEE Main 2017 (Online) 8th April Morning Slot

If the arithmetic mean of two numbers a and b, $a > b > 0$, is five times their geometric mean, then $\frac{a+b}{a-b}$ is equal to :

(A) $\frac{\sqrt{6}}{2}$ (B) $\frac{3\sqrt{2}}{4}$ (C) $\frac{7\sqrt{3}}{12}$ (D) $\frac{5\sqrt{6}}{12}$

Open solution

Q148. JEE Main 2016 (Online) 10th April Morning Slot

Let $a_1, a_2, a_3, \ldots\ldots, a_n, \ldots\ldots$ be in A.P.

If $a_3 + a_7 + a_{11} + a_{15} = 72$,

then the sum of its first 17 terms is equal to :

(A) 306 (B) 153 (C) 612 (D) 204

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q149. JEE Main 2016 (Online) 10th April Morning Slot

If A > 0, B > 0 and A + B = $\frac{\pi}{6}$,

then the minimum value of tanA + tanB is :

(A) $\sqrt{3}-\sqrt{2}$ (B) $2-\sqrt{3}$ (C) $4-2\sqrt{3}$ (D) $\frac{2}{\sqrt{3}}$

Open solution

Q150. JEE Main 2016 (Online) 9th April Morning Slot

Let x, y, z be positive real numbers such that x + y + z = 12 and $x^3y^4z^5 = (0.1)\,(600)^3$. Then $x^3 + y^3 + z^3$ is equal to :

(A) 270 (B) 258 (C) 342 (D) 216

Open solution

Q151. JEE Main 2016 (Offline)

If the $2^{nd}, 5^{th}\ and\ 9^{th}$ terms of a non-constant A.P. are in G.P., then the common ratio of this G.P. is :

(A) 1 (B) $\frac{7}{4}$ (C) $\frac{8}{5}$ (D) $\frac{4}{3}$

Open solution

Q152. JEE Main 2015 (Online) 11th April Morning Slot

The sum of the 3rd and the 4th terms of a G.P. is 60 and the product of its first three terms is 1000. If the first term of this G.P. is positive, then its 7th term is :

(A) 7290 (B) 320 (C) 640 (D) 2430

Open solution

Q153. JEE Main 2015 (Online) 10th April Morning Slot

Let the sum of the first three terms of an A.P. be 39 and the sum of its last four terms be 178. If the first term of this A.P. is 10, then the median of the A.P. is :

(A) 26.5 (B) 28 (C) 29.5 (D) 31

Open solution

Q154. JEE Main 2015 (Offline)

If m is the A.M. of two distinct real numbers l and n $(l, n > 1)$ and G_1, G_2 and G_3 are three geometric means between l and n, then $G_1^4 + 2G_2^4 + G_3^4$ equals:

(A) $4\,lmn^2$ (B) $4\,l^2m^2n^2$ (C) $4\,l^2m\,n$ (D) $4\,l\,m^2n$

Open solution

Q155. JEE Main 2014 (Online) 19th April Morning Slot

The number of terms in an A.P. is even; the sum of the odd terms in it is 24 and that of the even terms is 30. If the last term exceeds the first term by $10\frac{1}{2}$, then the number of terms in the A.P. is :

(A) 4 (B) 8 (C) 12 (D) 16

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q156. JEE Main 2014 (Online) 12th April Morning Slot

Let G be the geometric mean of two positive numbers a and b, and M be the arithmetic mean of $\frac{1}{a}$ and $\frac{1}{b}$.
If $\frac{1}{M}$: G is 4 : 5, then a : b can be :

(A) 1 : 4 (B) 1 : 2 (C) 2 : 3 (D) 3 : 4

Open solution

Q157. JEE Main 2014 (Online) 12th April Morning Slot

The least positive integer n such that
$1-\frac{2}{3}-\frac{2}{3^2}-\ldots\ldots-\frac{2}{3^{n-1}}<\frac{1}{100}$, is :

(A) 4 (B) 5 (C) 6 (D) 7

Open solution

Q158. JEE Main 2014 (Online) 11th April Morning Slot

In a geometric progression, If the ratio of the sum of first 5 terms to the sum of their reciprocals is 49, and the sum of the first and the third term is 35. Then the first term of this geometric progression is :

(A) 7 (B) 21 (C) 28 (D) 42

Open solution

Q159. JEE Main 2014 (Online) 11th April Morning Slot

The sum of the first 20 terms common between the series 3 + 7 + 11 + 15 + ... and 1 + 6 + 11 + 16 + ... , is :

(A) 4000 (B) 4020 (C) 4200 (D) 4220

Open solution

Q160. JEE Main 2014 (Online) 9th April Morning Slot

Given an A.P. whose terms are all positive integers. The sum of the first nine terms is greater than 200 and less than 220. If the second term in it is 12, then its 4th term is :

(A) 8 (B) 16 (C) 20 (D) 24

Open solution

Q161. JEE Main 2014 (Offline)

Three positive numbers form an increasing G.P. If the middle term in this G.P. is doubled, the new numbers are in A.P. then the common ratio of the G.P. is :

(A) $2-\sqrt{3}$ (B) $2+\sqrt{3}$ (C) $\sqrt{2}+\sqrt{3}$ (D) $3+\sqrt{2}$

Open solution

Q162. JEE Main 2013 (Online) 25th April Morning Slot

Given a sequence of 4 numbers, first three of which are in G.P and the last three are in A.P. with common difference six. If first and last terms of this sequence are equal, then the last term is

(A) 16 (B) 8 (C) 4 (D) 2

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q163. JEE Main 2013 (Online) 23th April Morning Slot

If $a_1, a_2, a_3, \ldots\ldots, a_n, \ldots.$ are in A.P, such that $a_4 - a_7 + a_{10} = m$, then the sum of first 13 terms of this A.P. is :

(A) 10m (B) 12m (C) 13m (D) 15m

Open solution

Q164. JEE Main 2013 (Online) 22th April Morning Slot

Given sum of the first n terms of an A.P. is $2n + 3n^2$. Another A.P. is formed with the same first term and double of the common difference, the sum of n terms of the new A.P. is:

(A) $n + 4n^2$ (B) $6n^2 - n$ (C) $n^2 + 4n$ (D) $3n + 2n^2$

Open solution

Q165. JEE Main 2013 (Online) 9th April Morning Slot

Let $a_1, a_2, a_3, \ldots.$ be an A.P, such that $\frac{a_1+a_2+\ldots.+a_p}{a_1+a_2+a_3+\ldots+a_q} = \frac{p^3}{q^3}$; $p \neq q$, then $\frac{a_6}{a_{21}}$ is equal to:

(A) $\frac{41}{11}$ (B) $\frac{31}{121}$ (C) $\frac{11}{41}$ (D) $\frac{121}{1681}$

Open solution

Q166. AIEEE 2012 (Online) 26th May

If the A.M. between p^{th} and q^{th} terms of an A.P. is equal to the A.M. between r^{th} and s^{th} terms of the same A.P., then $p + q$ is equal to

(A) $r + s - 1$ (B) $r + s - 2$ (C) $r + s + 1$ (D) $r + s$

Open solution

Q167. AIEEE 2012 (Online) 12th May

If a, b, c, d and p are distinct real numbers such that $(a^2 + b^2 + c^2)p^2 - 2p(ab + bc + cd) + (b^2 + c^2 + d^2) \leq 0$, then

(A) a, b, c, d are in A.P. (B) $ab = cd$

(C) $ac = bd$ (D) a, b, c, d are in G.P.

Open solution

Q168. AIEEE 2012 (Online) 7th May

The difference between the fourth term and the first term of a Geometrical Progression is 52. If the sum of its first three terms is 26 , then the sum of the first six terms of the progression is

(A) 63 (B) 189 (C) 728 (D) 364

Open solution

Q169. AIEEE 2012

If 100 times the 100th term of an AP with non zero common difference equals the 50 times its 50th term, then the 150th term of this AP is :

(A) -150 (B) 150 times its 50th term

(C) 150 (D) zero

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q170. AIEEE 2011

A man saves ₹ 200 in each of the first three months of his service. In each of the subsequent months his saving increases by ₹ 40 more than the saving of immediately previous month. His total saving from the start of service will be ₹ 11040 after

(A) 19 months (B) 20 months (C) 21 months (D) 18 months

Open solution

Q171. AIEEE 2010

A person is to count 4500 currency notes. Let a_n denote the number of notes he counts in the nth minute. If $a_1 = a_2 = ...= a_{10} = 150$ and $a_{10}, a_{11},....$ are in an AP with common difference - 2, then the time taken by him to count all notes is

(A) 34 minutes (B) 125 minutes (C) 135 minutes (D) 24 minutes

Open solution

Q172. AIEEE 2008

The first two terms of a geometric progression add up to 12. The sum of the third and the fourth terms is 48. If the terms of the geometric progression are alternately positive and negative, then the first term is

(A) - 4 (B) - 12 (C) 12 (D) 4

Open solution

Q173. AIEEE 2007

In a geometric progression consisting of positive terms, each term equals the sum of the next two terms. Then the common ratio of its progression equals

(A) $\sqrt{5}$ (B) $\frac{1}{2}\left(\sqrt{5}-1\right)$

(C) $\frac{1}{2}\left(1-\sqrt{5}\right)$ (D) $\frac{1}{2}\sqrt{5}$.

Open solution

Q174. AIEEE 2006

Let a_1, a_2, a_3.....be terms of an A.P. If $\frac{a_1+a_2+.....a_p}{a_1+a_2+.....a_q} = \frac{p^2}{q^2}, p \neq q, then \frac{a_6}{a_{21}}$ equals

(A) $\frac{41}{11}$ (B) $\frac{7}{2}$ (C) $\frac{2}{7}$ (D) $\frac{11}{41}$

Open solution

Q175. AIEEE 2006

If $a_1, a_2, \ldots . a_n$ are in H.P., then the expression $a_1\, a_2 + a_2\, a_3 + \ldots . + a_{n-1}\, a_n$ is equal to

(A) $n(a_1 - a_n)$ (B) $(n-1)(a_1 - a_n)$ (C) na_1a_n (D) $(n-1)\, a_1a_n$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q176. AIEEE 2005

If $x = \sum_{n=0}^{\infty} a^n,\ y = \sum_{n=0}^{\infty} b^n,\ z = \sum_{n=0}^{\infty} c^n,$ where a, b, c are in A.P and $|a| < 1,\ |b| < 1,\ |c| < 1$ then x, y, z are in

(A) G.P. (B) A.P.

(C) Arithmetic-Geometric Progression (D) H.P.

Open solution

Q177. AIEEE 2004

Let T_r be the rth term of an A.P. whose first term is a and common difference is d. If for some positive integers m, n, $m \neq n,\ T_m = \frac{1}{n}$ and $T_n = \frac{1}{m}$, then a - d equals

(A) $\frac{1}{m} + \frac{1}{n}$ (B) 1 (C) $\frac{1}{mn}$ (D) 0

Open solution

Q178. AIEEE 2002

The sum of integers from 1 to 100 that are divisible by 2 or 5 is :

(A) 3000 (B) 3050 (C) 3600 (D) 3250

Open solution

Q179. AIEEE 2002

If 1, $\log_9 (3^{1-x} + 2),\ \log_3 (4 \cdot 3^x - 1)$ are in A.P. then x equals

(A) $\log_3 4$ (B) $1 - \log_3 4$ (C) $1 - \log_4 3$ (D) $\log_4 3$

Open solution

Q180. AIEEE 2002

l, m, n are the pth, q^{th} and r^{th} term of a G.P all positive, $then \begin{vmatrix} \log l & p & 1 \\ \log m & q & 1 \\ \log n & r & 1 \end{vmatrix} equals$

(A) - 1 (B) 2 (C) 1 (D) 0

Open solution

Q181. AIEEE 2002

Fifth term of a GP is 2, then the product of its first 9 terms is

(A) 256 (B) 512 (C) 1024 (D) none of these

Open solution

Q182. AIEEE 2002

Sum of infinite number of terms of GP is 20 and sum of their square is 100. The common ratio of GP is

(A) 5 (B) 3/5 (C) 8/5 (D) 1/5

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Numerical 50 questions

Q183. JEE Main 2026 (Online) 6th April Morning Shift

For the functions $f(\theta)=\alpha\tan^2\theta+\beta\cot^2\theta$, and $g(\theta)=\alpha\sin^2\theta+\beta\cos^2\theta, \alpha>\beta>0$, let $\min\limits_{0<\theta<\frac{\pi}{2}} f(\theta)=\max\limits_{0<\theta<\pi} g(\theta)$. If the first term of a G.P. is $\left(\frac{\alpha}{2\beta}\right)$, its common ratio is $\left(\frac{2\beta}{\alpha}\right)$ and the sum of its first 10 terms is $\frac{m}{n}, \gcd(m,n)=1$, then $m+n$ is equal to ____ .

Open solution

Q184. JEE Main 2026 (Online) 2nd April Morning Shift

If $\sum\limits_{k=1}^{n} a_k=6n^3$, then $\sum\limits_{k=1}^{6}\left(\frac{a_{k+1}-a_k}{36}\right)^2$ is equal to _____.

Open solution

Q185. JEE Main 2026 (Online) 28th January Evening Shift

If $\sum\limits_{r=1}^{25}\left(\frac{r}{r^4+r^2+1}\right)=\frac{p}{q}$, where p and q are positive integers such that $\gcd(p,q)=1$, then p + q is equal to _____.

Open solution

Q186. JEE Main 2026 (Online) 28th January Morning Shift

In a G.P., if the product of the first three terms is 27 and the set of all possible values for the sum of its first three terms is $\mathbb{R}-(a,b)$, then a^2+b^2 is equal to

____ .

Open solution

Q187. JEE Main 2026 (Online) 22nd January Evening Shift

Suppose a, b, c are in A.P. and $a^2, 2b^2, c^2$ are in G.P. If $a<b<c$ and $a+b+c=1$, then $9\left(a^2+b^2+c^2\right)$ is equal to ____ .

Open solution

Q188. JEE Main 2026 (Online) 21st January Morning Shift

Let $a_1=1$ and for $n\geqslant 1, a_{n+1}=\frac{1}{2}a_n+\frac{n^2-2n-1}{n^2(n+1)^2}$. Then $\left|\sum_{n=1}^{\infty}\left(a_n-\frac{2}{n^2}\right)\right|$ is equal to ____ .

Open solution

Q189. JEE Main 2025 (Online) 2nd April Evening Shift

If the sum of the first 10 terms of the series $\frac{4\cdot1}{1+4\cdot1^4}+\frac{4\cdot2}{1+4\cdot2^4}+\frac{4\cdot3}{1+4\cdot3^4}+\ldots..$ is $\frac{m}{n}$, where $\gcd(m,n)=1$, then $m+n$ is equal to _____

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q190. JEE Main 2025 (Online) 29th January Evening Shift

Let $a_1, a_2, \ldots, a_{2024}$ be an Arithmetic Progression such that $a_1 + (a_5 + a_{10} + a_{15} + \ldots + a_{2020}) + a_{2024} = 2233$. Then $a_1 + a_2 + a_3 + \ldots + a_{2024}$ is equal to _____.

Open solution

Q191. JEE Main 2025 (Online) 28th January Evening Shift

The interior angles of a polygon with *n* sides, are in an A.P. with common difference 6°. If the largest interior angle of the polygon is 219°, then *n* is equal to _____.

Open solution

Q192. JEE Main 2025 (Online) 23rd January Evening Shift

The roots of the quadratic equation $3x^2 - px + q = 0$ are 10th and 11th terms of an arithmetic progression with common difference $\frac{3}{2}$. If the sum of the first 11 terms of this arithmetic progression is 88 , then $q - 2p$ is equal to _____ .

Open solution

Q193. JEE Main 2024 (Online) 9th April Evening Shift

If $\left(\frac{1}{\alpha+1} + \frac{1}{\alpha+2} + \ldots\ldots + \frac{1}{\alpha+1012}\right) - \left(\frac{1}{2\cdot1} + \frac{1}{4\cdot3} + \frac{1}{6\cdot5} + \ldots\ldots + \frac{1}{2024\cdot2023}\right) = \frac{1}{2024}$, then α is equal to _____.

Open solution

Q194. JEE Main 2024 (Online) 8th April Evening Shift

An arithmetic progression is written in the following way

2

5 8

11 14 17

20 23 26 29

The sum of all the terms of the 10th row is _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q195. JEE Main 2024 (Online) 8th April Morning Shift

Let the positive integers be written in the form :



If the kth row contains exactly k numbers for every natural number k, then the row in which the number 5310 will be, is _____.

Open solution

Q196. JEE Main 2024 (Online) 6th April Evening Shift

If $S(x) = (1+x) + 2(1+x)^2 + 3(1+x)^3 + \cdots + 60(1+x)^{60}, x \neq 0$, and $(60)^2\, S(60) = a(b)^b + b$, where $a, b \in N$, then $(a+b)$ equal to _____.

Open solution

Q197. JEE Main 2024 (Online) 6th April Morning Shift

Let the first term of a series be $T_1 = 6$ and its rth term $T_r = 3T_{r-1} + 6^r, r = 2, 3, \ldots\ldots\ldots n$. If the sum of the first n terms of this series is $\frac{1}{5}\left(n^2 - 12n + 39\right)\left(4 \cdot 6^n - 5 \cdot 3^n + 1\right)$, then n is equal to _____.

Open solution

Q198. JEE Main 2024 (Online) 5th April Evening Shift

If $1 + \frac{\sqrt{3}-\sqrt{2}}{2\sqrt{3}} + \frac{5-2\sqrt{6}}{18} + \frac{9\sqrt{3}-11\sqrt{2}}{36\sqrt{3}} + \frac{49-20\sqrt{6}}{180} + \ldots$ upto $\infty = 2 + \left(\sqrt{\frac{b}{a}} + 1\right)\log_e\left(\frac{a}{b}\right)$, where a and b are integers with $\gcd(a, b) = 1$, then $11a + 18b$ is equal to _____.

Open solution

Q199. JEE Main 2024 (Online) 5th April Morning Shift

Let $a_1, a_2, a_3, \ldots$ be in an arithmetic progression of positive terms.

Let $A_k = a_1^2 - a_2^2 + a_3^2 - a_4^2 + \ldots + a_{2k-1}^2 - a_{2k}^2$.

If $A_3 = -153,\ A_5 = -435$ and $a_1^2 + a_2^2 + a_3^2 = 66$, then $a_{17} - A_7$ is equal to _____.

Open solution

Q200. JEE Main 2024 (Online) 1st February Evening Shift

If three successive terms of a G.P. with common ratio $r(r > 1)$ are the lengths of the sides of a triangle and $[r]$ denotes the greatest integer less than or equal to r, then $3[r] + [-r]$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q201. JEE Main 2024 (Online) 1st February Morning Shift

Let $3, 7, 11, 15, \ldots, 403$ and $2, 5, 8, 11, \ldots, 404$ be two arithmetic progressions. Then the sum, of the common terms in them, is equal to _____.

Open solution

Q202. JEE Main 2024 (Online) 30th January Evening Shift

Let S_n be the sum to n-terms of an arithmetic progression $3, 7, 11, \ldots$. If $40 < \left(\frac{6}{n(n+1)} \sum_{k=1}^{n} S_k\right) < 42$, then n equals _____.

Open solution

Q203. JEE Main 2024 (Online) 30th January Morning Shift

Let $\alpha = 1^2 + 4^2 + 8^2 + 13^2 + 19^2 + 26^2 + \ldots$ upto 10 terms and $\beta = \sum_{n=1}^{10} n^4$. If $4\alpha - \beta = 55k + 40$, then k is equal to _____.

Open solution

Q204. JEE Main 2024 (Online) 27th January Morning Shift

If $8 = 3 + \frac{1}{4}(3 + p) + \frac{1}{4^2}(3 + 2p) + \frac{1}{4^3}(3 + 3p) + \cdots\cdots\infty$, then the value of p is _____.

Open solution

Q205. JEE Main 2023 (Online) 6th April Evening Shift

If

$$(20)^{19} + 2(21)(20)^{18} + 3(21)^2(20)^{17} + \ldots + 20(21)^{19} = k(20)^{19},$$

then k is equal to _____.

Open solution

Q206. JEE Main 2023 (Online) 1st February Evening Shift

The sum of the common terms of the following three arithmetic progressions.

$3, 7, 11, 15, \ldots., 399$,

$2, 5, 8, 11, \ldots., 359$ and

$2, 7, 12, 17, \ldots., 197$,

is equal to _____.

Open solution

Q207. JEE Main 2023 (Online) 1st February Morning Shift

Let $a_1 = 8, a_2, a_3, \ldots, a_n$ be an A.P. If the sum of its first four terms is 50 and the sum of its last four terms is 170 , then the product of its middle two terms is _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q208. JEE Main 2023 (Online) 31st January Morning Shift

Let $a_1, a_2, \ldots, a_n$ be in A.P. If $a_5 = 2a_7$ and $a_{11} = 18$, then

$12\left(\frac{1}{\sqrt{a_{10}}+\sqrt{a_{11}}} + \frac{1}{\sqrt{a_{11}}+\sqrt{a_{12}}} + \ldots + \frac{1}{\sqrt{a_{17}}+\sqrt{a_{18}}}\right)$ is equal to _____.

Open solution

Q209. JEE Main 2023 (Online) 29th January Evening Shift

Let $\{a_k\}$ and $\{b_k\}, k \in N$, be two G.P.s with common ratios r_1 and r_2 respectively such that $a_1 = b_1 = 4$ and $r_1 < r_2$. Let $c_k = a_k + b_k, k \in N$. If $c_2 = 5$ and $c_3 = \frac{13}{4}$ then $\sum_{k=1}^{\infty} c_k - (12a_6 + 8b_4)$ is equal to _____.

Open solution

Q210. JEE Main 2023 (Online) 29th January Morning Shift

Let $a_1, a_2, a_3, \ldots$ be a GP of increasing positive numbers. If the product of fourth and sixth terms is 9 and the sum of fifth and seventh terms is 24, then $a_1a_9 + a_2a_4a_9 + a_5 + a_7$ is equal to _____.

Open solution

Q211. JEE Main 2023 (Online) 25th January Evening Shift

For the two positive numbers a, b, if a, b and $\frac{1}{18}$ are in a geometric progression, while $\frac{1}{a}, 10$ and $\frac{1}{b}$ are in an arithmetic progression, then $16a + 12b$ is equal to _____.

Open solution

Q212. JEE Main 2023 (Online) 24th January Morning Shift

The 4th term of GP is 500 and its common ratio is $\frac{1}{m}, m \in \mathbb{N}$. Let S_n denote the sum of the first n terms of this GP. If $S_6 > S_5 + 1$ and $S_7 < S_6 + \frac{1}{2}$, then the number of possible values of m is _____

Open solution

Q213. JEE Main 2022 (Online) 29th July Morning Shift

Let $a_1, a_2, a_3, \ldots$ be an A.P. If $\sum_{r=1}^{\infty} \frac{a_r}{2^r} = 4$, then $4a_2$ is equal to _____.

Open solution

Q214. JEE Main 2022 (Online) 26th July Evening Shift

Different A.P.'s are constructed with the first term 100, the last term 199, and integral common differences. The sum of the common differences of all such A.P.'s having at least 3 terms and at most 33 terms is _____.

Open solution

Q215. JEE Main 2022 (Online) 25th July Morning Shift

Let a, b be two non-zero real numbers. If p and r are the roots of the equation $x^2 - 8ax + 2a = 0$ and q and s are the roots of the equation $x^2 + 12\,bx + 6\,b = 0$, such that $\frac{1}{p}, \frac{1}{q}, \frac{1}{r}, \frac{1}{s}$ are in A.P., then $a^{-1} - b^{-1}$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q216. JEE Main 2022 (Online) 29th June Evening Shift

Let 3, 6, 9, 12, ... upto 78 terms and 5, 9, 13, 17, ... upto 59 terms be two series. Then, the sum of the terms common to both the series is equal to _____.

Open solution

Q217. JEE Main 2022 (Online) 28th June Evening Shift

Let for n = 1, 2, ..., 50, S_n be the sum of the infinite geometric progression whose first term is n^2 and whose common ratio is $\frac{1}{(n+1)^2}$. Then the value of

$\frac{1}{26} + \sum_{n=1}^{50} \left(S_n + \frac{2}{n+1} - n - 1\right)$ is equal to _____.

Open solution

Q218. JEE Main 2022 (Online) 28th June Morning Shift

Let A = {1, a_1, a_2 ..... a_{18}, 77} be a set of integers with 1 < a_1 < a_2 < ..... < a_{18} < 77.

Let the set A + A = {x + y : x, y $\in$ A} contain exactly 39 elements. Then, the value of $a_1 + a_2 +$ ..... + a_{18} is equal to _____.

Open solution

Q219. JEE Main 2022 (Online) 26th June Evening Shift

If a_1 (> 0), a_2, a_3, a_4, a_5 are in a G.P., $a_2 + a_4 = 2a_3 + 1$ and $3a_2 + a_3 = 2a_4$, then $a_2 + a_4 + 2a_5$ is equal to _____.

Open solution

Q220. JEE Main 2022 (Online) 26th June Morning Shift

Let $A = \sum_{i=1}^{10}\sum_{j=1}^{10} \min\{i,j\}$ and $B = \sum_{i=1}^{10}\sum_{j=1}^{10} \max\{i,j\}$. Then A + B is equal to _____.

Open solution

Q221. JEE Main 2021 (Online) 26th August Evening Shift

The sum of all 3-digit numbers less than or equal to 500, that are formed without using the digit "1" and they all are multiple of 11, is _____.

Open solution

Q222. JEE Main 2021 (Online) 26th August Evening Shift

Let a_1, a_2, ..., a_{10} be an AP with common difference -3 and b_1, b_2, ..., b_{10} be a GP with common ratio 2. Let $c_k = a_k + b_k$, k = 1, 2, ..., 10. If c_2 = 12 and c_3 = 13, then $\sum_{k=1}^{10} c_k$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q223. JEE Main 2021 (Online) 27th July Morning Shift

If $\log_3 2, \log_3(2^x - 5), \log_3\left(2^x - \frac{7}{2}\right)$ are in an arithmetic progression, then the value of x is equal to _____.

Open solution

Q224. JEE Main 2021 (Online) 22th July Evening Shift

The sum of all the elements in the set {n$\in$ {1, 2, ..., 100} | H.C.F. of n and 2040 is 1} is equal to _____.

Open solution

Q225. JEE Main 2021 (Online) 16th March Evening Shift

Let $\frac{1}{16}$, a and b be in G.P. and $\frac{1}{a}$, $\frac{1}{b}$, 6 be in A.P., where a, b > 0. Then 72(a + b) is equal to _____.

Open solution

Q226. JEE Main 2021 (Online) 16th March Morning Shift

Consider an arithmetic series and a geometric series having four initial terms from the set {11, 8, 21, 16, 26, 32, 4}. If the last terms of these series are the maximum possible four digit numbers, then the number of common terms in these two series is equal to _____.

Open solution

Q227. JEE Main 2021 (Online) 26th February Evening Shift

If the arithmetic mean and geometric mean of the pth and q^{th} terms of the sequence $-16, 8, -4, 2, ...$ satisfy the equation $4x^2 - 9x + 5 = 0$, then p + q is equal to _____.

Open solution

Q228. JEE Main 2021 (Online) 25th February Morning Shift

Let $A_1, A_2, A_3, ...$ be squares such that for each $n \geq 1$, the length of the side of A_n equals the length of diagonal of A_{n+1}. If the length of the side of A_1 is 12 cm, then the smallest value of n for which area of A_n is less than one, is _____.

Open solution

Q229. JEE Main 2021 (Online) 24th February Evening Shift

The sum of first four terms of a geometric progression (G. P.) is $\frac{65}{12}$ and the sum of their respective reciprocals is $\frac{65}{18}$. If the product of first three terms of the G.P. is 1, and the third term is α, then 2α is _____.

Open solution

Q230. JEE Main 2020 (Online) 3rd September Evening Slot

If m arithmetic means (A.Ms) and three geometric means (G.Ms) are inserted between 3 and 243 such that 4th A.M. is equal to 2nd G.M., then m is equal to _____ .

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q231. JEE Main 2020 (Online) 3rd September Morning Slot

The value of $(0.16)^{\log_{2.5}\left(\frac{1}{3}+\frac{1}{3^2}+....to\ \infty\right)}$ is equal to _____.

Open solution

Q232. JEE Main 2020 (Online) 9th January Evening Slot

The number of terms common to the two A.P.'s 3, 7, 11, ..., 407 and 2, 9, 16, ..., 709 is _____.

Open solution

Out of syllabus 107 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q233. JEE Main 2023 (Online) 12th April Morning Shift · MCQ (Single Correct Answer)

Let $< a_n >$ be a sequence such that $a_1 + a_2 + \ldots + a_n = \frac{n^2+3n}{(n+1)(n+2)}$. If $28 \sum_{k=1}^{10} \frac{1}{a_k} = p_1 p_2 p_3 \ldots p_m$, where $p_1, p_2, \ldots, p_m$ are the first m prime numbers, then m is equal to

(A) 5 (B) 7 (C) 6 (D) 8

Open solution

Q234. JEE Main 2023 (Online) 10th April Evening Shift · MCQ (Single Correct Answer)

If $S_n = 4 + 11 + 21 + 34 + 50 + \ldots$ to n terms, then $\frac{1}{60}(S_{29} - S_9)$ is equal to :

(A) 227 (B) 226 (C) 220 (D) 223

Open solution

Q235. JEE Main 2023 (Online) 8th April Evening Shift · MCQ (Single Correct Answer)

Let a_n be the nth term of the series $5 + 8 + 14 + 23 + 35 + 50 + \ldots$ and $S_n = \sum_{k=1}^{n} a_k$. Then $S_{30} - a_{40}$ is equal to :

(A) 11280 (B) 11290 (C) 11310 (D) 11260

Open solution

Q236. JEE Main 2023 (Online) 6th April Evening Shift · MCQ (Single Correct Answer)

If $\gcd(m, n) = 1$ and $1^2 - 2^2 + 3^2 - 4^2 + \ldots\ldots + (2021)^2 - (2022)^2 + (2023)^2 = 1012\, m^2 n$ then $m^2 - n^2$ is equal to :

(A) 220 (B) 200 (C) 240 (D) 180

Open solution

Q237. JEE Main 2023 (Online) 6th April Morning Shift · MCQ (Single Correct Answer)

The sum of the first 20 terms of the series $5 + 11 + 19 + 29 + 41 + \ldots$ is :

(A) 3420 (B) 3450 (C) 3250 (D) 3520

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q238. JEE Main 2023 (Online) 1st February Evening Shift · MCQ (Single Correct Answer)

The sum $\sum_{n=1}^{\infty} \frac{2n^2+3n+4}{(2n)!}$ is equal to :

(A) $\frac{11e}{2}+\frac{7}{2e}$ (B) $\frac{13e}{4}+\frac{5}{4e}-4$

(C) $\frac{11e}{2}+\frac{7}{2e}-4$ (D) $\frac{13e}{4}+\frac{5}{4e}$

Open solution

Q239. JEE Main 2023 (Online) 1st February Morning Shift · MCQ (Single Correct Answer)

The sum of 10 terms of the series

$\frac{1}{1+1^2+1^4}+\frac{2}{1+2^2+2^4}+\frac{3}{1+3^2+3^4}+\ldots.$ is

(A) $\frac{58}{111}$ (B) $\frac{56}{111}$ (C) $\frac{55}{111}$ (D) $\frac{59}{111}$

Open solution

Q240. JEE Main 2023 (Online) 30th January Morning Shift · MCQ (Single Correct Answer)

If $a_n=\frac{-2}{4n^2-16n+15}$, then $a_1+a_2+\ldots.+a_{25}$ is equal to :

(A) $\frac{51}{144}$ (B) $\frac{49}{138}$ (C) $\frac{50}{141}$ (D) $\frac{52}{147}$

Open solution

Q241. JEE Main 2022 (Online) 30th July Evening Shift · MCQ (Single Correct Answer)

$2\sum_{n=2}^{\infty}\frac{n(2n^2+3)}{(n+1)!}$

is equal to

(A) $2(e+7)$ (B) $2e+1$ (C) $2e+9$ (D) $2(e+1)$

Open solution

Q242. JEE Main 2022 (Online) 29th July Evening Shift · MCQ (Single Correct Answer)

Let $\{a_n\}_{n=0}^{\infty}$ be a sequence such that $a_0=a_1=0$ and $a_{n+2}=3a_{n+1}-2a_n+1, \forall n \geq 0$.

Then $a_{25}a_{23}-2a_{25}a_{22}-2a_{23}a_{24}+4a_{22}a_{24}$ is equal to

(A) 483 (B) 528 (C) 575 (D) 624

Open solution

Q243. JEE Main 2022 (Online) 28th July Morning Shift · MCQ (Single Correct Answer)

Consider the sequence $a_1, a_2, a_3, \ldots$ such that $a_1=1, a_2=2$ and $a_{n+2}=\frac{2}{a_{n+1}}+a_n$ for $n=1,2,3,\ldots.$ If $\left(\frac{a_1+\frac{1}{a_2}}{a_3}\right)\cdot\left(\frac{a_2+\frac{1}{a_3}}{a_4}\right)\cdot\left(\frac{a_3+\frac{1}{a_4}}{a_5}\right)\ldots\left(\frac{a_{30}+\frac{1}{a_{31}}}{a_{32}}\right)=2^{\alpha}\left({}^{61}C_{31}\right)$, then α is equal to :

(A) -30 (B) -31 (C) -60 (D) -61

Open solution

Q244. JEE Main 2022 (Online) 25th July Evening Shift · MCQ (Single Correct Answer)

The sum $\sum_{n=1}^{21}\frac{3}{(4n-1)(4n+3)}$ is equal to

(A) $\frac{7}{87}$ (B) $\frac{7}{29}$ (C) $\frac{14}{87}$ (D) $\frac{21}{29}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q245. JEE Main 2022 (Online) 30th June Morning Shift · MCQ (Single Correct Answer)

The value of $1+\frac{1}{1+2}+\frac{1}{1+2+3}+\ldots.+\frac{1}{1+2+3+\ldots..+11}$ is equal to:

(A) $\frac{20}{11}$ (B) $\frac{11}{6}$ (C) $\frac{241}{132}$ (D) $\frac{21}{11}$

Open solution

Q246. JEE Main 2022 (Online) 29th June Evening Shift · MCQ (Single Correct Answer)

The sum of the infinite series $1+\frac{5}{6}+\frac{12}{6^2}+\frac{22}{6^3}+\frac{35}{6^4}+\frac{51}{6^5}+\frac{70}{6^6}+\ldots..$ is equal to :

(A) $\frac{425}{216}$ (B) $\frac{429}{216}$ (C) $\frac{288}{125}$ (D) $\frac{280}{125}$

Open solution

Q247. JEE Main 2022 (Online) 29th June Morning Shift · MCQ (Single Correct Answer)

Let $\{a_n\}_{n=0}^{\infty}$ be a sequence such that $a_0=a_1=0$ and $a_{n+2}=2a_{n+1}-a_n+1$ for all n $\geq$ 0. Then, $\sum_{n=2}^{\infty}\frac{a_n}{7^n}$ is equal to:

(A) $\frac{6}{343}$ (B) $\frac{7}{216}$ (C) $\frac{8}{343}$ (D) $\frac{49}{216}$

Open solution

Q248. JEE Main 2022 (Online) 27th June Evening Shift · MCQ (Single Correct Answer)

Let $S=2+\frac{6}{7}+\frac{12}{7^2}+\frac{20}{7^3}+\frac{30}{7^4}+\ldots..$ Then 4S is equal to

(A) $\left(\frac{7}{3}\right)^2$ (B) $\frac{7^3}{3^2}$ (C) $\left(\frac{7}{3}\right)^3$ (D) $\frac{7^2}{3^3}$

Open solution

Q249. JEE Main 2022 (Online) 26th June Evening Shift · MCQ (Single Correct Answer)

If $A=\sum_{n=1}^{\infty}\frac{1}{(3+(-1)^n)^n}$ and $B=\sum_{n=1}^{\infty}\frac{(-1)^n}{(3+(-1)^n)^n}$, then $\frac{A}{B}$ is equal to :

(A) $\frac{11}{9}$ (B) 1 (C) $-\frac{11}{9}$ (D) $-\frac{11}{3}$

Open solution

Q250. JEE Main 2022 (Online) 25th June Evening Shift · MCQ (Single Correct Answer)

The sum 1 + 2 . 3 + 3 . 3^2 + ... + 10 . 3^9 is equal to :

(A) $\frac{2\,.\,3^{12}+10}{4}$ (B) $\frac{19\,.\,3^{10}+1}{4}$ (C) $5\,.\,3^{10}-2$ (D) $\frac{9\,.\,3^{10}+1}{2}$

Open solution

Q251. JEE Main 2021 (Online) 1st September Evening Shift · MCQ (Single Correct Answer)

Let S_n = 1 . (n − 1) + 2 . (n − 2) + 3 . (n − 3) + ... + (n − 1) . 1, n $\geq$ 4.

The sum $\sum_{n=4}^{\infty}\left(\frac{2S_n}{n!}-\frac{1}{(n-2)!}\right)$ is equal to :

(A) $\frac{e-1}{3}$ (B) $\frac{e-2}{6}$ (C) $\frac{e}{3}$ (D) $\frac{e}{6}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q252. JEE Main 2021 (Online) 31st August Morning Shift · MCQ (Single Correct Answer)

The sum of 10 terms of the series

$\frac{3}{1^2\times2^2}+\frac{5}{2^2\times3^2}+\frac{7}{3^2\times4^2}+\ldots.$ is :

(A) 1 (B) $\frac{120}{121}$ (C) $\frac{99}{100}$ (D) $\frac{143}{144}$

Open solution

Q253. JEE Main 2021 (Online) 27th August Evening Shift · MCQ (Single Correct Answer)

If 0 < x < 1 and $y=\frac{1}{2}x^2+\frac{2}{3}x^3+\frac{3}{4}x^4+\ldots.$, then the value of e^{1+y} at $x=\frac{1}{2}$ is :

(A) $\frac{1}{2}e^2$ (B) 2e (C) $\frac{1}{2}\sqrt{e}$ (D) $2e^2$

Open solution

Q254. JEE Main 2021 (Online) 27th August Morning Shift · MCQ (Single Correct Answer)

If 0 < x < 1, then $\frac{3}{2}x^2+\frac{5}{3}x^3+\frac{7}{4}x^4+\ldots..$, is equal to :

(A) $x\left(\frac{1+x}{1-x}\right)+\log_e(1-x)$ (B) $x\left(\frac{1-x}{1+x}\right)+\log_e(1-x)$

(C) $\frac{1-x}{1+x}+\log_e(1-x)$ (D) $\frac{1+x}{1-x}+\log_e(1-x)$

Open solution

Q255. JEE Main 2021 (Online) 27th August Morning Shift · MCQ (Single Correct Answer)

If for x, y $\in$ R, x > 0, $y=\log_{10}x+\log_{10}x^{1/3}+\log_{10}x^{1/9}+$ ..... upto ∞ terms

and $\frac{2+4+6+....+2y}{3+6+9+.....+3y}=\frac{4}{\log_{10}x}$, then the ordered pair (x, y) is equal to :

(A) $(10^6, 6)$ (B) $(10^4, 6)$ (C) $(10^2, 3)$ (D) $(10^6, 9)$

Open solution

Q256. JEE Main 2021 (Online) 26th August Morning Shift · MCQ (Single Correct Answer)

The sum of the series

$\frac{1}{x+1}+\frac{2}{x^2+1}+\frac{2^2}{x^4+1}+\ldots\ldots+\frac{2^{100}}{x^{2^{100}}+1}$ when x = 2 is :

(A) $1+\frac{2^{101}}{4^{101}-1}$ (B) $1+\frac{2^{100}}{4^{101}-1}$

(C) $1-\frac{2^{100}}{4^{100}-1}$ (D) $1-\frac{2^{101}}{2^{400}-1}$

Open solution

Q257. JEE Main 2021 (Online) 20th July Evening Shift · MCQ (Single Correct Answer)

If sum of the first 21 terms of the series $\log_{9^{1/2}}x+\log_{9^{1/3}}x+\log_{9^{1/4}}x+\ldots\ldots.$, where x > 0 is 504, then x is equal to

(A) 243 (B) 9 (C) 7 (D) 81

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q258. JEE Main 2021 (Online) 18th March Morning Shift · MCQ (Single Correct Answer)

If α, β are natural numbers such that
$100^{\alpha} - 199\beta$ = (100)(100) + (99)(101) + (98)(102) + ... + (1)(199), then the slope of the line passing through (α, β) and origin is :

(A) 540 (B) 550 (C) 530 (D) 510

Open solution

Q259. JEE Main 2021 (Online) 18th March Morning Shift · MCQ (Single Correct Answer)

$\frac{1}{3^2-1} + \frac{1}{5^2-1} + \frac{1}{7^2-1} + \ldots + \frac{1}{(201)^2-1}$ is equal to

(A) $\frac{101}{404}$ (B) $\frac{25}{101}$ (C) $\frac{101}{408}$ (D) $\frac{99}{400}$

Open solution

Q260. JEE Main 2021 (Online) 26th February Evening Shift · MCQ (Single Correct Answer)

The sum of the series

$\sum_{n=1}^{\infty} \frac{n^2+6n+10}{(2n+1)!}$ is equal to :

(A) $\frac{41}{8}e + \frac{19}{8}e^{-1} - 10$ (B) $\frac{41}{8}e - \frac{19}{8}e^{-1} - 10$
(C) $\frac{41}{8}e + \frac{19}{8}e^{-1} + 10$ (D) $-\frac{41}{8}e + \frac{19}{8}e^{-1} - 10$

Open solution

Q261. JEE Main 2021 (Online) 26th February Morning Shift · MCQ (Single Correct Answer)

The sum of the infinite series
$1 + \frac{2}{3} + \frac{7}{3^2} + \frac{12}{3^3} + \frac{17}{3^4} + \frac{22}{3^5} + \ldots\ldots$ is equal to :

(A) $\frac{9}{4}$ (B) $\frac{13}{4}$ (C) $\frac{15}{4}$ (D) $\frac{11}{4}$

Open solution

Q262. JEE Main 2021 (Online) 25th February Morning Shift · MCQ (Single Correct Answer)

If $0 < \theta, \phi < \frac{\pi}{2}, x = \sum_{n=0}^{\infty} \cos^{2n}\theta, y = \sum_{n=0}^{\infty} \sin^{2n}\phi$ and $z = \sum_{n=0}^{\infty} \cos^{2n}\theta . \sin^{2n}\phi$ then :

(A) xy − z = (x + y)z (B) xyz = 4
(C) xy + z = (x + y)z (D) xy + yz + zx = z

Open solution

Q263. JEE Main 2020 (Online) 5th September Evening Slot · MCQ (Single Correct Answer)

If the sum of the first 20 terms of the series
$\log_{(7^{1/2})} x + \log_{(7^{1/3})} x + \log_{(7^{1/4})} x + \ldots$ is 460,
then x is equal to :

(A) e^2 (B) $7^{1/2}$ (C) 7^2 (D) $7^{46/21}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q264. JEE Main 2020 (Online) 5th September Morning Slot · MCQ (Single Correct Answer)

If $2^{10} + 2^9.3^1 + 2^8.3^2 + ...+ 2.3^9 + 3^{10} = S - 2^{11}$, then S is equal to :

(A) $\frac{3^{11}}{2} + 2^{10}$ (B) $3^{11} - 2^{12}$ (C) 2.3^{11} (D) 3^{11}

Open solution

Q265. JEE Main 2020 (Online) 4th September Morning Slot · MCQ (Single Correct Answer)

If $1+(1-2^2.1)+(1-4^2.3)+(1-6^2.5)+.....+(1-20^2.19)= \alpha - 220\beta$,
then an ordered pair (α, β) is equal to:

(A) (11, 103) (B) (10, 103) (C) (10, 97) (D) (11, 97)

Open solution

Q266. JEE Main 2020 (Online) 3rd September Evening Slot · MCQ (Single Correct Answer)

If the sum of the series

$20 + 19\frac{3}{5} + 19\frac{1}{5} + 18\frac{4}{5} + ...$

upto nth term is 488 and the nth term is negative, then :

(A) n = 41 (B) n = 60

(C) n^{th} term is −4 (D) n^{th} term is $-4\frac{2}{5}$

Open solution

Q267. JEE Main 2020 (Online) 2nd September Evening Slot · MCQ (Single Correct Answer)

Let S be the sum of the first 9 terms of the series :
$\{x + ka\} + \{x^2 + (k + 2)a\} + \{x^3 + (k + 4)a\}$
$+ \{x^4 + (k + 6)a\} + ...$ where $a \neq 0$ and $x \neq 1$.

If $S = \frac{x^{10}-x+45a(x-1)}{x-1}$, then k is equal to :

(A) -3 (B) 1 (C) -5 (D) 3

Open solution

Q268. JEE Main 2020 (Online) 2nd September Morning Slot · MCQ (Single Correct Answer)

If $|x| < 1$, $|y| < 1$ and $x \neq y$, then the sum to infinity of the following series

$(x + y) + (x^2+xy+y^2) + (x^3+x^2y + xy^2+y^3) + ...$

(A) $\frac{x+y-xy}{(1+x)(1+y)}$ (B) $\frac{x+y-xy}{(1-x)(1-y)}$

(C) $\frac{x+y+xy}{(1+x)(1+y)}$ (D) $\frac{x+y+xy}{(1-x)(1-y)}$

Open solution

Q269. JEE Main 2020 (Online) 9th January Morning Slot · MCQ (Single Correct Answer)

The product $2^{\frac{1}{4}}.4^{\frac{1}{16}}.8^{\frac{1}{48}}.16^{\frac{1}{128}}$ ... to ∞ is equal to :

(A) $2^{\frac{1}{4}}$ (B) $2^{\frac{1}{2}}$ (C) 1 (D) 2

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q270. JEE Main 2020 (Online) 7th January Evening Slot · MCQ (Single Correct Answer)

If the sum of the first 40 terms of the series,
3 + 4 + 8 + 9 + 13 + 14 + 18 + 19 + ... is (102)m, then m is equal to :

(A) 20 (B) 5 (C) 10 (D) 25

Open solution

Q271. JEE Main 2019 (Online) 12th April Morning Slot · MCQ (Single Correct Answer)

For x ε R, let [x] denote the greatest integer $\leq$ x, then the sum of the series $\left[-\frac{1}{3}\right]+\left[-\frac{1}{3}-\frac{1}{100}\right]+\left[-\frac{1}{3}-\frac{2}{100}\right]+\ldots.+\left[-\frac{1}{3}-\frac{99}{100}\right]$ is :

(A) - 153 (B) - 135 (C) - 133 (D) - 131

Open solution

Q272. JEE Main 2019 (Online) 10th April Evening Slot · MCQ (Single Correct Answer)

The sum
$1+\frac{1^3+2^3}{1+2}+\frac{1^3+2^3+3^3}{1+2+3}+\ldots\ldots+\frac{1^3+2^3+3^3+\ldots+15^3}{1+2+3+\ldots+15}-\frac{1}{2}(1+2+3+\ldots+15)$ is equal to :

(A) 620 (B) 1240 (C) 1860 (D) 660

Open solution

Q273. JEE Main 2019 (Online) 10th April Morning Slot · MCQ (Single Correct Answer)

The sum
$\frac{3\times1^3}{1^2}+\frac{5\times(1^3+2^3)}{1^2+2^2}+\frac{7\times(1^3+2^3+3^3)}{1^2+2^2+3^2}+\ldots..$ upto 10 terms is:

(A) 600 (B) 660 (C) 680 (D) 620

Open solution

Q274. JEE Main 2019 (Online) 9th April Evening Slot · MCQ (Single Correct Answer)

Some identical balls are arranged in rows to form an equilateral triangle. The first row consists of one ball, the second row consists of two balls and so on. If 99 more identical balls are addded to the total number of balls used in forming the equilaterial triangle, then all these balls can be arranged in a square whose each side contains exactly 2 balls less than the number of balls each side of the triangle contains. Then the number of balls used to form the equilateral triangle is :-

(A) 262 (B) 190 (C) 157 (D) 225

Open solution

Q275. JEE Main 2019 (Online) 9th April Evening Slot · MCQ (Single Correct Answer)

The sum of the series 1 + 2 × 3 + 3 × 5 + 4 × 7 +.... upto 11th term is :-

(A) 945 (B) 916 (C) 915 (D) 946

Open solution

Q276. JEE Main 2019 (Online) 8th April Evening Slot · MCQ (Single Correct Answer)

The sum $\sum_{k=1}^{20} k\frac{1}{2^k}$ is equal to

(A) $2-\frac{11}{2^{19}}$ (B) $2-\frac{3}{2^{17}}$ (C) $1-\frac{11}{2^{20}}$ (D) $2-\frac{21}{2^{20}}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q277. JEE Main 2019 (Online) 12th January Evening Slot · MCQ (Single Correct Answer)

If the sum of the first 15 terms of the series $\left(\frac{3}{4}\right)^3 + \left(1\frac{1}{2}\right)^3 + \left(2\frac{1}{4}\right)^3 + 3^3 + \left(3\frac{3}{4}\right)^3 + \ldots$ is equal to 225 k, then k is equal to :

(A) 9 (B) 108 (C) 27 (D) 54

Open solution

Q278. JEE Main 2019 (Online) 12th January Morning Slot · MCQ (Single Correct Answer)

Let $S_k = \frac{1+2+3+\ldots+k}{k}$. If $S_1^2 + S_2^2 + \ldots + S_{10}^2 = \frac{5}{12}A$, then A is equal to :

(A) 283 (B) 156 (C) 301 (D) 303

Open solution

Q279. JEE Main 2019 (Online) 9th January Evening Slot · MCQ (Single Correct Answer)

The sum of the following series

$1 + 6 + \frac{9(1^2+2^2+3^2)}{7} + \frac{12(1^2+2^2+3^2+4^2)}{9}$

$+ \frac{15(1^2+2^2+\ldots+5^2)}{11} + \ldots$ up to 15 terms, is :

(A) 7520 (B) 7510 (C) 7830 (D) 7820

Open solution

Q280. JEE Main 2018 (Online) 16th April Morning Slot · MCQ (Single Correct Answer)

The sum of the first 20 terms of the series

$1 + \frac{3}{2} + \frac{7}{4} + \frac{15}{8} + \frac{31}{16} + \ldots$, is :

(A) $38 + \frac{1}{2^{19}}$ (B) $38 + \frac{1}{2^{20}}$ (C) $39 + \frac{1}{2^{20}}$ (D) $39 + \frac{1}{2^{19}}$

Open solution

Q281. JEE Main 2018 (Offline) · MCQ (Single Correct Answer)

Let A be the sum of the first 20 terms and B be the sum of the first 40 terms of the series

$1^2 + 2.2^2 + 3^2 + 2.4^2 + 5^2 + 2.6^2$ .....

If B - 2A = 100λ, then λ is equal to

(A) 496 (B) 232 (C) 248 (D) 464

Open solution

Q282. JEE Main 2018 (Online) 15th April Evening Slot · MCQ (Single Correct Answer)

Let $A_n = \left(\frac{3}{4}\right) - \left(\frac{3}{4}\right)^2 + \left(\frac{3}{4}\right)^3 - \ldots + (-1)^{n-1}\left(\frac{3}{4}\right)^n$ and $B_n = 1 - A_n$.

Then, the least odd natural number p, so that $B_n > A_n$, for all $n \geq p$, is :

(A) 9 (B) 7 (C) 11 (D) 5

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q283. JEE Main 2017 (Online) 9th April Morning Slot · MCQ (Single Correct Answer)

Let

$S_n = \frac{1}{1^3} + \frac{1+2}{1^3+2^3} + \frac{1+2+3}{1^3+2^3+3^3} + \ldots\ldots\ldots + \frac{1+2+\ldots\ldots+n}{1^3+2^3+\ldots\ldots+n^3}$.

If 100 S_n = n, then n is equal to :

(A) 199 (B) 99 (C) 200 (D) 19

Open solution

Q284. JEE Main 2017 (Online) 8th April Morning Slot · MCQ (Single Correct Answer)

If the sum of the first n terms of the series $\sqrt{3} + \sqrt{75} + \sqrt{243} + \sqrt{507} + \ldots\ldots$ is $435\sqrt{3}$, then n equals :

(A) 18 (B) 15 (C) 13 (D) 29

Open solution

Q285. JEE Main 2017 (Offline) · MCQ (Single Correct Answer)

For any three positive real numbers a, b and c,

$9(25a^2 + b^2) + 25(c^2 - 3ac) = 15b(3a + c)$.
Then

(A) b, c and a are in G.P. (B) b, c and a are in A.P.

(C) a, b and c are in A.P. (D) a, b and c are in G.P.

Open solution

Q286. JEE Main 2016 (Online) 10th April Morning Slot · MCQ (Single Correct Answer)

Let z = 1 + ai be a complex number, a > 0, such that z^3 is a real number.

Then the sum $1 + z + z^2 + \ldots\ldots + z^{11}$ is equal to :

(A) $-1250\sqrt{3}\,i$ (B) $1250\sqrt{3}\,i$ (C) $1365\sqrt{3}i$ (D) $-1365\sqrt{3}i$

Open solution

Q287. JEE Main 2016 (Offline) · MCQ (Single Correct Answer)

If the sum of the first ten terms of the series $\left(1\frac{3}{5}\right)^2 + \left(2\frac{2}{5}\right)^2 + \left(3\frac{1}{5}\right)^2 + 4^2 + \left(4\frac{4}{5}\right)^2 + \ldots\ldots\ldots is\ \frac{16}{5}m$, then m is equal to :

(A) 100 (B) 99 (C) 102 (D) 101

Open solution

Q288. JEE Main 2015 (Online) 11th April Morning Slot · MCQ (Single Correct Answer)

If $\sum_{n=1}^{5} \frac{1}{n(n+1)(n+2)(n+3)} = \frac{k}{3}$, then k is equal to :

(A) $\frac{55}{336}$ (B) $\frac{17}{105}$ (C) $\frac{1}{6}$ (D) $\frac{19}{112}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q289. JEE Main 2015 (Online) 10th April Morning Slot · MCQ (Single Correct Answer)

The value of $\sum_{r=16}^{30}(r+2)(r-3)$ is equal to :

(A) 7785 (B) 7780 (C) 7775 (D) 7770

Open solution

Q290. JEE Main 2015 (Offline) · MCQ (Single Correct Answer)

The sum of first 9 terms of the series.

$\frac{1^3}{1}+\frac{1^3+2^3}{1+3}+\frac{1^3+2^3+3^3}{1+3+5}+\ldots\ldots$

(A) 142 (B) 192 (C) 71 (D) 96

Open solution

Q291. JEE Main 2014 (Online) 9th April Morning Slot · MCQ (Single Correct Answer)

If the sum

$\frac{3}{1^2}+\frac{5}{1^2+2^2}+\frac{7}{1^2+2^2+3^2}+\ldots\ldots+$

upto 20 terms is equal to $\frac{k}{21}$, then k is equal to :

(A) 120 (B) 180 (C) 240 (D) 60

Open solution

Q292. JEE Main 2014 (Offline) · MCQ (Single Correct Answer)

If $(10)^9+2(11)^1(10^8)+3(11)^2(10)^7+\ldots\ldots\ldots+10(11)^9=k(10)^9$, then k is equal to :

(A) 100 (B) 110 (C) $\frac{121}{10}$ (D) $\frac{441}{100}$

Open solution

Q293. JEE Main 2013 (Online) 25th April Morning Slot · MCQ (Single Correct Answer)

The value of $1^2+3^2+5^2+\ldots\ldots\ldots+25^2$ is:

(A) 2925 (B) 1469 (C) 1728 (D) 1456

Open solution

Q294. JEE Main 2013 (Online) 23th April Morning Slot · MCQ (Single Correct Answer)

The sum of the series :

$(2)^2+2(4)^2+3(6)^2+\ldots..$ upto 10 terms is:

(A) 11300 (B) 11200 (C) 12100 (D) 12300

Open solution

Q295. JEE Main 2013 (Online) 22th April Morning Slot · MCQ (Single Correct Answer)

The sum $\frac{3}{1^2}+\frac{5}{1^2+2^2}+\frac{7}{1^2+2^2+3^2}+\ldots..$ upto 11 terms is

(A) $\frac{7}{2}$ (B) $\frac{11}{4}$ (C) $\frac{11}{2}$ (D) $\frac{60}{11}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q296. JEE Main 2013 (Online) 9th April Morning Slot · MCQ (Single Correct Answer)

The sum of the series 1 + $\frac{1}{1+2}$ + $\frac{1}{1+2+3}$ + ... upto 10 terms is

(A) $\frac{18}{11}$ (B) $\frac{22}{13}$ (C) $\frac{20}{11}$ (D) $\frac{16}{9}$

Open solution

Q297. JEE Main 2013 (Offline) · MCQ (Single Correct Answer)

The sum of first 20 terms of the sequence 0.7, 0.77, 0.777,.....,is

(A) $\frac{7}{81}\left(179-10^{-20}\right)$ (B) $\frac{7}{9}\left(99-10^{-20}\right)$

(C) $\frac{7}{81}\left(179+10^{-20}\right)$ (D) $\frac{7}{9}\left(99+10^{-20}\right)$

Open solution

Q298. AIEEE 2012 (Online) 26th May · MCQ (Single Correct Answer)

If the sum of the series $1^2+2\cdot 2^2+3^2+2\cdot 4^2+5^2+2\cdot 6^2+\ldots$ upto n terms, when n is even, is $\frac{n(n+1)^2}{2}$, then the sum of the series, when n is odd, is

(A) $n^2(n+1)$ (B) $\frac{n^2(n-1)}{2}$ (C) $\frac{n^2(n+1)}{2}$ (D) $n^2(n-1)$

Open solution

Q299. AIEEE 2012 (Online) 19th May · MCQ (Single Correct Answer)

The sum of the series $1+\frac{4}{3}+\frac{10}{9}+\frac{28}{27}+\ldots$ upto n terms is

(A) $\frac{7}{6}n+\frac{1}{6}-\frac{2}{3\cdot 2^{n-1}}$ (B) $\frac{5}{3}n-\frac{7}{6}+\frac{1}{2\cdot 3^{n-1}}$

(C) $n+\frac{1}{2}-\frac{1}{2\cdot 3^n}$ (D) $n-\frac{1}{3}-\frac{1}{3\cdot 2^{n-1}}$

Open solution

Q300. AIEEE 2012 (Online) 12th May · MCQ (Single Correct Answer)

The sum of the series
$\frac{1}{1+\sqrt{2}}+\frac{1}{\sqrt{2}+\sqrt{3}}+\frac{1}{\sqrt{3}+\sqrt{4}}+\ldots$
upto 15 terms is

(A) 1 (B) 2 (C) 3 (D) 4

Open solution

Q301. AIEEE 2012 (Online) 7th May · MCQ (Single Correct Answer)

The sum of the series $1^2+2\cdot 2^2+3^2+2\cdot 4^2+5^2+2\cdot 6^2+\ldots\ldots+2(2m)^2$ is

(A) $m(2m+1)^2$ (B) $m^2(m+2)$ (C) $m^2(2m+1)$ (D) $m(m+2)^2$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q302. AIEEE 2012 · MCQ (Single Correct Answer)

Statement-1: The sum of the series 1 + (1 + 2 + 4) + (4 + 6 + 9) + (9 + 12 + 16) +.....+ (361 + 380 + 400) is 8000.

Statement-2: $\sum_{k=1}^{n}\left(k^3-(k-1)^3\right)=n^3$, for any natural number n.

(A) Statement-1 is false, Statement-2 is true.

(B) Statement-1 is true, Statement-2 is true; Statement-2 is a correct explanation for Statement-1.

(C) Statement-1 is true, Statement-2 is true; Statement-2 is not a correct explanation for Statement-1.

(D) Statement-1 is true, Statement-2 is false.

Open solution

Q303. AIEEE 2009 · MCQ (Single Correct Answer)

The sum to infinite term of the series $1+\frac{2}{3}+\frac{6}{3^2}+\frac{10}{3^3}+\frac{14}{3^4}+\ldots\ldots$ is

(A) 3 (B) 4 (C) 6 (D) 2

Open solution

Q304. AIEEE 2007 · MCQ (Single Correct Answer)

The sum of series $\frac{1}{2!}-\frac{1}{3!}+\frac{1}{4!}-\ldots\ldots\ldots$ upto infinity is

(A) $e^{-\frac{1}{2}}$ (B) $e^{+\frac{1}{2}}$ (C) e^{-2} (D) e^{-1}

Open solution

Q305. AIEEE 2005 · MCQ (Single Correct Answer)

The sum of the series $1+\frac{1}{4.2!}+\frac{1}{16.4!}+\frac{1}{64.6!}+\ldots\ldots\ldots$ ad inf. is

(A) $\frac{e-1}{\sqrt{e}}$ (B) $\frac{e+1}{\sqrt{e}}$ (C) $\frac{e-1}{2\sqrt{e}}$ (D) $\frac{e+1}{2\sqrt{e}}$

Open solution

Q306. AIEEE 2004 · MCQ (Single Correct Answer)

The sum of the first n terms of the series $1^2+2.2^2+3^2+2.4^2+5^2+2.6^2+\ldots\ldots$ is $\frac{n(n+1)^2}{2}$ when n is even. When n is odd the sum is

(A) $\left[\frac{n(n+1)}{2}\right]^2$ (B) $\frac{n^2(n+1)}{2}$

(C) $\frac{n(n+1)^2}{4}$ (D) $\frac{3n(n+1)}{2}$

Open solution

Q307. AIEEE 2004 · MCQ (Single Correct Answer)

The sum of series $\frac{1}{2!}+\frac{1}{4!}+\frac{1}{6!}+\ldots\ldots\ldots$ is

(A) $\frac{(e^2-2)}{e}$ (B) $\frac{(e-1)^2}{2e}$

(C) $\frac{(e^2-1)}{2e}$ (D) $\frac{(e^2-1)}{2}$

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q308. AIEEE 2003 · MCQ (Single Correct Answer)

The sum of the series $\frac{1}{1.2}-\frac{1}{2.3}+\frac{1}{3.4}\ldots\ldots\ldots\ldots$ up to ∞ is equal to

(A) $\log_e\left(\frac{4}{e}\right)$ (B) $2\log_e 2$

(C) $\log_e 2-1$ (D) $\log_e 2$

Open solution

Q309. AIEEE 2002 · MCQ (Single Correct Answer)

The value of $2^{1/4}.\ 4^{1/8}.\ 8^{1/16}\ldots\infty$ is

(A) 1 (B) 2 (C) 3/2 (D) 4

Open solution

Q310. AIEEE 2002 · MCQ (Single Correct Answer)

$1^3-\ 2^3+3^3-4^3+\ldots+9^3=$

(A) 425 (B) - 425 (C) 475 (D) - 475

Open solution

Q311. JEE Main 2023 (Online) 15th April Morning Shift · Numerical

If the sum of the series

$\left(\frac{1}{2}-\frac{1}{3}\right)+\left(\frac{1}{2^2}-\frac{1}{2\cdot 3}+\frac{1}{3^2}\right)+\left(\frac{1}{2^3}-\frac{1}{2^2\cdot 3}+\frac{1}{2\cdot 3^2}-\frac{1}{3^3}\right)+$

$\left(\frac{1}{2^4}-\frac{1}{2^3\cdot 3}+\frac{1}{2^2\cdot 3^2}-\frac{1}{2\cdot 3^3}+\frac{1}{3^4}\right)+\ldots$

is $\frac{\alpha}{\beta}$, where α and β are co-prime, then $\alpha+3\beta$ is equal to _____.

Open solution

Q312. JEE Main 2023 (Online) 13th April Morning Shift · Numerical

The sum to 20 terms of the series $2\cdot 2^2-3^2+2\cdot 4^2-5^2+2\cdot 6^2-\ldots\ldots$ is equal to _____.

Open solution

Q313. JEE Main 2023 (Online) 11th April Evening Shift · Numerical

For $k\in\mathbb{N}$, if the sum of the series $1+\frac{4}{k}+\frac{8}{k^2}+\frac{13}{k^3}+\frac{19}{k^4}+\ldots$ is 10 , then the value of k is _____.

Open solution

Q314. JEE Main 2023 (Online) 11th April Morning Shift · Numerical

Let $S=109+\frac{108}{5}+\frac{107}{5^2}+\ldots.+\frac{2}{5^{107}}+\frac{1}{5^{108}}$. Then the value of $\left(16S-(25)^{-54}\right)$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q315. JEE Main 2023 (Online) 10th April Evening Shift · Numerical

Suppose $a_1, a_2, 2, a_3, a_4$ be in an arithmetico-geometric progression. If the common ratio of the corresponding geometric progression is 2 and the sum of all 5 terms of the arithmetico-geometric progression is $\frac{49}{2}$, then a_4 is equal to _____.

Open solution

Q316. JEE Main 2023 (Online) 10th April Morning Shift · Numerical

The sum of all those terms, of the arithmetic progression 3, 8, 13, ..., 373, which are not divisible by 3, is equal to _____.

Open solution

Q317. JEE Main 2023 (Online) 8th April Evening Shift · Numerical

Let $0 < z < y < x$ be three real numbers such that $\frac{1}{x}, \frac{1}{y}, \frac{1}{z}$ are in an arithmetic progression and $x, \sqrt{2}y, z$ are in a geometric progression. If $xy + yz + zx = \frac{3}{\sqrt{2}}xyz$, then $3(x + y + z)^2$ is equal to _____.

Open solution

Q318. JEE Main 2023 (Online) 31st January Evening Shift · Numerical

The sum $1^2 - 2 \cdot 3^2 + 3 \cdot 5^2 - 4 \cdot 7^2 + 5 \cdot 9^2 - \ldots + 15 \cdot 29^2$ is _____.

Open solution

Q319. JEE Main 2023 (Online) 30th January Evening Shift · Numerical

The 8th common term of the series

$S_1 = 3 + 7 + 11 + 15 + 19 + \ldots\ldots$

$S_2 = 1 + 6 + 11 + 16 + 21 + \ldots\ldots$

is :

Open solution

Q320. JEE Main 2023 (Online) 30th January Morning Shift · Numerical

Let $\sum_{n=0}^{\infty} \frac{n^3((2n)!)+(2n-1)(n!)}{(n!)((2n)!)} = ae + \frac{b}{e} + c$, where $a, b, c \in \mathbb{Z}$ and $e = \sum_{n=0}^{\infty} \frac{1}{n!}$ Then $a^2 - b + c$ is equal to _____.

Open solution

Q321. JEE Main 2023 (Online) 29th January Evening Shift · Numerical

Let $a_1 = b_1 = 1$ and $a_n = a_{n-1} + (n-1), b_n = b_{n-1} + a_{n-1}, \forall n \geq 2$. If $S = \sum_{n=1}^{10} \frac{b_n}{2^n}$ and $T = \sum_{n=1}^{8} \frac{n}{2^{n-1}}$, then $2^7(2S - T)$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q322. JEE Main 2023 (Online) 24th January Evening Shift · Numerical

If $\frac{1^3+2^3+3^3+\ldots \text{up to } n \text{ terms}}{1.3+2.5+3.7+\ldots \text{up to } n \text{ terms}} = \frac{9}{5}$, then the value of n is

Open solution

Q323. JEE Main 2022 (Online) 29th July Morning Shift · Numerical

If $\frac{1}{2\times3\times4} + \frac{1}{3\times4\times5} + \frac{1}{4\times5\times6} + \ldots + \frac{1}{100\times101\times102} = \frac{k}{101}$, then 34 k is equal to _____.

Open solution

Q324. JEE Main 2022 (Online) 28th July Evening Shift · Numerical

If $\frac{6}{3^{12}} + \frac{10}{3^{11}} + \frac{20}{3^{10}} + \frac{40}{3^9} + \ldots + \frac{10240}{3} = 2^n . m$, where m is odd, then m . n is equal to _____.

Open solution

Q325. JEE Main 2022 (Online) 27th July Evening Shift · Numerical

$\frac{2^3-1^3}{1\times7} + \frac{4^3-3^3+2^3-1^3}{2\times11} + \frac{6^3-5^3+4^3-3^3+2^3-1^3}{3\times15} + \ldots + \frac{30^3-29^3+28^3-27^3+\ldots+2^3-1^3}{15\times63}$ is equal to _____.

Open solution

Q326. JEE Main 2022 (Online) 26th July Evening Shift · Numerical

If $\sum_{k=1}^{10} \frac{k}{k^4+k^2+1} = \frac{m}{n}$, where m and n are co-prime, then $m+n$ is equal to _____.

Open solution

Q327. JEE Main 2022 (Online) 26th July Morning Shift · Numerical

The series of positive multiples of 3 is divided into sets : $\{3\}, \{6, 9, 12\}, \{15, 18, 21, 24, 27\}, \ldots$ Then the sum of the elements in the 11th set is equal to _____.

Open solution

Q328. JEE Main 2022 (Online) 25th July Morning Shift · Numerical

Let $a_1 = b_1 = 1, a_n = a_{n-1} + 2$ and $b_n = a_n + b_{n-1}$ for every

natural number $n \geqslant 2$. Then $\sum_{n=1}^{15} a_n . b_n$ is equal to _____.

Open solution

Q329. JEE Main 2022 (Online) 30th June Morning Shift · Numerical

Let for $f(x) = a_0x^2 + a_1x + a_2$, $f'(0) = 1$ and $f'(1) = 0$. If a_0, a_1, a_2 are in an arithmatico-geometric progression, whose corresponding A.P. has common difference 1 and corresponding G.P. has common ratio 2, then f(4) is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q330. JEE Main 2022 (Online) 27th June Morning Shift · Numerical

If the sum of the first ten terms of the series

$\frac{1}{5}+\frac{2}{65}+\frac{3}{325}+\frac{4}{1025}+\frac{5}{2501}+\ldots.$

is $\frac{m}{n}$, where m and n are co-prime numbers, then m + n is equal to _____.

Open solution

Q331. JEE Main 2022 (Online) 25th June Morning Shift · Numerical

For a natural number n, let $\alpha_n = 19^n - 12^n$. Then, the value of $\frac{31\alpha_9-\alpha_{10}}{57\alpha_8}$ is _____.

Open solution

Q332. JEE Main 2022 (Online) 25th June Morning Shift · Numerical

The greatest integer less than or equal to the sum of first 100 terms of the sequence $\frac{1}{3}, \frac{5}{9}, \frac{19}{27}, \frac{65}{81}$, ... is equal to _____.

Open solution

Q333. JEE Main 2021 (Online) 31st August Evening Shift · Numerical

If $S=\frac{7}{5}+\frac{9}{5^2}+\frac{13}{5^3}+\frac{19}{5^4}+\ldots.$, then 160 S is equal to _____.

Open solution

Q334. JEE Main 2021 (Online) 25th July Morning Shift · Numerical

If the value of

$$\left(1+\frac{2}{3}+\frac{6}{3^2}+\frac{10}{3^3}+\ldots.upto\,\infty\right)^{\log_{(0.25)}\left(\frac{1}{3}+\frac{1}{3^2}+\frac{1}{3^3}+\ldots.upto\,\infty\right)}$$

is l, then l^2 is equal to _____.

Open solution

Q335. JEE Main 2021 (Online) 20th July Evening Shift · Numerical

For k $\in$ N, let $\frac{1}{\alpha(\alpha+1)(\alpha+2).....(\alpha+20)}=\sum_{k=0}^{20}\frac{A_k}{\alpha+k}$, where $\alpha>0$. Then the value of $100\left(\frac{A_{14}+A_{15}}{A_{13}}\right)^2$ is equal to _____.

Open solution

Q336. JEE Main 2021 (Online) 20th July Evening Shift · Numerical

Let $\{a_n\}_{n=1}^{\infty}$ be a sequence such that a_1 = 1, a_2 = 1 and $a_{n+2}=2a_{n+1}+a_n$ for all n $\geq$ 1. Then the value of $47\sum_{n=1}^{\infty}\frac{a_n}{2^{3n}}$ is equal to _____.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q337. JEE Main 2021 (Online) 16th March Evening Shift · **Numerical**

$S_n(x) = \log_{a^{1/2}}x + \log_{a^{1/3}}x + \log_{a^{1/6}}x + \log_{a^{1/11}}x + \log_{a^{1/18}}x + \log_{a^{1/27}}x +$ ..... up to n-terms, where $a > 1$. If $S_{24}(x) = 1093$ and $S_{12}(2x) = 265$, then value of a is equal to _____.

Open solution

Q338. JEE Main 2020 (Online) 8th January Evening Slot · **Numerical**

The sum, $\sum_{n=1}^{7} \frac{n(n+1)(2n+1)}{4}$ is equal to _____.

Open solution

Q339. JEE Main 2020 (Online) 8th January Morning Slot · **Numerical**

The sum $\sum_{k=1}^{20} (1+2+3+\ldots+k)$ is :

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**	2. **C**	3. **C**	4. **B**	5. **A**
6. **C**	7. **C**	8. **D**	9. **C**	10. **B**
11. **A**	12. **D**	13. **B**	14. **B**	15. **A**
16. **A**	17. **D**	18. **B**	19. **A**	20. **D**
21. **A**	22. **A**	23. **B**	24. **D**	25. **A**
26. **B**	27. **B**	28. **D**	29. **D**	30. **A**
31. **B**	32. **B**	33. **A**	34. **D**	35. **B**
36. **B**	37. **B**	38. **A**	39. **B**	40. **C**
41. **B**	42. **B**	43. **B**	44. **B**	45. **D**
46. **D**	47. **D**	48. **C**	49. **D**	50. **B**
51. **C**	52. **A**	53. **C**	54. **B**	55. **C**
56. **A**	57. **B**	58. **A**	59. **A**	60. **C**
61. **C**	62. **D**	63. **D**	64. **B**	65. **B**
66. **C**	67. **D**	68. **B**	69. **A**	70. **B**
71. **D**	72. **A**	73. **D**	74. **A**	75. **D**
76. **C**	77. **C**	78. **B**	79. **B**	80. **D**
81. **A**	82. **A**	83. **B**	84. **D**	85. **C**
86. **C**	87. **A**	88. **B**	89. **C**	90. **C**
91. **C**	92. **D**	93. **C**	94. **D**	95. **D**
96. **B**	97. **B**	98. **C**	99. **B**	100. **B**
101. **A**	102. **A**	103. **C**	104. **D**	105. **D**
106. **D**	107. **B**	108. **D**	109. **A**	110. **B**
111. **C**	112. **D**	113. **D**	114. **D**	115. **A**
116. **B**	117. **C**	118. **B**	119. **D**	120. **B**
121. **A**	122. **A**	123. **C**	124. **C**	125. **A**
126. **C**	127. **D**	128. **B**	129. **A**	130. **D**
131. **B**	132. **D**	133. **B**	134. **C**	135. **D**
136. **D**	137. **A**	138. **D**	139. **A**	140. **C**
141. **D**	142. **D**	143. **C**	144. **A**	145. **C**
146. **A**	147. **D**	148. **A**	149. **C**	150. **D**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

151. **D**	152. **B**	153. **C**	154. **D**	155. **B**
156. **A**	157. **C**	158. **C**	159. **B**	160. **C**
161. **B**	162. **B**	163. **C**	164. **B**	165. *Scan QR*
166. **D**	167. **D**	168. **C**	169. **D**	170. **C**
171. **A**	172. **B**	173. **B**	174. **D**	175. **D**
176. **D**	177. **D**	178. **B**	179. **B**	180. **D**
181. **B**	182. **B**			

Numerical

183. **1279**	184. **91**	185. **976**	186. **90**	187. **9**
188. **2**	189. **441**	190. **11132**	191. **20**	192. **474**
193. **1011**	194. **1505**	195. **103**	196. **3660**	197. **6**
198. **76**	199. **910**	200. **1**	201. **6699**	202. **9**
203. **353**	204. **9**	205. **400**	206. **321**	207. **754**
208. **8**	209. **9**	210. **60**	211. **3**	212. **12**
213. **16**	214. **53**	215. **38**	216. **2223**	217. **41651**
218. **702**	219. **40**	220. **1100**	221. **7744**	222. **2021**
223. **3**	224. **1251**	225. **14**	226. **3**	227. **10**
228. **9**	229. **3**	230. **39**	231. **4**	232. **14**

Out of syllabus

233. **C**	234. **D**	235. **B**	236. **C**	237. **D**
238. **B**	239. **C**	240. **C**	241. *Scan QR*	242. **B**
243. **C**	244. **B**	245. **B**	246. **C**	247. **B**
248. **C**	249. **C**	250. **B**	251. **A**	252. **B**
253. **A**	254. **A**	255. **D**	256. **D**	257. **D**
258. **B**	259. **B**	260. **B**	261. **B**	262. **C**
263. **C**	264. **D**	265. **A**	266. **C**	267. **A**
268. **B**	269. **B**	270. **A**	271. **C**	272. **A**
273. **B**	274. **B**	275. **D**	276. **A**	277. **C**
278. **D**	279. **D**	280. **A**	281. **C**	282. **B**
283. **A**	284. **B**	285. **B**	286. **D**	287. **D**
288. **A**	289. **B**	290. **D**	291. **A**	292. **A**
293. **A**	294. **C**	295. **C**	296. **C**	297. **C**

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

298. **C**	299. *Scan QR*	300. **C**	301. **A**	302. **B**
303. **A**	304. **D**	305. **D**	306. **B**	307. **B**
308. **A**	309. **B**	310. **A**	311. **7**	312. **1310**
313. **2**	314. **2175**	315. **16**	316. **9525**	317. **150**
318. **6952**	319. **151**	320. **26**	321. **461**	322. **5**
323. **286**	324. **12**	325. **120**	326. **166**	327. **6993**
328. **27560**	329. **2**	330. **276**	331. **4**	332. **98**
333. **305**	334. **3**	335. **9**	336. **7**	337. **16**
338. **504**	339. **1540**			

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs