ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Plant Growth and Development

NEET Biology · Previous Year Questions with Answer Key

131	46	1988 – 2026	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	130 questions
MCQ (More than One Correct Answer)	1 question
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 130 questions

Q1. RE-NEET 2026

Which of the following plant growth regulators promotes internode elongation prior to flowering in cabbage?

(A) Ethephon
(B) Abscisic acid
(C) Gibberellin
(D) Indole butyric acid

Open solution

Q2. RE-NEET 2026

Which of the following plant growth regulators is used as herbicide?

(A) Gibberellin (B) $2,4-\mathrm{D}$ (C) Kinetin (D) Abscisic acid

Open solution

Q3. RE-NEET 2026

Length of the stem at time 0 is 20 cm . The arithmetic growth rate is 30 cm per day. What is the length of the stem at the end of the 7th day?

(A) 460 cm (B) 50 cm (C) 170 cm (D) 230 cm

Open solution

Q4. NEET 2026

Which one of the following is not a characteristic of plant cells in the phase of elongation?

(A) New cell wall deposition
(B) Cell enlargement
(C) Increased vacuolation
(D) Large conspicuous nuclei

Open solution

Q5. NEET 2026

Match List-I with List-II

List-I (Growth Regulator)		List-II (Function/Effect)	
A.	2,4-D	I.	Brewing industry
B.	GA_3	II.	Stimulation of stomatal closure
C.	Kinetin	III.	Herbicide
D.	ABA	IV.	Nutrient mobilisation

Choose the correct answer from the options given below :

(A) A-III, B-I, C-IV, D-II
(B) A-IV, B-III, C-II, D-I
(C) A-I, B-IV, C-III, D-II
(D) A-I, B-II, C-IV, D-III

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q6. NEET 2026

Heterophyllous development in response to environment is an example of which of the following phenomena?

(A) Redifferentiation
(B) Elasticity
(C) Dedifferentiation
(D) Plasticity

Open solution

Q7. NEET 2025

Read the following statements on plant growth and development.

(A) Parthenocarpy can be induced by auxins.

(B) Plant growth regulators can be involved in promotion as well as inhibition of growth.

(C) Dedifferentiation is a pre-requisite for re-differentiation.

(D) Abscisic acid is a plant growth promoter.

(E) Apical dominance promotes the growth of lateral buds.

Choose the option with all correct statements.

(A) A, D, E only
(B) B, D, E only
(C) A, B, C only
(D) A, C, E only

Open solution

Q8. NEET 2025

Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?

(A) Gibberellin
(B) Cytokinin
(C) Ethylene
(D) Abscisic acid

Open solution

Q9. NEET 2024 (Re-Examination)

Match List-I with List-II :

	List - I		List - II
(A)	Abscisic acid	(I)	Promotes female flowers in cucumber
(B)	Ethylene	(II)	Helps seeds to withstand desiccation
(C)	Gibberellin	(III)	Helps in nutrient mobilisation
(D)	Cytokinin	(IV)	Promotes bolting in beet, cabbage etc.

Choose the correct answer from the options given below:

(A) A-II, B-III, C-IV, D-I
(B) A-III, B-II, C-I, D-IV
(C) A-II, B-I, C-IV, D-III
(D) A-II, B-I, C-III, D-IV

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q10. NEET 2024 (Re-Examination)

F. Skoog observed that callus proliferated from the internodal segments of tobacco stem when auxin was supplied with one of the following except :

(A) Extract of Vascular tissues
(B) Coconut milk
(C) Abscisic acid
(D) Yeast Extract

Open solution

Q11. NEET 2024 (Re-Examination)

Given below are some statements about plant growth regulators.

A. All GAs are acidic in nature.

B. Auxins are antagonists to GAs.

C. Zeatin was isolated from coconut milk.

D. Ethylene induces flowering in Mango.

E. Abscisic acid induces parthenocarpy.

Choose the correct set of statements from the options given below :

(A) A, C, D
(B) B, E
(C) A, B, C
(D) B, D, E

Open solution

Q12. NEET 2024

Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin

(A) promotes apical dominance.
(B) promotes abscission of mature leaves only.
(C) does not affect mature monocotyledonous plants.
(D) can help in cell division in grasses, to produce growth.

Open solution

Q13. NEET 2024

Formation of interfascicular cambium from fully developed parenchyma cells is an example for

(A) Differentiation
(B) Redifferentiation
(C) Dedifferentiation
(D) Maturation

Open solution

Q14. NEET 2024

Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?

(A) Auxin
(B) Gibberellin
(C) Cytokinin
(D) Abscisic acid

Open solution

Q15. NEET 2023 Manipur

The phenomenon which is influenced by auxin and also played a major role in its discovery :

(A) Phototropism
(B) Root initiation
(C) Gravitropism
(D) Apical Dominance

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q16. NEET 2023 Manipur

Match List - I with List - II.

	List - I		List - II
(A)	Auxin	(I)	Promotes female flower formation in cucumber
(B)	Gibberellin	(II)	Overcoming apical dominance
(C)	Cytokinin	(III)	Increase in the length of grape stalks
(D)	Ethylene	(IV)	Promotes flowering in pineapple

Choose the **correct** answer from the options given below :

(A) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
(B) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)
(C) (A)-(I), (B)-(III), (C)-(IV), (D)-(II)
(D) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)

Open solution

Q17. NEET 2023 Manipur

Which of the following statements is not correct ?

(A) Phase of cell elongation of plant cells is characterized by increased vacuolation.
(B) Cells in the meristematic phase of growth exhibit abundant plasmodesmatal connections.
(C) Plant growth is generally determinate.
(D) Plant growth is measurable.

Open solution

Q18. NEET 2023

Spraying of which of the following phytohormone on juvenile conifers helps hastening the maturity period, that leads early seed production?

(A) Gibberellic Acid
(B) Zeatin
(C) Abscisic Acid
(D) Indole-3-butyric Acid

Open solution

Q19. NEET 2023

Which hormone promotes internode/petiole elongation in deep water rice?

(A) Kinetin **(B)** Ethylene **(C)** 2, 4-D **(D)** GA_3

Open solution

Q20. NEET 2023

In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as

(A) Dedifferentiation
(B) Development
(C) Senescence
(D) Differentiation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q21. NEET 2022 Phase 2

The ability of plants to follow different pathways in response to environment leading to formation of different kinds of structures is called

(A) Differentiation
(B) Redifferentiation
(C) Development
(D) Plasticity

Open solution

Q22. NEET 2022 Phase 2

Which of the following growth regulators is an adenine derivative?

(A) Abscisic acid
(B) Auxin
(C) Cytokinin
(D) Ethylene

Open solution

Q23. NEET 2022 Phase 2

The Phenomenon by which the undividing parenchyma cells start to divide mitotically during plant tissue culture is called as

(A) Secondary growth
(B) Differentiation
(C) Dedifferentiation
(D) Redifferentiation

Open solution

Q24. NEET 2022 Phase 1

Which one of the following plants does not show plasticity?

(A) Cotton
(B) Coriander
(C) Buttercup
(D) Maize

Open solution

Q25. NEET 2022 Phase 1

The gaseous plant growth regulator is used in plants to:

(A) speed up the malting process
(B) promote root growth and roothair formation to increase the absorption surface
(C) help overcome apical dominance
(D) kill dicotyledonous weeds in the fields

Open solution

Q26. NEET 2022 Phase 1

Production of Cucumber has increased manifold in recent years. Application of which of the following phytohormones has resulted in this increased yield as the hormone is known to produce female flowers in the plants:

(A) ABA
(B) Gibberellin
(C) Ethylene
(D) Cytokinin

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. NEET 2021

Plants follow different pathways in response to environment of phases of life to form different kinds of structures. This ability is called

(A) Maturity (B) Elasticity (C) Flexibility (D) Plasticity

Open solution

Q28. NEET 2021

The site of perception of light in plants during photoperiodism is

(A) Leaf (B) Shoot apex (C) Stem (D) Axillary bud

Open solution

Q29. NEET 2021

The plant hormone used to destroy weeds in a field

(A) IBA (B) IAA (C) NAA (D) 2, 4-D

Open solution

Q30. NEET 2020 Phase 2

Inhibitory substances in dormant seeds cannot be removed by subjecting seeds to :

(A) Chilling conditions (B) Gibberellic acid

(C) Nitrate (D) Ascorbic acid

Open solution

Q31. NEET 2020 Phase 2

Match the following concerning the activity/function and the phytohormone involved.

(a) Fruit ripener	(i) Abscisic acid
(b) Herbicide	(ii) GA_3
(c) Bolting agent	(iii) 2, 4-D
(d) Stress hormone	(iv) Ethephon

Select the correct option from following :

(A) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii) (B) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

(C) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i) (D) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

Open solution

Q32. NEET 2020 Phase 2

Who coined the term 'Kinetin' ?

(A) Kurosawa (B) Skoog and Miller (C) Darwin (D) Went

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q33. NEET 2020 Phase 1

Which of the following is not an inhibitory substance governing seed dormancy?

(A) Para-ascorbic acid
(B) Abscisic acid
(C) Gibberellic acid
(D) Phenolic acid

Open solution

Q34. NEET 2020 Phase 1

Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop

(A) Abscisic acid
(B) Cytokinin
(C) Gibberellin
(D) Ethylene

Open solution

Q35. NEET 2019 (Odisha)

Removal of shoot tips is a very useful technique to boost the production of tea-leaves. This is because :

(A) Gibberellins delay senescence of leaves.
(B) Gibberellins prevent bolting and are inactivated.
(C) Auxins prevent leaf drop at early stages.
(D) Effect of auxins is removed and growth of lateral buds is enhanced.

Open solution

Q36. NEET 2019 (Odisha)

In order to increase the yield of sugarcane crop, which of the following plant growth regulators should be sprayed?

(A) Cytokinins
(B) Ethylene
(C) Auxins
(D) Gibberellins

Open solution

Q37. NEET 2019

What is the site of perception of photoperiod necessary for induction of flowering in plants?

(A) Shoot apex
(B) Leaves
(C) Lateral buds
(D) Pulvinus

Open solution

Q38. NEET 2019

It takes very long time for pineapple plants to produce flowers. Which combination of hormones can be applied to artificially induce flowering in pineapple plants throughout the year to increase yield?

(A) Gibberellin and Abscisic acid
(B) Cytokinin and Abscisic acid
(C) Auxin and Ethylene
(D) Gibberellin and Cytokinin

Open solution

Q39. NEET 2017

Fruit and leaf drop at early stages can be prevented by the application of

(A) ethylene
(B) auxins
(C) gibberellic acid
(D) cytokinins.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q40. NEET 2016 Phase 2

You are given a tissue with its potential for differentiation in an artificial culture. Which of the following pairs of hormones would you add to the medium to secure shoots as well as roots?

(A) IAA and gibberellin
(B) Auxin and cytokinin
(C) Auxin and abscisic acid
(D) Gibberellin and abscisic acid

Open solution

Q41. NEET 2016 Phase 2

Phytochrome is a

(A) flavoprotein (B) glycoprotein (C) lipoprotein (D) chromoprotein

Open solution

Q42. NEET 2016 Phase 1

The *Avena* curvature is used for bioassay of

(A) IAA (B) ethylene (C) ABA (D) GA_3.

Open solution

Q43. AIPMT 2015

Auxin can be bioassayed by

(A) potometer
(B) lettuce hypocotyl elongation
(C) *Avena* coleoptile curvature
(D) hydroponics.

Open solution

Q44. AIPMT 2015 Cancelled Paper

What causes a green plant exposed to the light, on only one side, to bend towards the source of light as it grows?

(A) Light stimulates plant cells on the lighted side to grow faster.
(B) Auxin accumulates on the shaded side, stimulating greater cell elongation there.
(C) Green plants need light to perform photosynthesis.
(D) Green plants seek light because they are photoreopic.

Open solution

Q45. AIPMT 2015 Cancelled Paper

Typical growth curve in plants is

(A) stair-steps shaped
(B) parabolic
(C) sigmoid
(D) linear.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. AIPMT 2014

Dr. F. Went noted that if coleoptile tips were removed and placed on agar for one hour, the agar would produce a bending when placed on one side of freshly-cut coleoptile stumps. Of what significance is this experiment?

Open solution

(A) It made possible the isolation and exact identification of auxin.

(B) It is the basis for quantitative determination of small amounts of growth-promoting substances.

(C) It supports the hypothesis that IAA is auxin.

(D) It demonstrated polar movement of auxins.

Q47. AIPMT 2014

A few normal seedlings of tomato were kept in a dark room. After a few days they were found to have become white -coloured like albinos. Which of the following terms will you use to describe them?

Open solution

(A) Mutated (B) Embolised (C) Etiolated (D) Defoliated

Q48. AIPMT 2014

Which one of the following growth regulators is known as 'stress hormone'?

Open solution

(A) Abscisic acid (B) Ethylene

(C) GA_3 (D) Indole acetic acid

Q49. NEET 2013 (Karnataka)

The pineapple which under natural condition is difficult to blossom has been made to produce fruits throughout the year by application of

Open solution

(A) NAA, 2, 4-D (B) Phenyl acetic acid

(C) Cytokinin (D) IAA, IBA.

Q50. NEET 2013

During seed germination its stored food is mobilized by

Open solution

(A) ABA (B) gibberellin (C) ethylene (D) cytokinin.

Q51. AIPMT 2012 Mains

Through their effects on plant growth regulators, what do the temperature and light control in the plants?

Open solution

(A) Apical dominance (B) flowering

(C) Closure of stomata (D) Fruit elongation

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q52. AIPMT 2012 Mains

Which one of the following generally acts as an antagonist to gibberellins?

(A) Zeatin (B) Ethylene (C) ABA (D) IAA

Open solution

Q53. AIPMT 2012 Mains

Vernalization simulates flowering in

(A) zamikand (B) turmeric (C) carrot (D) ginger.

Open solution

Q54. AIPMT 2010 Mains

One of the commonly used plant growth hormone in tea plantations is

(A) ethylene (B) abscisic acid
(C) Zeatin (D) indole-3-acetic acid.

Open solution

Q55. AIPMT 2010 Mains

Root development is promoted by

(A) abscisic acid (B) auxin (C) gibberellin (D) ethylene.

Open solution

Q56. AIPMT 2010 Prelims

Phototropic curvature is the result of uneven distribution of

(A) gibberellin (B) phytochrome (C) cytokinins (D) auxin.

Open solution

Q57. AIPMT 2010 Prelims

Photoperiodism was first characterised in

(A) tobacco (B) potato (C) tomato (D) cotton.

Open solution

Q58. AIPMT 2010 Prelims

Coiling of garden pea tendrils around any support is an example of

(A) thigmotaxis (B) thigmonasty (C) thigmotropism (D) thermotaxis.

Open solution

Q59. AIPMT 2009

Which one of the following acids is a derivative of carotenoids?

(A) Indole-3-acetic acid (B) Gibberellic acid
(C) Abscisic acid (D) Indole butyric acid

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q60. AIPMT 2008

Importance of day length in flowering of plants was first shown in

(A) cotton (B) *Petunia* (C) *Lemna* (D) tobacco.

Open solution

Q61. AIPMT 2008

Senescence as an active developmental cellular process in growth and functioning of a flowering plant, is indicated in

(A) annual plants (B) floral parts

(C) vessels and tracheid differentiation (D) leaf abscission.

Open solution

Q62. AIPMT 2007

The wavelength of light absorbed by P_r form of phytochrome is

(A) 680 nm (B) 720 nm (C) 620 nm (D) 640 nm.

Open solution

Q63. AIPMT 2007

Which one of the following pairs, is not correctly matched?

(A) Gibberellic acid - Leaf fall (B) Cytokinin - Cell division

(C) IAA - Cell wall elongation (D) Abscissic acid - Stomatal closure

Open solution

Q64. AIPMT 2007

Opening of floral buds into flowers, is a type of

(A) autonomic movement of variation (B) paratonic movement of growth

(C) autonomic movement of growth (D) autonomic movement of locomotion.

Open solution

Q65. AIPMT 2007

"Foolish seedling" disease of rice led to the discovery of

(A) ABA (B) 2,4-D (C) IAA (D) GA

Open solution

Q66. AIPMT 2006

An enzyme that can stimulate germination of barley seeds is

(A) invertase (B) α-amylase (C) lipase (D) protease

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q67. AIPMT 2006

Farmers in a particular region were concerned that pre-mature yellowing of leaves of a pulse crop might cause decrease in the yield. Which treatment could be most beneficial to obtain maximum seed yield?

Open solution

(A) Application of iron and magnesium to promote synthesis of chlorophyll

(B) Frequent irrigation of the crop

(C) Treatment of the plants with cytokinins along with a small dose of nitrogenous fertilizer

(D) Removal of all yellow leaves and spraying the remaining green leaves with 2, 4, 5-trichlorophenoxy acetic acid

Q68. AIPMT 2006

How does pruning help in making the hedge dense?

Open solution

(A) It releases wound hormones.

(B) It induces the differentiation of new shoots from the rootstock.

(C) It frees axillary buds from apical dominance.

(D) The apical shoot grows faster after pruning.

Q69. AIPMT 2006

Treatment of seeds at low temperature under moist conditions to break its dormancy is called

Open solution

(A) stratification (B) scarification (C) vernalization (D) chelation.

Q70. AIPMT 2005

The ability of the Venus Flytrap to capture insects is due to

Open solution

(A) specialized "muscle-like" cells

(B) chemical stimulation by the prey

(C) a passive process requiring no special ability on the part of the plant

(D) rapid turgor pressure changes.

Q71. AIPMT 2004

Cell elongation in internodal regions of the green plants takes place due to

Open solution

(A) indole acetic acid (B) cytokinins

(C) gibberellins (D) ethylene.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q72. AIPMT 2004

One set of the plant was grown at 12 hours day and 12 hours night period cycles and it flowered while in the other set night phase was interrupted by flash of light and it did not produce flower. Under which one of the following categories will you place this plant?

(A) Long day (B) Darkness neutral (C) Day neutral (D) Short day

Open solution

Q73. AIPMT 2003

Nicotiana sylvestris flowers only during long days and *N.tabacum* flowers only during short days. If raised in the laboratory under different photoperiods, they can be induced to flower at the same time and can be cross-fertilized to produce self-fertile offspring. What is the best reason for considering *N.sylvestris* and *N.tabacum* to be separate species?

(A) They cannot interbreed in nature (B) They are reproductively distinct
(C) They are physiologically distinct (D) They are morphologically distinct

Open solution

Q74. AIPMT 2003

Plants deficient of element zinc, show its effect on the biosynthesis of plant growth hormone

(A) auxin (B) cytokinin (C) ethylene (D) abscisic acid.

Open solution

Q75. AIPMT 2003

Differentiation of shoot is controlled by

(A) high auxin : cytokinin ratio (B) high cytokinin : auxin ratio
(C) high gibberellin : auxin ratio (D) high gibberellin : cytokinin ratio.

Open solution

Q76. AIPMT 2003

Coconut milk factor is

(A) abscisic acid (B) an auxin (C) a gibberellin (D) cytokinin

Open solution

Q77. AIPMT 2002

Seed dormancy is due to the

(A) ethylene (B) abscisic acid (C) IAA (D) starch.

Open solution

Q78. AIPMT 2001

Which plant is LDP?

(A) Tobacco (B) *Glycine max* (C) *Mirabilis jalapa* (D) Spinach

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q79. AIPMT 2001

Which of the following prevents the fall of fruits?

(A) GA_3 (B) NAA (C) Ethylene (D) Zeatin

Open solution

Q80. AIPMT 2001

Hormone responsible for senescence is

(A) ABA (B) auxin (C) GA (D) cytokinin

Open solution

Q81. AIPMT 2001

Which hormone breaks dormancy of potato tuber?

(A) Gibberellin (B) IAA (C) ABA (D) Zeatin

Open solution

Q82. AIPMT 2000

If the apical bud has been removed then we observe

(A) more lateral branches (B) more axillary buds

(C) plant growing stops (D) flowering stops.

Open solution

Q83. AIPMT 2000

By which action a seed coat becomes permeable to water

(A) scarification (B) stratification

(C) vernalization (D) all of the above.

Open solution

Q84. AIPMT 2000

Which hormone is responsible for fruit ripening?

(A) Ethylene (B) Auxin (C) Ethyl chloride (D) Cyctokinin

Open solution

Q85. AIPMT 1999

ABA is involved in :

(A) dormancy of seeds (B) increased cell division

(C) root elongation (D) shoot elongation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q86. AIPMT 1999

The closing and opening of the leaves of *Mimosa pudica* is due to

(A) chemonastic movement
(B) thermonastic movement
(C) seismonastic movement
(D) hydrotropic movement

Open solution

Q87. AIPMT 1998

A plant hormone used for inducing morphogenesis in plant tissue culture is

(A) abscisic acid
(B) gibberellins
(C) cytokinins
(D) ethylene

Open solution

Q88. AIPMT 1998

The response of different organisms to the environmental rhythms of light and darkness is called

(A) phototaxis
(B) phototropism
(C) vernalization
(D) photoperiodism

Open solution

Q89. AIPMT 1998

Which combination of gases is suitable for fruit ripening?

(A) 80% C_2H_4 and 20% CO_2
(B) 80% CO_2 and 20% CH_2
(C) 80% CH_4 and 20% CO_2
(D) 80% CO_2 and 20% O_2

Open solution

Q90. AIPMT 1998

Phytochrome becomes active in

(A) green light
(B) blue light
(C) red light
(D) none of these

Open solution

Q91. AIPMT 1998

Which one among the following chemicals is used for causing defoliation of forest trees?

(A) Amo-1618
(B) Phosphon-D
(C) Maleic hydrazide
(D) 2, 4-D

Open solution

Q92. AIPMT 1997

A pigment which absorbs red and far-red light is

(A) cytochrome
(B) xanthophyll
(C) phytochrome
(D) carotene

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q93. AIPMT 1997

What will be the effect on phytochrome in a plant subjected to continuous red light?

(A) Phytochrome synthesis will increase
(B) Level of phytochrome will decrease
(C) Phytochrome will be destroyed
(D) First (b) then (a)

Open solution

Q94. AIPMT 1997

If a tree flowers thrice in a year (Oct., Jan. and July) in Northern India, it is said to be

(A) photo and thermo-insensitive
(B) photo and thermo-sensitive
(C) photosensitive but thermo-insensitive
(D) thermosensitive but photo-insensitive

Open solution

Q95. AIPMT 1997

Gibberellic acid induces flowering

(A) in short day plants under long day conditions
(B) in day-neutral plants under dark conditions
(C) in some gymnospermic plants only
(D) in long day plants under short day conditions

Open solution

Q96. AIPMT 1995

The twining of tendrils around a support is a good example of

(A) phototropism
(B) chemotropism
(C) nastic movements
(D) thigmotropism

Open solution

Q97. AIPMT 1995

The closure of lid of pitcher in pitcher plant, is due to

(A) paratonic movement
(B) autonomous movement
(C) turgor movement
(D) tropic movement

Open solution

Q98. AIPMT 1994

The movement of auxin is largely

(A) centripetal
(B) basipetal
(C) acropetal
(D) both (a) and (c)

Open solution

Q99. AIPMT 1994

If the growing plant is decapitated, then

(A) its growth stops
(B) leaves become yellow and fall down
(C) axillary buds are inactivated
(D) axillary buds are activated

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q100. AIPMT 1993

Removal of apical bud results in

(A) formation of new apical bud
(B) elongation of main stem
(C) death of plant
(D) formation of lateral branching

Open solution

Q101. AIPMT 1993

The regulator which retards ageing/senescence of plant parts is

(A) cytokinin
(B) auxin
(C) gibberellin
(D) abscisic acid

Open solution

Q102. AIPMT 1993

The hormone produced during adverse environmental conditions is

(A) benzyl aminopurine
(B) bichlorophenoxy acetic acid
(C) ethylene
(D) abscisic acid

Open solution

Q103. AIPMT 1993

Klinostat is employed in the study of

(A) osmosis
(B) growth movements
(C) photosynthesis
(D) respiration

Open solution

Q104. AIPMT 1993

Which is produced during water stress that brings stomatal closure?

(A) Ethylene
(B) Abscisic acid
(C) Ferulic acid
(D) Coumarin

Open solution

Q105. AIPMT 1992

Dwarfness can be controlled by treating the plant with

(A) cytokinin
(B) gibberellic acid
(C) auxin
(D) antigibberellin

Open solution

Q106. AIPMT 1992

Flowering dependent on cold treatment is

(A) cryotherapy
(B) cryogenics
(C) cryoscopy
(D) vernalisation

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q107. AIPMT 1992

Bananas can be prevented from over-ripening by

(A) maintaining them at room temperature
(B) refrigeration
(C) dipping in ascorbic acid solution
(D) storing in a freezer

Open solution

Q108. AIPMT 1992

Apical dominance is caused by

(A) abscisic acid in lateral bud
(B) cytokinin in leaf tip
(C) gibberellin in lateral buds
(D) auxin in shoot tip

Open solution

Q109. AIPMT 1992

In short day plants, flowering is induced by

(A) photoperiod less than 12 hours
(B) photoperiod below a critical length and uninterrupted long night
(C) long night
(D) short photoperiod and interrupted long night

Open solution

Q110. AIPMT 1992

Cytokinins

(A) promote abscission
(B) influence water movement
(C) help retain chlorophyll
(D) inhibit protoplasmic streaming

Open solution

Q111. AIPMT 1992

Which is employed for artificial ripening of banana fruits?

(A) Auxin
(B) Coumarin
(C) Ethylene
(D) Cytokinin

Open solution

Q112. AIPMT 1991

Abscisic acid causes

(A) stomatal closure
(B) stem elongation
(C) leaf expansion
(D) root elongation

Open solution

Q113. AIPMT 1991

The hormone responsible for apical dominance is

(A) IAA
(B) GA
(C) ABA
(D) Florigen

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q114. AIPMT 1991

A chemical believed to be involved in flowering is

(A) gibberellin (B) kinetin (C) florigen (D) IBA

Open solution

Q115. AIPMT 1991

Twining of tendrils is due to

(A) thigmotropism (B) seismonasty (C) heliotropism (D) diageotropism

Open solution

Q116. AIPMT 1991

Hormone primarily connected with cell division is

(A) IAA (B) NAA (C) cytokinin/zeatin (D) gibberellic acid

Open solution

Q117. AIPMT 1990

Highest auxin concentration occurs

(A) in growing tips (B) in leaves

(C) at base of plant organs (D) in xylem and phloem

Open solution

Q118. AIPMT 1990

Phytohormones are

(A) chemical regulating flowering

(B) chemical regulating secondary growth

(C) hormones regulating growth from seed to adulthood

(D) regulators synthesised by plants and influencing physiological processes

Open solution

Q119. AIPMT 1990

Abscisic acid controls

(A) cell division (B) leaf fall and dormancy

(C) shoot elongation (D) cell elongation and wall formation

Open solution

Q120. AIPMT 1990

Phototropic and geotropic movements are linked to

(A) gibberellins (B) enzymes (C) auxin (D) cytokinins

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q121. AIPMT 1990

Which of the following movement is not related to auxin level?

(A) Bending of shoot towards light

(B) Movement of root towards soil

(C) Nyctinastic leaf movements

(D) Movement of sunflower head tracking the sun

Open solution

Q122. AIPMT 1989

Which of the following hormones can replace vernalisation?

(A) Auxin (B) Cytokinin (C) Gibberellins (D) Ethylene

Open solution

Q123. AIPMT 1989

Leaf fall can be prevented with the help of

(A) abscisic acid (B) auxins (C) florigen (D) cytokinins

Open solution

Q124. AIPMT 1989

Mowing grass lawn facilitates better maintenance because

(A) wounding stimulates regeneration

(B) removal of apical dominance and stimulation of intercalary meristem

(C) removal of apical dominance

(D) removal of apical dominance and promotion of lateral meristem

Open solution

Q125. AIPMT 1989

Which one increases in the absence of light?

(A) Uptake of minerals (B) Uptake of water

(C) Elongation of internodes (D) Ascent of sap

Open solution

Q126. AIPMT 1988

Hormone primarily connected with cell division is

(A) IAA (B) NAA (C) cytokinin/zeatin (D) gibberellic acid

Open solution

Q127. AIPMT 1988

Cut or excised leaves remain green for long if induced to root or dipped in

(A) gibberellins (B) cytokinins (C) auxins (D) ethylene

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q128. AIPMT 1988

Gibberellins promote

(A) seed germination (B) seed dormancy (C) leaf fall (D) root elongation

Open solution

Q129. AIPMT 1988

Phytochrome is involved in

(A) phototropism (B) photorespiration (C) photoperiodism (D) geotropism

Open solution

Q130. AIPMT 1988

Movement of leaves of sensitive plant, *Mimosa pudica* are due to

(A) thermonasty (B) seismonasty (C) hydrotropism (D) chemonasty

Open solution

MCQ (More than One Correct Answer) 1 questions

Q131. AIPMT 2009

One of the synthetic auxin is

(A) IAA (B) GA (C) IBA (D) NAA

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **C**	2. **B**	3. **D**	4. **D**	5. **A**
6. **D**	7. **C**	8. **B**	9. **C**	10. **C**
11. **A**	12. **C**	13. **C**	14. **B**	15. **A**
16. **B**	17. **C**	18. **A**	19. **B**	20. **A**
21. **D**	22. **C**	23. **C**	24. **D**	25. **B**
26. **C**	27. **D**	28. **A**	29. **D**	30. **D**
31. **D**	32. **B**	33. **C**	34. **C**	35. **D**
36. **D**	37. **B**	38. **C**	39. **B**	40. **B**
41. **D**	42. **A**	43. **C**	44. **B**	45. **C**
46. **A**	47. **C**	48. **A**	49. **A**	50. **B**
51. **B**	52. **C**	53. **C**	54. **D**	55. **D**
56. **D**	57. **A**	58. **C**	59. **C**	60. **D**
61. **C**	62. **A**	63. **A**	64. **C**	65. **D**
66. **B**	67. **C**	68. **C**	69. **C**	70. **D**
71. **C**	72. **D**	73. **A**	74. **A**	75. **B**
76. **D**	77. **B**	78. **D**	79. **B**	80. **A**
81. **A**	82. **A**	83. **A**	84. **A**	85. **A**
86. **C**	87. **C**	88. **D**	89. **A**	90. **C**
91. **D**	92. **C**	93. **D**	94. **A**	95. **D**
96. **D**	97. **A**	98. **B**	99. **D**	100. **D**
101. **A**	102. **D**	103. **B**	104. **B**	105. **B**
106. **D**	107. **C**	108. **D**	109. **B**	110. **C**
111. **C**	112. **A**	113. **A**	114. **C**	115. **A**
116. **C**	117. **A**	118. **D**	119. **B**	120. **C**
121. **C**	122. **C**	123. **D**	124. **B**	125. **C**
126. **C**	127. **B**	128. **A**	129. **C**	130. **B**

MCQ (More than One Correct Answer)

131. **D**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs