

MySQL Shell 8.0.43

Copyright (c) 2016, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

Other names may be trademarks of their respective owners.

Type '\help' or '\?' for help; '\quit' to exit.

MySQL JS > \sql

Switching to SQL mode... Commands end with ;

MySQL SQL > \connect root@localhost:3306;

Invalid URI: Illegal character [;] found at position 19

\connect [--mx|--mysqlx|--mc|--mysql] [--ssh <sshuri>] <URI>

MySQL SQL > \connect root@localhost:3306

Creating a session to 'root@localhost:3306'

Fetching global names for auto-completion... Press ^C to stop.

Your MySQL connection id is 9

Server version: 8.0.43 MySQL Community Server - GPL

No default schema selected; type \use <schema> to set one.

MySQL localhost:3306 ssl SQL > show database;

ERROR: 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'database' at line 1

MySQL localhost:3306 ssl SQL > show databases;

```
+-----+
| Database      |
+-----+
| amandb        |
| create_table  |
| createtable   |
| information_schema |
| mysql         |
| performance_schema |
```

```
| raj      |
| rrgi     |
| sys      |
```

```
+-----+
```

9 rows in set (0.0044 sec)

MySQL localhost:3306 ssl SQL > use rrgi;

Default schema set to `rrgi`.

Fetching global names, object names from `rrgi` for auto-completion... Press ^C to stop.

MySQL localhost:3306 ssl rrgi SQL > CREATE DATABASE IF NOT EXISTS company_db;

Query OK, 1 row affected (0.0130 sec)

MySQL localhost:3306 ssl rrgi SQL > USE company_db;

Default schema set to `company\_db`.

Fetching global names, object names from `company\_db` for auto-completion... Press ^C to stop.

MySQL localhost:3306 ssl company_db SQL >

MySQL localhost:3306 ssl company_db SQL > CREATE TABLE employees (

```
-> emp_id INT PRIMARY KEY,
-> emp_name VARCHAR(50) NOT NULL,
-> emp_age INT,
-> emp_department VARCHAR(50),
-> emp_salary DECIMAL(10, 2),
-> emp_city VARCHAR(50)
-> );
```

Query OK, 0 rows affected (0.0303 sec)

MySQL localhost:3306 ssl company_db SQL > show tables;

```
+-----+
```

```
| Tables_in_company_db |
```

```
+-----+
```

```
| employees            |
```

```
+-----+
```

1 row in set (0.0016 sec)

MySQL localhost:3306 ssl company_db SQL > insert into employees(emp_id,emp_name,emp_age,emp_department,emp_salary,emp_city)values (101,'Arun', 24, 'IT', 65000.00, 'Lucknow'),

-> (102, 'K.M.', 24, 'HR', 45000.00, 'Maharajganj'),
-> (103, 'Anshuman',23,'SED',55000.00,'kushinagar'),
-> (104,'Anil',25,'WebDev',35000.00,'Mirjapur'),
-> (105, 'Vikas', 29, 'IT', 48000.00, 'Delhi'),
-> (106, 'Neha', 23, 'HR', 38000.00, 'Lucknow'),
-> (107, 'Suresh', 35, 'Finance', 80000.00, 'Lucknow'),
-> (108, 'Alok', 27, 'IT', 55000.00, 'Kanpur'),
-> (109, 'Priya', 30, 'Marketing', 42000.00, 'Delhi'),
-> (110, 'Rohan', 25, 'IT', NULL, 'Lucknow');

Query OK, 10 rows affected (0.0139 sec)

Records: 10 Duplicates: 0 Warnings: 0

MySQL localhost:3306 ssl company_db SQL > select * from employee;

ERROR: 1146 (42S02): Table 'company_db.employee' doesn't exist

MySQL localhost:3306 ssl company_db SQL > select * from company_db.employee;

ERROR: 1146 (42S02): Table 'company_db.employee' doesn't exist

MySQL localhost:3306 ssl company_db SQL > select * from employees;

```
+-----+-----+-----+-----+-----+-----+
| emp_id | emp_name | emp_age | emp_department | emp_salary | emp_city |
+-----+-----+-----+-----+-----+-----+
| 101 | Arun | 24 | IT | 65000.00 | Lucknow |
| 102 | K.M. | 24 | HR | 45000.00 | Maharajganj |
| 103 | Anshuman | 23 | SED | 55000.00 | kushinagar |
| 104 | Anil | 25 | WebDev | 35000.00 | Mirjapur |
| 105 | Vikas | 29 | IT | 48000.00 | Delhi |
| 106 | Neha | 23 | HR | 38000.00 | Lucknow |
| 107 | Suresh | 35 | Finance | 80000.00 | Lucknow |
| 108 | Alok | 27 | IT | 55000.00 | Kanpur |
| 109 | Priya | 30 | Marketing | 42000.00 | Delhi |
```

	110		Rohan		25		IT		NULL		Lucknow	
--	-----	--	-------	--	----	--	----	--	------	--	---------	--

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
---------	---------	---------	---------	---------	---------	---------	---------

10 rows in set (0.0010 sec)

MySQL localhost:3306 ssl company_db SQL > UPDATE employees

-> SET emp_salary = 50000.00

-> WHERE emp_id = 110;

Query OK, 1 row affected (0.0060 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MySQL localhost:3306 ssl company_db SQL > select * from employees;

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
---------	---------	---------	---------	---------	---------	---------	---------

	emp_id		emp_name		emp_age		emp_department		emp_salary		emp_city	
--	--------	--	----------	--	---------	--	----------------	--	------------	--	----------	--

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
---------	---------	---------	---------	---------	---------	---------	---------

	101		Arun		24		IT		65000.00		Lucknow	
--	-----	--	------	--	----	--	----	--	----------	--	---------	--

	102		K.M.		24		HR		45000.00		Maharajganj	
--	-----	--	------	--	----	--	----	--	----------	--	-------------	--

	103		Anshuman		23		SED		55000.00		kushinagar	
--	-----	--	----------	--	----	--	-----	--	----------	--	------------	--

	104		Anil		25		WebDev		35000.00		Mirjapur	
--	-----	--	------	--	----	--	--------	--	----------	--	----------	--

	105		Vikas		29		IT		48000.00		Delhi	
--	-----	--	-------	--	----	--	----	--	----------	--	-------	--

	106		Neha		23		HR		38000.00		Lucknow	
--	-----	--	------	--	----	--	----	--	----------	--	---------	--

	107		Suresh		35		Finance		80000.00		Lucknow	
--	-----	--	--------	--	----	--	---------	--	----------	--	---------	--

	108		Alok		27		IT		55000.00		Kanpur	
--	-----	--	------	--	----	--	----	--	----------	--	--------	--

	109		Priya		30		Marketing		42000.00		Delhi	
--	-----	--	-------	--	----	--	-----------	--	----------	--	-------	--

	110		Rohan		25		IT		50000.00		Lucknow	
--	-----	--	-------	--	----	--	----	--	----------	--	---------	--

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
---------	---------	---------	---------	---------	---------	---------	---------

10 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > UPDATE employees

-> SET emp_city = 'Delhi'

-> WHERE emp_id = 108;

Query OK, 1 row affected (0.0036 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MySQL localhost:3306 ssl company_db SQL > select * from employees;

```
+-----+-----+-----+-----+-----+-----+
| emp_id | emp_name | emp_age | emp_department | emp_salary | emp_city |
+-----+-----+-----+-----+-----+-----+
| 101 | Arun | 24 | IT | 65000.00 | Lucknow |
| 102 | K.M. | 24 | HR | 45000.00 | Maharajganj |
| 103 | Anshuman | 23 | SED | 55000.00 | kushinagar |
| 104 | Anil | 25 | WebDev | 35000.00 | Mirjapur |
| 105 | Vikas | 29 | IT | 48000.00 | Delhi |
| 106 | Neha | 23 | HR | 38000.00 | Lucknow |
| 107 | Suresh | 35 | Finance | 80000.00 | Lucknow |
| 108 | Alok | 27 | IT | 55000.00 | Delhi |
| 109 | Priya | 30 | Marketing | 42000.00 | Delhi |
| 110 | Rohan | 25 | IT | 50000.00 | Lucknow |
+-----+-----+-----+-----+-----+-----+
```

10 rows in set (0.0007 sec)

MySQL localhost:3306 ssl company_db SQL > UPDATE employees

-> SET emp_name='Aman'

-> SET emp_city='Maharajgang'

-> WHERE emp_id=107;

ERROR: 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'SET emp_city='Maharajgang'

WHERE emp_id=107' at line 3

MySQL localhost:3306 ssl company_db SQL > update employees

-> set emp_name='Aman',set emp_city='Maharajgang'

-> where emp_id=107;

ERROR: 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'set emp_city='Maharajgang'

where emp_id=107' at line 2

MySQL localhost:3306 ssl company_db SQL > update employees

-> set emp_name='Aman'

-> where emp_id=107;

Query OK, 1 row affected (0.0049 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MySQL localhost:3306 ssl company_db SQL > select * from employees;

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
101	Arun	24	IT	65000.00	Lucknow
102	K.M.	24	HR	45000.00	Maharajganj
103	Anshuman	23	SED	55000.00	kushinagar
104	Anil	25	WebDev	35000.00	Mirjapur
105	Vikas	29	IT	48000.00	Delhi
106	Neha	23	HR	38000.00	Lucknow
107	Aman	35	Finance	80000.00	Lucknow
108	Alok	27	IT	55000.00	Delhi
109	Priya	30	Marketing	42000.00	Delhi
110	Rohan	25	IT	50000.00	Lucknow

10 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > update employees set emp_city='Maharajganj' where emp_id=107;

Query OK, 1 row affected (0.0053 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MySQL localhost:3306 ssl company_db SQL > select * from employees;

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
101	Arun	24	IT	65000.00	Lucknow
102	K.M.	24	HR	45000.00	Maharajganj

	103		Anshuman		23		SED		55000.00		kushinagar	
	104		Anil		25		WebDev		35000.00		Mirjapur	
	105		Vikas		29		IT		48000.00		Delhi	
	106		Neha		23		HR		38000.00		Lucknow	
	107		Aman		35		Finance		80000.00		Maharajganj	
	108		Alok		27		IT		55000.00		Delhi	
	109		Priya		30		Marketing		42000.00		Delhi	
	110		Rohan		25		IT		50000.00		Lucknow	

```
+-----+-----+-----+-----+-----+-----+
```

10 rows in set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > DELETE FROM employees

-> WHERE emp_id = 109;

Query OK, 1 row affected (0.0054 sec)

MySQL localhost:3306 ssl company_db SQL > select * from employees;

```
+-----+-----+-----+-----+-----+-----+
```

	emp_id		emp_name		emp_age		emp_department		emp_salary		emp_city	
--	--------	--	----------	--	---------	--	----------------	--	------------	--	----------	--

```
+-----+-----+-----+-----+-----+-----+
```

	101		Arun		24		IT		65000.00		Lucknow	
	102		K.M.		24		HR		45000.00		Maharajganj	
	103		Anshuman		23		SED		55000.00		kushinagar	
	104		Anil		25		WebDev		35000.00		Mirjapur	
	105		Vikas		29		IT		48000.00		Delhi	
	106		Neha		23		HR		38000.00		Lucknow	
	107		Aman		35		Finance		80000.00		Maharajganj	
	108		Alok		27		IT		55000.00		Delhi	
	110		Rohan		25		IT		50000.00		Lucknow	

```
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_salary > 50000;

```
+-----+-----+-----+-----+-----+-----+
```

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
--------	----------	---------	----------------	------------	----------

101	Arun	24	IT	65000.00	Lucknow
-----	------	----	----	----------	---------

103	Anshuman	23	SED	55000.00	kushinagar
-----	----------	----	-----	----------	------------

107	Aman	35	Finance	80000.00	Maharajganj
-----	------	----	---------	----------	-------------

108	Alok	27	IT	55000.00	Delhi
-----	------	----	----	----------	-------

4 rows in set (0.0029 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_department = 'IT';

101	Arun	24	IT	65000.00	Lucknow
-----	------	----	----	----------	---------

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
--------	----------	---------	----------------	------------	----------

101	Arun	24	IT	65000.00	Lucknow
-----	------	----	----	----------	---------

105	Vikas	29	IT	48000.00	Delhi
-----	-------	----	----	----------	-------

108	Alok	27	IT	55000.00	Delhi
-----	------	----	----	----------	-------

110	Rohan	25	IT	50000.00	Lucknow
-----	-------	----	----	----------	---------

4 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_city = 'Lucknow';

101	Arun	24	IT	65000.00	Lucknow
-----	------	----	----	----------	---------

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
--------	----------	---------	----------------	------------	----------

101	Arun	24	IT	65000.00	Lucknow
-----	------	----	----	----------	---------

106	Neha	23	HR	38000.00	Lucknow
-----	------	----	----	----------	---------

110	Rohan	25	IT	50000.00	Lucknow
-----	-------	----	----	----------	---------

3 rows in set (0.0007 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_salary BETWEEN 40000 AND 60000;

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
102	K.M.	24	HR	45000.00	Maharajganj
103	Anshuman	23	SED	55000.00	kushinagar
105	Vikas	29	IT	48000.00	Delhi
108	Alok	27	IT	55000.00	Delhi
110	Rohan	25	IT	50000.00	Lucknow

5 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees
-> WHERE emp_name LIKE 'A%';

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
101	Arun	24	IT	65000.00	Lucknow
103	Anshuman	23	SED	55000.00	kushinagar
104	Anil	25	WebDev	35000.00	Mirjapur
107	Aman	35	Finance	80000.00	Maharajganj
108	Alok	27	IT	55000.00	Delhi

5 rows in set (0.0011 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees
-> WHERE emp_name LIKE '%a';

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
106	Neha	23	HR	38000.00	Lucknow

1 row in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_department IN ('IT', 'HR');

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
101	Arun	24	IT	65000.00	Lucknow
102	K.M.	24	HR	45000.00	Maharajganj
105	Vikas	29	IT	48000.00	Delhi
106	Neha	23	HR	38000.00	Lucknow
108	Alok	27	IT	55000.00	Delhi
110	Rohan	25	IT	50000.00	Lucknow

6 rows in set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_age > 25 AND emp_salary > 50000;

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
107	Aman	35	Finance	80000.00	Maharajganj
108	Alok	27	IT	55000.00	Delhi

2 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_salary IS NULL;

Empty set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> WHERE emp_salary IS NOT NULL;

emp_id	emp_name	emp_age	emp_department	emp_salary	emp_city
101	Arun	24	IT	65000.00	Lucknow
102	K.M.	24	HR	45000.00	Maharajganj

	103		Anshuman		23		SED		55000.00		kushinagar	
	104		Anil		25		WebDev		35000.00		Mirjapur	
	105		Vikas		29		IT		48000.00		Delhi	
	106		Neha		23		HR		38000.00		Lucknow	
	107		Aman		35		Finance		80000.00		Maharajganj	
	108		Alok		27		IT		55000.00		Delhi	
	110		Rohan		25		IT		50000.00		Lucknow	

```
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> ORDER BY emp_salary ASC;

```
+-----+-----+-----+-----+-----+-----+
```

	emp_id		emp_name		emp_age		emp_department		emp_salary		emp_city	
--	--------	--	----------	--	---------	--	----------------	--	------------	--	----------	--

```
+-----+-----+-----+-----+-----+-----+
```

	104		Anil		25		WebDev		35000.00		Mirjapur	
--	-----	--	------	--	----	--	--------	--	----------	--	----------	--

	106		Neha		23		HR		38000.00		Lucknow	
--	-----	--	------	--	----	--	----	--	----------	--	---------	--

MySQL localhost:3306 ssl company_db SQL > \py

Switching to Python mode...

MySQL localhost:3306 ssl company_db Py > \sql

Switching to SQL mode... Commands end with ;

MySQL localhost:3306 ssl company_db SQL > SELECT * FROM employees

-> ORDER BY emp_salary DESC;

```
+-----+-----+-----+-----+-----+-----+
```

	emp_id		emp_name		emp_age		emp_department		emp_salary		emp_city	
--	--------	--	----------	--	---------	--	----------------	--	------------	--	----------	--

```
+-----+-----+-----+-----+-----+-----+
```

	107		Aman		35		Finance		80000.00		Maharajganj	
--	-----	--	------	--	----	--	---------	--	----------	--	-------------	--

	101		Arun		24		IT		65000.00		Lucknow	
--	-----	--	------	--	----	--	----	--	----------	--	---------	--

	103		Anshuman		23		SED		55000.00		kushinagar	
--	-----	--	----------	--	----	--	-----	--	----------	--	------------	--

	108		Alok		27		IT		55000.00		Delhi	
--	-----	--	------	--	----	--	----	--	----------	--	-------	--

	110		Rohan		25		IT		50000.00		Lucknow	
--	-----	--	-------	--	----	--	----	--	----------	--	---------	--

	105		Vikas		29		IT		48000.00		Delhi	
--	-----	--	-------	--	----	--	----	--	----------	--	-------	--

	102		K.M.		24		HR		45000.00		Maharajganj	
	106		Neha		23		HR		38000.00		Lucknow	
	104		Anil		25		WebDev		35000.00		Mirjapur	

```
+-----+-----+-----+-----+-----+-----+
```

9 rows in set (0.0111 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, COUNT(*) AS total_employees

-> FROM employees

-> GROUP BY emp_department;

```
+-----+-----+
```

	emp_department		total_employees	
--	----------------	--	-----------------	--

```
+-----+-----+
```

	IT		4	
--	----	--	---	--

	HR		2	
--	----	--	---	--

	SED		1	
--	-----	--	---	--

	WebDev		1	
--	--------	--	---	--

	Finance		1	
--	---------	--	---	--

```
+-----+-----+
```

5 rows in set (0.0059 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, AVG(emp_salary) AS average_salary

-> FROM employees

-> GROUP BY emp_department;

```
+-----+-----+
```

	emp_department		average_salary	
--	----------------	--	----------------	--

```
+-----+-----+
```

	IT		54500.000000	
--	----	--	--------------	--

	HR		41500.000000	
--	----	--	--------------	--

	SED		55000.000000	
--	-----	--	--------------	--

	WebDev		35000.000000	
--	--------	--	--------------	--

	Finance		80000.000000	
--	---------	--	--------------	--

```
+-----+-----+
```

5 rows in set (0.0026 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, MAX(emp_salary) AS max_salary

-> FROM employees

-> GROUP BY emp_department;

```
+-----+-----+
| emp_department | max_salary |
+-----+-----+
| IT            | 65000.00  |
| HR            | 45000.00  |
| SED           | 55000.00  |
| WebDev        | 35000.00  |
| Finance       | 80000.00  |
+-----+-----+
```

5 rows in set (0.0010 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, COUNT(*) AS employee_count

-> FROM employees

-> GROUP BY emp_department

-> HAVING COUNT(*) > 5;

Empty set (0.0031 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, AVG(emp_salary) AS avg_salary

-> FROM employees

-> GROUP BY emp_department

-> HAVING AVG(emp_salary) > 60000;

```
+-----+-----+
| emp_department | avg_salary |
+-----+-----+
| Finance       | 80000.000000 |
+-----+-----+
```

1 row in set (0.0027 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, AVG(emp_salary) AS avg_salary

-> FROM employees

-> GROUP BY emp_department

-> ORDER BY avg_salary DESC;

```
+-----+-----+
| emp_department | avg_salary |
+-----+-----+
| Finance      | 80000.000000 |
| SED         | 55000.000000 |
| IT          | 54500.000000 |
| HR          | 41500.000000 |
| WebDev      | 35000.000000 |
+-----+-----+
```

5 rows in set (0.0010 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_city, COUNT(*) AS employee_count

-> FROM employees

-> GROUP BY emp_city;

```
+-----+-----+
| emp_city | employee_count |
+-----+-----+
| Lucknow  | 3 |
| Maharajganj | 2 |
| kushinagar | 1 |
| Mirjapur | 1 |
| Delhi    | 2 |
+-----+-----+
```

5 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_city, COUNT(*) AS employee_count

-> FROM employees

-> GROUP BY emp_city

-> HAVING COUNT(*) > 3;

Empty set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT COUNT(*) AS total_employees

-> FROM employees;

```
+-----+
| total_employees |
+-----+
|          9      |
+-----+
```

1 row in set (0.0170 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT SUM(emp_salary) AS total_salary_expense

-> FROM employees;

```
+-----+
| total_salary_expense |
+-----+
|      471000.00      |
+-----+
```

1 row in set (0.0025 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT AVG(emp_salary) AS overall_average_salary

-> FROM employees;

```
+-----+
| overall_average_salary |
+-----+
|    52333.333333       |
+-----+
```

1 row in set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT MAX(emp_salary) AS highest_salary

-> FROM employees;

```
+-----+
| highest_salary |
+-----+
```

```
| 80000.00 |
```

```
+-----+
```

1 row in set (0.0007 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT MIN(emp_salary) AS lowest_salary

-> FROM employees;

```
+-----+
```

```
| lowest_salary |
```

```
+-----+
```

```
| 35000.00 |
```

```
+-----+
```

1 row in set (0.0025 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT AVG(emp_salary) AS it_average_salary

-> FROM employees

-> WHERE emp_department = 'IT';

```
+-----+
```

```
| it_average_salary |
```

```
+-----+
```

```
| 54500.000000 |
```

```
+-----+
```

1 row in set (0.0025 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT MAX(emp_salary) AS hr_highest_salary

-> FROM employees

-> WHERE emp_department = 'HR';

```
+-----+
```

```
| hr_highest_salary |
```

```
+-----+
```

```
| 45000.00 |
```

```
+-----+
```

1 row in set (0.0007 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT SUM(emp_salary) AS finance_total_salary

-> FROM employees

-> WHERE emp_department = 'Finance';

```
+-----+
| finance_total_salary |
+-----+
|      80000.00 |
+-----+
```

1 row in set (0.0007 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT COUNT(*) AS delhi_employee_count

-> FROM employees

-> WHERE emp_city = 'Delhi';

```
+-----+
| delhi_employee_count |
+-----+
|          2 |
+-----+
```

1 row in set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT AVG(emp_salary) AS avg_salary_above_50k

-> FROM employees

-> WHERE emp_salary > 50000;

```
+-----+
| avg_salary_above_50k |
+-----+
|  63750.000000 |
+-----+
```

1 row in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, SUM(emp_salary) AS total_department_salary

-> FROM employees

-> GROUP BY emp_department;

```
+-----+-----+
| emp_department | total_department_salary |
```

IT		218000.00
HR		83000.00
SED		55000.00
WebDev		35000.00
Finance		80000.00

5 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, AVG(emp_salary) AS avg_department_salary

-> FROM employees

-> GROUP BY emp_department;

emp_department		avg_department_salary
IT		54500.000000
HR		41500.000000
SED		55000.000000
WebDev		35000.000000
Finance		80000.000000

5 rows in set (0.0008 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, AVG(emp_salary) AS highest_avg_salary

-> FROM employees

-> GROUP BY emp_department

-> ORDER BY highest_avg_salary DESC

-> LIMIT 1;

emp_department		highest_avg_salary

Finance		80000.000000	
---------	--	--------------	--

+-----+	+-----+
---------	---------

1 row in set (0.0027 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_department, SUM(emp_salary) AS highest_total_salary

-> FROM employees

-> GROUP BY emp_department

-> ORDER BY highest_total_salary DESC

-> LIMIT 1;

+-----+	+-----+
---------	---------

emp_department		highest_total_salary	
----------------	--	----------------------	--

+-----+	+-----+
---------	---------

IT		218000.00	
----	--	-----------	--

+-----+	+-----+
---------	---------

1 row in set (0.0009 sec)

MySQL localhost:3306 ssl company_db SQL > SELECT emp_city, COUNT(*) AS total_employees

-> FROM employees

-> GROUP BY emp_city;

+-----+	+-----+
---------	---------

emp_city		total_employees	
----------	--	-----------------	--

+-----+	+-----+
---------	---------

Lucknow		3	
---------	--	---	--

Maharajganj		2	
-------------	--	---	--

kushinagar		1	
------------	--	---	--

Mirjapur		1	
----------	--	---	--

Delhi		2	
-------	--	---	--

+-----+	+-----+
---------	---------

5 rows in set (0.0009 sec)