
Experiment no. 1

Aim : write the basic HTML 5 document structure and implement all six headings tags(<h1> to <h6>) with sample text.

Code:

```
<html>
<head>
</head>
<body>
Experiment no.1<br>
<h1> This is the heading 1</h1>
<br>
<h2>This is the  heading 2</h2>
<br>
<h3>This is the heading 3</h3>
<br>
<h4>This is the  heading 4</h4>
<br>
<h5>This is the heading 5</h5>
<br>
<h6>This is the smallest heading </h6>
<br>
</body>
</html>
```

Output:



Experiment no. 2

Aim : **create a paragraph and apply text formatting tags(<b>,<I>,<u>,,) to given content.**

Code:

```
<html>
<head>
</head>
<body>
Experiment  no. 2<br>
<p>
The<b>text</b>written as below is<b>bold</b><b>This is too bold</b><br>
The text written below is in<I>italic text format</I>
<I> I want to travel the world</I><br>
The text written below is <u>underlined</u>
<u>firstly my own country</u>
The text written below is in<strong> strong text format</strong>
<strong>Roman Reigns is very strong</strong><br>
The text written below is in<em>emphasis text format</em>
<em>This is emphasized</em><br>
</p>
</body>
</html>
```

Output:

Experiment no. 2

The**text**written as below is **bold**__**This is too bold**__

The text written below is in *italic text format I want to travel the world*

The text written below is underlined firstly my own country

The text written below is in **strong text format Roman Reigns is very strong**

The text written below is in *emphasis text format This is emphasized*

Experiment no. 3

Aim : create a order list (<ol>)for a recipe's steps and unordered list(<ul>) for its ingredients on the same page.

Code:

```
<html>
<head>
</head>
<body>
Experiment no.3<br>
<h1>Masala Maggi </h1>
<h2> Recipe</h2>
<ol>
<li>Boil water is a pot</li>
<li>Add maggi and masala </li>
<li>Stir well</li>
<li>Serve well</li>
</ol>
<h2> Ingredients</h2>
<ul type="disc">
<li>1 Pack of maggi</li>
<li>3 cups of water </li>
<li>Masala</li>
</ul>
</body>
</html>
```

Output:

Experiment no.3

Masala Maggi

Recipe

1. Boil water is a pot
2. Add maggi and masala
3. Stir well
4. Serve well

Ingredients

- 1 Pack of maggi
- 3 cups of water
- Masala

Experiment no. 4


Aim: Build a nested list showing a book hierarchy: category a books chapters using <ul> and <ol> together.

Code:

```
<html>
<head>
</head>
<body>
Experiment no. 4<br>
<ol>
<b><font size="3"><li>Category of books</li></font></b>
<ul type="disc">
<b><font size="3"><li>Fiction</li><font></b>
<ol>
<li>THE GREAT SEA</li>
<ul disc="circle">
<li>Chapter one: Introduction to Great sea</li>
<li>Chapter two: The journey begins</li>
</ul>
</ol>
<b><font size="3"><li>Non-fiction</li></font></b>
<ol>
 <li>THE GRAVITY</li>
<ul type="circle">
<li>Chapter one: Introduction to gravity</li>
 <li>Chapter two: How it works</li>

</ul>
</ol>
</ul>
</ol>
</body>
</html>
```

Output:



Experiment no.- 5

Aim : Insert an image using <img> and set src, alt, width, and title attributes with valid paths.

Code:

```
<html>
<head>
</head>
<body>
Experiment no. 5<br>
<img src="c:\Users\LOQ\Downloads\images.jpg" alt=" 007 first light"
height="500px" width="800px" title="This is a reference image">
</body> </html>
```

Output:



Experiment no.- 6

Aim: Set a background image of the entire web page within the <body>tag.

Code:

```
<html>
<head>
</head>
<body>
<body background="c:\Users\LOQ\Downloads\images.jpg">
<h1> welcome to my page</h1>

</body>
</html>
```

Output:



Experiment no.- 7

Aim: Create a internal anchor links that jump to sections on the same page and external link to a university website.

Code:

```
<html>
<head>
</head>
<body>
<body id="top">
<h2>Experiment no. 7</h2>
<a href="# academics">Go to section 1</a><br>
<a href="# academics">Go to section 2</a><br>
<a href="https://www.chitkara.edu.in/" target="_blank">Chitkara official
Website link</a>
<br><br> <br><br> <br><br> <br><br> <br><br> <br><br> <br><br>
<br><br> <br><br>
<br><br> <br><br> <br><br> <br><br> <br><br> <br><br> <br><br>
<br><br> <br><br>
<br><br> <br><br>
<section id="academics">
<h3>section 1</h3>
<a href="#top">Back to top</a>
</section>
<br><br> <br><br> <br><br> <br><br> <br><br> <br><br> <br><br>
<br><br> <br><br>
<br><br> <br><br> <br><br> <br><br> <br><br> <br><br> <br><br>
<br><br> <br><br> <br><br>
<section id="admissions">
<h3>Section 2</h3>
<a href="#top">Back to top</a>
</section>
<br><br> <br><br> <br><br>
<br><br> <br><br> <br><br>
<br><br> <br><br> <br><br> <br
</body> </html>
```

Output:



Experiment no.- 8

Aim : Design an image map with clickable regions.

Code:

```
<html>
<head>
</head>
<body>
<area shape="rect" coords="312,312,244,278"
href="https://en.wikipedia.org/wiki/Delhi"          alt="State 1">
   <area shape="rect" coords="221,430,374,426"
href="https://en.wikipedia.org/wiki/Madhya Pradesh"  alt="State 2">
   <area shape="rect" coords="217,355,134,332"
href="https://en.wikipedia.org/wiki/Rajasthan"       alt="State 3">
   <area shape="circle" coords="185,244,227"
href="https://en.wikipedia.org/wiki/Punjab"       alt="State 4">
   <area shape="poly" coords="154,458,101,425,122,422" href="
https://en.wikipedia.org/wiki/Gujarat"       alt="State 5">
```

Output :




Experiment no.- 9

Aim : Build a student mark sheet table.

Code:

```
<html>
<head>
</head>
<body>
Experiment no. 9<br>
<table border="2"cellspacing="0" cellpadding="5" align="center">
<tr>
<th>Sr No.</th>
<th>Student Name</th>
<th>Student Roll No.</th>
<th>Student Marks</th>
</tr>
<tr>
<td>1</td>
<td>987</td>
<td>A</td>
<td>90</td>
</tr>
<tr>
<td>2</td>
<td>988</td>
<td>B</td>
<td>85</td>
</tr>
</body>
</html>
```

Output:



Experiment no. 9

Sr No.	Student Roll no.	Student Name	Student Marks
1	Karan	A	90
2	Harman	B	85

Experiment no.- 10

Aim: create a nested time table

Code:

```
<!DOCTYPE html>
<html>
<head>
   <title>HTML Nested Time Table</title>
</head>
<body>
<h2 align="center">Weekly Schedule</h2>
<table border="1" width="100%" cellpadding="10"
cellspacing="0">
<thead>
<tr bgcolor="grey">
<th>Time</th>
<th>Monday</th>
<th>Tuesday</th>
<th>Wednesday</th>
</tr>
</thead>
<body>
<tr>
<td><strong>09:00 AM - 11:00 AM</strong></td>
<td>Mathematics</td>
<td>Physics</td>
<td>Chemistry</td>
 </tr>
<tr>
<td><strong>11:00 AM - 12:00 PM</strong></td>
```

```
 <td colspan="3" align="center"
bgcolor="#eaeaea"><strong>LUNCH
BREAK</strong></td>
</tr>
  <td><strong>12:00 PM - 03:00 PM</strong></td>
<td>Computer Science</td>
<td valign="top" cellpadding="0" cellspacing="0">
<table border="1" width="100%" cellpadding="8"
cellspacing="0">
<tr>
<td bgcolor="#fffde7"><strong>12:00 -
01:30</strong><br>Physics Lab A</td>
</tr>
<tr>
<td bgcolor="#fffde7"><strong>01:30 -
03:00</strong><br>Physics Lab B</td>
</tr>
</table>
 </td>
<td>Biology</td>
 </tr>
 </body>
</table>
</body>
```

Output :

Weekly Schedule

Time	Monday	Tuesday	Wednesday
09:00 AM - 11:00 AM	Mathematics	Physics	Chemistry
11:00 AM - 12:00 PM	LUNCH BREAK		
12:00 PM - 03:00 PM	Computer Science	12:00 - 01:30 Physics Lab A 01:30 - 03:00 Physics Lab B	Biology


Experiment no.- 11

Aim: design a table using rowspan and colspan.

Code:

```
<html>
<head>
</head>
<body>
Experiment no.11<br>
<table border="4" cellspacing="5" align="center">
<tr>
<th>Name</th>
<th>Roll NO.</th>
</tr>
<tr>
<td>A</td>
<td>B</td>
</tr>
<tr>
<td colspan="2">C</td>
<td rowspan=2>D</td>
</tr>
</table>
</body> </html>
```

Output:



Experiment no.- 12

Aim: Build a registration form using Get method.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
</head>
<body bgcolor="pink">

   <fieldset>
      <legend align="center" ><h2>STUDENT REGISTRATION
FORMS</h2></legend>


      <form>
         <table align=" cneter" cellpadding="10px">
            <tr>
               <td><label for="firstName">FIRST NAME</label></td>
               <td><input type="text" maxlength="30"
name="firstName" id="firstName" placeholder="(max 30 charcters
a-z and A-Z)" required></td>
            </tr>
            <tr>
               <td><label for="email">EMAIL ID</label></td>
               <td><input type="email" name="email" id="email"
placeholder="randomeamil.com" required></td>
            </tr>
            <tr>
               <td><label for="phoneNumber">PHONE
NUMBER</label></td>
               <td><input type="tel" name="phoneNumber"
id="phoneNumber" placeholder="000-000-0000" required></td>
            </tr>
            <tr>
               <td><label for="gender">GENDER</label></td>
               <td>
                  <input type="radio" name="gender"
id="male"><label for="male">Male</label>
```

```
                    <input type="radio" name="gender"
id="female"><label for="female">Female</label>
                    <input type="radio" name="gender"
id="non_Binary"><label for="non_Binary">Non-binary</label>
                    <input type="radio" name="gender"
id="pnts"><label for="pnts">Prefer not to say</label>
                </td>
            </tr>
            <tr rowspan="4">
                <td><label for="address">ADDRESS</label></td>
                <td colspan="30">
                <textarea name="address" id="address"
placeholder="Enter your full address" required></textarea></td>
            </tr>
            <tr>
                <td><label for="city">CITY</label></td>
                <td><input type="text" name="city" id="city"
placeholder="Enter City" required></td>
            </tr>
            <tr>
                <td><label for="pinCode">PIN CODE</label></td>
                <td><input type="text" name="pinCode" id="pinCode"
maxlength="6" placeholder="Enter 6-digit pin" required></td>
            </tr>
            <tr>
                <td><label for="state">STATE</label></td>
                <td><input type="text" name="state" id="state"
placeholder="Enter state" required></td>
            </tr>
            <tr>
                <td><label for="country">COUNTRY</label></td>
                <td><input type="text" name="country" id="country"
placeholder="Enter country" required></td>
            </tr>
            <tr>
                <td><label for="hobbies">HOBBIES</label></td>
                <td colspan="4">
                <input type="checkbox" name="drawing"
id="drawing"><label for="drawing">Drawing</label>
                <input type="checkbox" name="singing"
id="singing"><label for="singing">Singing</label>
```

```
                <input type="checkbox" name="dancin"
id="dancin"><label for="dancing">Dancing</label>
                <input type="checkbox" name="sketching"
id="sketching"><label for="sketching">Sketching</label>
                Others <input type="text" name="otherHobbies">
                </td>
            </tr>
            <tr rowspan="4">
                <td><label
for="qualification">QUALIFICATION</label></td>
                <td>
                    <table>
                        <tr>
                        <th align="center">Sl.NO.Examinatin</th>
                        <th align="center">Board</th>
                        <th align="center">Percentage</th>
                        <th align="center">Year of Passing</th>
                        </tr>
                        <tr>
                            <td>1. Class X</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>2. Class XII</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>3. Graduation</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>4. Masters</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
```

```
                    <tr>
                        <td></td>
                        <td align="center">(10 charcters max)</td>
                        <td align="center">(Upto 2 Decimal)</td>
                    </tr>
                </table>
            </td>
        </tr>
        <tr>
            <td><label for="couresApplied">COURE APPLIED
FOR</label></td>
            <td>
                BCA<input type="radio" name="couresApplied"
id="bca">
                B.Com<input type="radio" name="couresApplied"
id="bcom">
                B.Sc<input type="radio" name="couresApplied"
id="bsc">
                B.A<input type="radio" name="couresApplied"
id="ba">
            </td>
        </tr>
        <tr>
            <td></td>
            <td>
                <input type="submit" value="submit">
                <input type="reset" value="reset">
            </td>
        </tr>
    </table>
  </form>
 </fieldset>
</body>
</html>
```

Output:



STUDENT REGISTRATION FORMS

FIRST NAME (max 30 charcters a-z and A

EMAIL ID randomeamil.com

PHONE NUMBER 000-000-0000

GENDER ○ Male ○ Female ○ Non-binary ○ Prefer not to say

ADDRESS Enter your full address

CITY Enter City

PIN CODE Enter 6-digit pin

STATE Enter state

COUNTRY Enter country

HOBBIES ☐ Drawing ☐ Singing ☐ Dancing ☐ Sketching Others

QUALIFICATION

Sl.NO.Examinatin	Board	Percentage	Year of Passing
1. Class X			
2. Class XII			
3. Graduation			
4. Masters			
	(10 charcters max)	(Upto 2 Decimal)	

COURE APPLIED FOR BCA ○ B.Com ○ B.Sc ○ B.A ○

submit reset

NAME : AMANPREET SINGH
ROLLNO : 2610997004

EXPERIMENT NO : 13


Aim: **Build a feedback form using POST method.**

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title> DELL FEEDBACK FORM </title>
</head>
<body>
   <fieldset>
      <legend>DELL FEEDBACK FORM</legend>
      <table>
         <tr>
            <td>Name</td>
            <td><input type="text" maxlength="30"
placeholder="your name"></td>
         </tr>
         <tr>
            <td>Email</td>
            <td><input type="email" placeholder="Your Email"></td>
         </tr>
         <tr>
            <td>Address</td>
            <td><textarea rows="4" cols="20"></textarea></td>
         </tr>
         <tr>
            <td>Post Code</td>
            <td><input type="text"></td>
         </tr>
         <tr>
            <td colspan="2">
               <table style="margin: 0 auto; border-collapse:
collapse;" cellpadding="10" border="1">
                  <tr>
                     <th>Product</th>
                     <th>Product Image</th>
                     <th>Quantity</th>
                     <th>Unit Price</th>
```

```
 <th>Subtotal</th>
  </tr>
   <tr>
 <td>Dell Pro</td>
 <td><img src="e:\ gta 5\shopping.webp" height="50px"
width="50px" alt="Dell Pro"></td>
  <td><progress value="70" max="100">70%</progress></td>
   <td>1,50,000</td>
    <td><input type="text"></td>
     </tr>
      <tr>
  <td>Dell Alienware</td>
  <td><img src=" e:\ gta 5\shopping (1).webp" width="60px"
height="60px" alt="Dell Alienware"></td>
  <td><progress value="70" max="100">70%</progress></td>
  <td>2,50,000</td> <!-- Fixed: Changed unclosed <td> to </td>
   <td><input type="text"></td>
     </tr>
    <tr>
 <td>Dell Alienware Ultra </td>
 <td><img src=" e:\ gta 5\shopping (3).webp" height="60px"
width="60px" alt="Alien ware ultra "></td>  <td><progress
value="70" max="100">70%</progress></td>
<td>3,00,000</td> <!-- Fixed: Changed unclosed <td> to </td> -->
 <td><input type="text"></td>
                  </tr>
               </table>
            </td>
         </tr>
      </table>
   </fieldset>
</body>
</html>
```

Output:



Experiment no.- 14

Aim: Compare GET and POST methods.

Code:

Get method:

```
<!DOCTYPE html>
<html lang="en">
<head>
</head>
<body bgcolor="pink">

   <fieldset>
      <legend align="center" ><h2>STUDENT REGISTRATION
FORMS</h2></legend>

      <form>
         <table align=" cneter" cellpadding="10px">
            <tr>
               <td><label for="firstName">FIRST NAME</label></td>
               <td><input type="text" maxlength="30"
name="firstName" id="firstName" placeholder="(max 30 charcters
a-z and A-Z)" required></td>
            </tr>
            <tr>
               <td><label for="email">EMAIL ID</label></td>
               <td><input type="email" name="email" id="email"
placeholder="randomeamil.com" required></td>
            </tr>
            <tr>
               <td><label for="phoneNumber">PHONE
NUMBER</label></td>
               <td><input type="tel" name="phoneNumber"
id="phoneNumber" placeholder="000-000-0000" required></td>
            </tr>
            <tr>
               <td><label for="gender">GENDER</label></td>
               <td>
```

```
                    <input type="radio" name="gender"
id="male"><label for="male">Male</label>
                    <input type="radio" name="gender"
id="female"><label for="female">Female</label>
                    <input type="radio" name="gender"
id="non_Binary"><label for="non_Binary">Non-binary</label>
                    <input type="radio" name="gender"
id="pnts"><label for="pnts">Prefer not to say</label>
                </td>
            </tr>
            <tr rowspan="4">
                <td><label for="address">ADDRESS</label></td>
                <td colspan="30">
                <textarea name="address" id="address"
placeholder="Enter your full address" required></textarea></td>
            </tr>
            <tr>
                <td><label for="city">CITY</label></td>
                <td><input type="text" name="city" id="city"
placeholder="Enter City" required></td>
            </tr>
            <tr>
                <td><label for="pinCode">PIN CODE</label></td>
                <td><input type="text" name="pinCode" id="pinCode"
maxlength="6" placeholder="Enter 6-digit pin" required></td>
            </tr>
            <tr>
                <td><label for="state">STATE</label></td>
                <td><input type="text" name="state" id="state"
placeholder="Enter state" required></td>
            </tr>
            <tr>
                <td><label for="country">COUNTRY</label></td>
                <td><input type="text" name="country" id="country"
placeholder="Enter country" required></td>
            </tr>
            <tr>
                <td><label for="hobbies">HOBBIES</label></td>
                <td colspan="4">
                <input type="checkbox" name="drawing"
id="drawing"><label for="drawing">Drawing</label>
```

```
                <input type="checkbox" name="singing"
id="singing"><label for="singing">Singing</label>
                <input type="checkbox" name="dancin"
id="dancin"><label for="dancing">Dancing</label>
                <input type="checkbox" name="sketching"
id="sketching"><label for="sketching">Sketching</label>
                Others <input type="text" name="otherHobbies">
                </td>
            </tr>
            <tr rowspan="4">
                <td><label
for="qualification">QUALIFICATION</label></td>
                <td>
                    <table>
                        <tr>
                        <th align="center">Sl.NO.Examinatin</th>
                        <th align="center">Board</th>
                        <th align="center">Percentage</th>
                        <th align="center">Year of Passing</th>
                        </tr>
                        <tr>
                            <td>1. Class X</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>2. Class XII</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>3. Graduation</td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                            <td><input type="text" required></td>
                        </tr>
                        <tr>
                            <td>4. Masters</td>
                            <td><input type="text" required></td>
```

```
                    <td><input type="text" required></td>
                    <td><input type="text" required></td>
                </tr>
                <tr>
                    <td></td>
                    <td align="center">(10 charcters max)</td>
                    <td align="center">(Upto 2 Decimal)</td>
                </tr>
            </table>
        </td>
    </tr>
    <tr>
        <td><label for="couresApplied">COURE APPLIED
FOR</label></td>
        <td>
            BCA<input type="radio" name="couresApplied"
id="bca">
            B.Com<input type="radio" name="couresApplied"
id="bcom">
            B.Sc<input type="radio" name="couresApplied"
id="bsc">
            B.A<input type="radio" name="couresApplied"
id="ba">
        </td>
    </tr>
    <tr>
        <td></td>
        <td>
            <input type="submit" value="submit">
            <input type="reset" value="reset">
        </td>
    </tr>
</table>
</form>
</fieldset>
</body>
</html>
```

Post method:

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
    <meta charset="UTF-8">
    <title> DELL FEEDBACK FORM </title>
</head>
<body>
    <fieldset>
        <legend>DELL FEEDBACK FORM</legend>
        <table>
            <tr>
                <td>Name</td>
                <td><input type="text" maxlength="30"
placeholder="your name"></td>
            </tr>
            <tr>
                <td>Email</td>
                <td><input type="email" placeholder="Your Email"></td>
            </tr>
            <tr>
                <td>Address</td>
                <td><textarea rows="4" cols="20"></textarea></td>
            </tr>
            <tr>
                <td>Post Code</td>
                <td><input type="text"></td>
            </tr>
            <tr>
                <td colspan="2">
                    <table style="margin: 0 auto; border-collapse:
collapse;" cellpadding="10" border="1">
                        <tr>
                            <th>Product</th>
                            <th>Product Image</th>
                            <th>Quantity</th>
                            <th>Unit Price</th>
 <th>Subtotal</th>
   </tr>
    <tr>
  <td>Dell Pro</td>
  <td><img src="e:\ gta 5\shopping.webp" height="50px"
width="50px" alt="Dell Pro"></td>
   <td><progress value="70" max="100">70%</progress></td>
    <td>1,50,000</td>
     <td><input type="text"></td>
```

```
      </tr>
       <tr>
   <td>Dell Alienware</td>
   <td><img src=" e:\ gta 5\shopping (1).webp" width="60px"
height="60px" alt="Dell Alienware"></td>
   <td><progress value="70" max="100">70%</progress></td>
   <td>2,50,000</td> <!-- Fixed: Changed unclosed <td> to </td>
    <td><input type="text"></td>
      </tr>
     <tr>
 <td>Dell Alienware Ultra </td>
 <td><img src=" e:\ gta 5\shopping (3).webp" height="60px"
width="60px" alt=" Dell Alien ware ultra "></td> <td><progress
value="70" max="100">70%</progress></td>
<td>3,00,000</td> <!-- Fixed: Changed unclosed <td> to </td> -->
  <td><input type="text"></td>
                    </tr>
                 </table>
              </td>
           </tr>
        </table>
     </fieldset>
</body>
</html>
```

Output:

STUDENT REGISTRATION FORMS

FIRST NAME (max 30 charcters a-z and A-

EMAIL ID randomeamil.com

PHONE NUMBER 000-000-0000

GENDER ○ Male ○ Female ○ Non-binary ○ Prefer not to say

ADDRESS Enter your full address

CITY Enter City

PIN CODE Enter 6-digit pin

STATE Enter state

COUNTRY Enter country

HOBBIES ☐ Drawing ☐ Singing ☐ Dancing ☐ Sketching Others

QUALIFICATION

SLNO.Examinatin	Board	Percentage	Year of Passing
1. Class X			
2. Class XII			
3. Graduation			
4. Masters			
	(10 charcters max)	(Upto 2 Decimal)	

COURE APPLIED FOR BCA ○ B.Com ○ B.Sc ○ B.A ○

submit reset

DELL FEEDBACK FORM

Name your name

Email Your Email

Address

Post Code

Product	Product Image	Quantity	Unit Price	Subtotal
Dell Pro			1,50,000	
Dell Alienware			2,50,000	
Dell Alienware Ultra			3,00,000	