Implementation of the CSS tags and attributes...

18 june 2024

<html>

<head>

<title>

   CSS STUDY

</title>

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?family=Playwrite+NZ:wght@100..400&family=Ubuntu:ital,wght@0,300;0,400;0,500;0,700;1,300;1,400;1,500;1,700&display=swap" rel="stylesheet">

<style>

        header{

           margin:auto;

                margin:3px;

        }

   h3{

                background-color: #e1bebe;

   }

   .navbar{

                background-color:#d13d1c;

                color:white;

                border-radius:19px;

        }

        .navbar ul{

           overflow:auto;

```css
    }
.navbar li{
    float:left;
        list-style:none;
        padding:3px 3px;
        margin:3px 3px;
}
.navvbar li a{
    padding:3px 3px;
}
.navbar input{
    float:right;
        padding:2px 2px;
        margin:3px 3px;
        border-radius:7px;
        width:129px;
}
.yoyo{
color:blue;
background-color:yellow;
text-align:center;
}
p,h4{
    text-align:justify;
    <!-- text-align:center; -->
    <!-- text-align:left; -->
```

```
        <!-- text-align:right; -->

    }

    #first{

      color:red;

              background-color:yellow;

              height:200px;

              width:455px;

              border: 14px solid green;

              border-radius:11px;

              <!-- border-style:solid; -->

              <!-- border-width:15px; -->

              <!-- border-color:green; -->

<!-- *{ -->

        <!-- box-sizing:border-box; -->

        <!-- } -->

        }

        #second{

          background-color:yellow;

              height:200px;

              width:455px;

          border-top:12px solid violet;

              border-right:12px groove red;

              border-left:8px dotted orange;

              border-bottom:12px dashed pink;

              border-top-right-radius:50px;

              border-bottom-left-radius:60px;
```

```css
        }
        #third{
            height:500px;

                width:500px;

                background-image:url('https://media.istockphoto.com/id/1202093022/photo/the-concept-
of-unity-cooperation-teamwork-and-
charity.webp?b=1&s=170667a&w=0&k=20&c=ThvIQ8JxwtkHwDbzsRAF5Gff6bTEDREvbas7Cdl22n
Y=');

                background-repeat:no-repeat;

                background-position:center top;

                border:12px solid red;

        }
        .container{
            background-color: #f7c6c6;

                border:10px solid #edce95;

                padding:9px 38px;

                margin:55px 20px;

                border-radius:210px;

                width:300px;

                height:100px;

        }
        .cat{
            width:500px;

                border:2px solid black;

                margin:auto;

                background-color:#adaff9;

    }
        .item{
```

```css
        border:5px solid blue;

            margin:12px 12px 12px 12px;

            padding:12px 20px;

            background-color:#d9c9f9;

            font-family:cursive;

    }

    #fruit{

        float:left;

            width:35%;

    }

    #com{

        float:right;

            width:35%;

    }

    #sata{

        clear:both;

    }

    .class{

        border:5px solid red;

    background-color:pink;

        margin:12px auto;

        padding:12px;

        width:600px;

}

    a{

        text-decoration:none;
```

```css
        }
        a:hover{
         background-color:pink;
         }
.btn{
                font-family:cursive;
                padding:6px;
                border:none;
                cursor:pointer;
                border-radius:9px;
                font-weight:bold;
        }
        .btn:hover{
           color:blue;
                border:1px solid black;
                <!-- color that  -->
        }
        a:visited{
           background-color:blue;
                <!-- after visiting -->
        }
        a:active{
           background-color:pink;
                <!-- when its active -->
        }
        #link{
```

```css
    background-color:white;
}
#number{
    background-color:white;
        font-size:15px;
}
img{
    width:80px;
        height:80px;
        border-radius:30px;
        margin:auto;
        padding:3px;
        display:block;
}
.box{
    width:380px;
        border:2px solid green;
        color:blue;
        background-color:pink;
        margin:12px;
        padding:12px;
        display:inline-block;
}
#box3{
    border:2px solid blue;
        background-color:orange;
```

```
            width:100px;

            height:50px;

            display:inline-block;

        position:fixed;

            right:4px;

            bottom:2px;

        <!-- position:static this is default -->

            <!-- position :relative gap its original position -->

            <!-- position:absolute relative to its parent -->

            <!-- position:sticky in upper laywer stick -->

            <!-- position:fixed fixed to the website window -->

        }

        button{

            width:80px;

            height:40px;

        }

        button:hover{

          color:red;

          background-color:blue;

            }
</style>
</head>
<body>
    <!-- thats a navbar -->

        <header>

                <nav class="navbar">
```

```html
                    <ul>
                        <li><a href="#">Home</a></li>
                            <li><a href="#">Menu</a></li>
                            <li><a href="#">Services</a></li>
                            <li><a href="#">Contact us</a></li>
                            <div class="search">
                                <input type="text" name="search" id="search"
placeholder="search this website">
                            </div>
                    </ul>
                </nav>
            </header>


    <!-- what we study -->
        <h3>CSS selectors</h3>
        <h3>CSS fonts</h3>
        <h3>CSS colors</h3>
        <h3>CSS height width border background</h3>
        <h3>CSS box model margin padding</h3>
        <h3>CSS alignmnet float and clear</h3>
        <h3>CSS Pseuo selector and more designing</h3>
        <h3>CSS navigation </h3>
        <h3>CSS display property </h3>
        <h3>CSS position absolute,relative,fixed,sticky</h3>


        <!-- study of the class -->
        <div class="yoyo">
```

```
        <h2>hi everyone!!!</h2>

    </div>


    <!-- fonts and styles -->

    <h4>this content related to the heading tag lets play with the font.</h4>

    <p id="first">gcjifuiwd  erugheruigh uehgg uerghuer h uyh uerrhje iiuhuirryt87h 8rh8rrhijvhubv
uerh8hun euht8th iuh7rrhuh ffh uefuh 8h uh r8h bufhbg r8eygh ur errgyyr 8hr8uh rehr8ughru
ruhgurh8urh rhgrhgruh ubv yfghnv ygbr8yegu yugyerhg be8eygrey8ghre greygh rbv ufrygyrg eyhhgyrgh
vyfugb hvyr bvhbyugbryub ryrgrygh </p>

    <p id="second">this is my second paragraph</p>

    <p id="third">this is my third paragraph</p>


    <!-- headings -->

    <div class="container">

        <h4>heading 1</h4>

            <p id="one">this is box model of the CSS where its related to the css of the content</p>

    </div>

  <div class="container">

        <h4>heading 2</h4>

            <p id="two">this is box model of the CSS where its related to the css of the content</p>

    </div>

    <div class="container">

        <h4>heading 3</h4>

            <p id="three">this is box model of the CSS where its related to the css of the
content</p>

    </div>


    <!-- cards -->
```

```html
<div class="cat">

    <div class="item" id="fruit">

        <h4>Fruits</h4>

            <p id="fruits" class="para">Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:</p>

    </div>

    <div class="item" id="com">

        <h4>computer</h4>

            <p id="comp" class="para">Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:</p>

    </div>

    <div class="item" id="sata">

        <h4>stationary</h4>

            <p id="satat" class="para">Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:</p>

    </div>

    <div class="item" id="sata">

        <h4>stationary</h4>

            <p id="satat" class="para">Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:</p>

    </div>

</div>
```

```html
<!-- hover property -->

<div class="class" id="ids">

    <h1>heading</h1>

            <p>Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out
print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who
is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type
specimen book. It usually begins with</p>

            <a href="https://google.com" target="_blank" class="btn" id="link">Read More</a>

            <button class="btn" id="number">Contact us</a>

    </div>



    <!-- display property -->

    <header class="top">

      <img src="https://images.unsplash.com/photo-1715449187020-
e090eb0dc3d2?w=500&auto=format&fit=crop&q=60&ixlib=rb-
4.0.3&ixid=M3wxMjA3fDB8MHxlZGl0b3JpYWwtZmVlZHwzfHx8ZW58MHx8fHx8">

    </header>

    <div class="box">

    <h3>heading</h3>

    <p>Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print,
graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is
thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen
book. It usually begins with</p>

    </div>

    <div class="box">

    <h3>heading</h3>

    <p>Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print,
graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is
thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen
book. It usually begins with</p>

    </div>
```

<div class="box">

<h3>heading</h3>

<p>Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with</p>

</div>

<!-- position properties -->

<div class="yeh" id="box3">HI Guys!!!
 lets chat with me:</div>

<!-- submit button -->

<button>submit</button>

</body>

</html>

There output is:

gcjifuiwd erugheruigh uehgg uerghuer h uyh uerrhje iiuhuirryt87h 8rh8rrhijvhubv uerh8hun euht8th iuh7rrhuh ffh uefuh 8h uh r8h bufhbg r8eygh ur errgyyr 8hr8uh rehr8ughru ruhgurh8urh rhgrhgruh ubv yfghnv ygbr8yegu yugyerhg be8eygrey8ghre greygh rbv ufrygyrg eyhhgyrgh vyfugb hvyr bvhbyugbryub ryrgrygh

this is my second paragraph

this is my third paragraph

HI Guys!!!
lets chat with
me:

heading 1

this is box model of the CSS where its related
to the css of the content

heading 2

this is box model of the CSS where its related
to the css of the content

heading 3

this is box model of the CSS where its related
to the css of the content

HI Guys!!!
lets chat with
me:

Fruits

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:

computer

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:

stationary

stationary

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:

stationary

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with:

HI Guys!!! lets chat with me:

HI Guys!!! lets chat with me:

heading

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with

Read More   Contact us

heading

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with

heading

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with

heading

Lorem ipsum, or lipsum as it is sometimes known, is dummy text used in laying out print, graphic or web designs. The passage is attributed to an unknown typesetter in the 15th century who is thought to have scrambled parts of Cicero's De Finibus Bonorum et Malorum for use in a type specimen book. It usually begins with

submit

HI Guys!!! lets chat with me;