queu ga Itihert Com first linear datastructur Coulty Piret in frost out 9 Well Stack > pop P, P2 P3

læ, s 10 enquem (10) ery un (3) enguen (12) onpuer (5) dipueur ()

Application of quen in CS.

> Vavascrift like lary = microtask que, callback quen.... I gum are regd in backer for message brokers. 6 lut of as relation also

on quem don on the broat done on the back of the front bade/rear **δ** 2

40 36 20

50

10

arrays an. pul (_) cusing 9 well Rend front - add A+ hed 6(m) 77 mid of Plu remour Athan deparer -

JOIN THE DARKSIDE

rewbood = h. ned

n. neut = n.

n. neut = n.

n. neut = n.

very grays quer La puls back -> peul pop bock -> un Juft Revel front 10/ freut - Shift Splin pud Mille 10/miller

Conquer (10) 9 mm -Clip deport (life cngu (so) 50 40 30 52 SI seconday

insout reflect

del reflect

inseur » in effect


inseur » in effect

engle 10(n)
10, 10, 30, 40 depue of O(1) 30 40 50

linay que forb 69Ck n Roule front deque. double posfront Pull front - add Atheny I'l front & semon boy fleed 1 wh back - add At Call 1º16och - remen AF Conf

Circular que

900000 30 40 S0 60



(2 7 \$ 10 (6ack +1) 901c back = (from +1) ((x) freet =

enqu (S) dagued

10,11,12,13