

EXPRIMENT - 9

IMPLEMENT DATA VISULIZATION USING SEABORN

```
import seaborn as sns
import matplotlib.pyplot as plt

df5= sns.load_dataset("tips")
df5
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4
5	25.29	4.71	Male	No	Sun	Dinner	4
6	8.77	2.00	Male	No	Sun	Dinner	2
7	26.88	3.12	Male	No	Sun	Dinner	4
8	15.04	1.96	Male	No	Sun	Dinner	2
9	14.78	3.23	Male	No	Sun	Dinner	2
10	10.27	1.71	Male	No	Sun	Dinner	2
11	35.26	5.00	Female	No	Sun	Dinner	4
12	15.42	1.57	Male	No	Sun	Dinner	2
13	18.43	3.00	Male	No	Sun	Dinner	4
14	14.83	3.02	Female	No	Sun	Dinner	2
15	21.58	3.92	Male	No	Sun	Dinner	2
16	10.33	1.67	Female	No	Sun	Dinner	3
17	16.29	3.71	Male	No	Sun	Dinner	3
18	16.97	3.50	Female	No	Sun	Dinner	3
19	20.65	3.35	Male	No	Sat	Dinner	3
20	17.92	4.08	Male	No	Sat	Dinner	2
21	20.29	2.75	Female	No	Sat	Dinner	2
22	15.77	2.23	Female	No	Sat	Dinner	2
23	39.42	7.58	Male	No	Sat	Dinner	4
24	19.82	3.18	Male	No	Sat	Dinner	2
25	17.81	2.34	Male	No	Sat	Dinner	4
26	13.37	2.00	Male	No	Sat	Dinner	2
27	12.69	2.00	Male	No	Sat	Dinner	2
28	21.70	4.30	Male	No	Sat	Dinner	2
29	19.65	3.00	Female	No	Sat	Dinner	2
..
214	28.17	6.50	Female	Yes	Sat	Dinner	3
215	12.90	1.10	Female	Yes	Sat	Dinner	2
216	28.15	3.00	Male	Yes	Sat	Dinner	5
217	11.59	1.50	Male	Yes	Sat	Dinner	2
218	7.74	1.44	Male	Yes	Sat	Dinner	2

219	30.14	3.09	Female	Yes	Sat	Dinner	4
220	12.16	2.20	Male	Yes	Fri	Lunch	2
221	13.42	3.48	Female	Yes	Fri	Lunch	2
222	8.58	1.92	Male	Yes	Fri	Lunch	1
223	15.98	3.00	Female	No	Fri	Lunch	3
224	13.42	1.58	Male	Yes	Fri	Lunch	2
225	16.27	2.50	Female	Yes	Fri	Lunch	2
226	10.09	2.00	Female	Yes	Fri	Lunch	2
227	20.45	3.00	Male	No	Sat	Dinner	4
228	13.28	2.72	Male	No	Sat	Dinner	2
229	22.12	2.88	Female	Yes	Sat	Dinner	2
230	24.01	2.00	Male	Yes	Sat	Dinner	4
231	15.69	3.00	Male	Yes	Sat	Dinner	3
232	11.61	3.39	Male	No	Sat	Dinner	2
233	10.77	1.47	Male	No	Sat	Dinner	2
234	15.53	3.00	Male	Yes	Sat	Dinner	2
235	10.07	1.25	Male	No	Sat	Dinner	2
236	12.60	1.00	Male	Yes	Sat	Dinner	2
237	32.83	1.17	Male	Yes	Sat	Dinner	2
238	35.83	4.67	Female	No	Sat	Dinner	3
239	29.03	5.92	Male	No	Sat	Dinner	3
240	27.18	2.00	Female	Yes	Sat	Dinner	2
241	22.67	2.00	Male	Yes	Sat	Dinner	2
242	17.82	1.75	Male	No	Sat	Dinner	2
243	18.78	3.00	Female	No	Thur	Dinner	2

[244 rows x 7 columns]


```
df5 = df5.drop(columns=['sex', 'smoker', 'day', 'time'])
```

```
df5.corr()
```

	total_bill	tip	size
total_bill	1.000000	0.675734	0.598315
tip	0.675734	1.000000	0.489299
size	0.598315	0.489299	1.000000

```
sns.heatmap(df5.corr())
```


```
<matplotlib.axes._subplots.AxesSubplot at 0x9d17810>
```




JOINT PLOT

```
sns.jointplot(x='tip',y='total_bill',data=df5)
```


```
<seaborn.axisgrid.JointGrid at 0x9d64810>
```



```
sns.jointplot(x='tip',y='total_bill',data=df5, kind='hex')  
<seaborn.axisgrid.JointGrid at 0xa1864b0>
```



```
sns.jointplot(x='tip',y='total_bill',data=df5, kind='reg')  
<seaborn.axisgrid.JointGrid at 0xa186c70>
```



PAIR PLOT

```
df6= sns.load_dataset("tips")
df6
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4
5	25.29	4.71	Male	No	Sun	Dinner	4
6	8.77	2.00	Male	No	Sun	Dinner	2
7	26.88	3.12	Male	No	Sun	Dinner	4
8	15.04	1.96	Male	No	Sun	Dinner	2


9	14.78	3.23	Male	No	Sun	Dinner	2
10	10.27	1.71	Male	No	Sun	Dinner	2
11	35.26	5.00	Female	No	Sun	Dinner	4
12	15.42	1.57	Male	No	Sun	Dinner	2
13	18.43	3.00	Male	No	Sun	Dinner	4
14	14.83	3.02	Female	No	Sun	Dinner	2
15	21.58	3.92	Male	No	Sun	Dinner	2
16	10.33	1.67	Female	No	Sun	Dinner	3
17	16.29	3.71	Male	No	Sun	Dinner	3
18	16.97	3.50	Female	No	Sun	Dinner	3
19	20.65	3.35	Male	No	Sat	Dinner	3
20	17.92	4.08	Male	No	Sat	Dinner	2
21	20.29	2.75	Female	No	Sat	Dinner	2
22	15.77	2.23	Female	No	Sat	Dinner	2
23	39.42	7.58	Male	No	Sat	Dinner	4
24	19.82	3.18	Male	No	Sat	Dinner	2
25	17.81	2.34	Male	No	Sat	Dinner	4
26	13.37	2.00	Male	No	Sat	Dinner	2
27	12.69	2.00	Male	No	Sat	Dinner	2
28	21.70	4.30	Male	No	Sat	Dinner	2
29	19.65	3.00	Female	No	Sat	Dinner	2
..
214	28.17	6.50	Female	Yes	Sat	Dinner	3
215	12.90	1.10	Female	Yes	Sat	Dinner	2
216	28.15	3.00	Male	Yes	Sat	Dinner	5
217	11.59	1.50	Male	Yes	Sat	Dinner	2
218	7.74	1.44	Male	Yes	Sat	Dinner	2
219	30.14	3.09	Female	Yes	Sat	Dinner	4
220	12.16	2.20	Male	Yes	Fri	Lunch	2
221	13.42	3.48	Female	Yes	Fri	Lunch	2
222	8.58	1.92	Male	Yes	Fri	Lunch	1
223	15.98	3.00	Female	No	Fri	Lunch	3
224	13.42	1.58	Male	Yes	Fri	Lunch	2
225	16.27	2.50	Female	Yes	Fri	Lunch	2
226	10.09	2.00	Female	Yes	Fri	Lunch	2
227	20.45	3.00	Male	No	Sat	Dinner	4
228	13.28	2.72	Male	No	Sat	Dinner	2
229	22.12	2.88	Female	Yes	Sat	Dinner	2
230	24.01	2.00	Male	Yes	Sat	Dinner	4
231	15.69	3.00	Male	Yes	Sat	Dinner	3
232	11.61	3.39	Male	No	Sat	Dinner	2
233	10.77	1.47	Male	No	Sat	Dinner	2
234	15.53	3.00	Male	Yes	Sat	Dinner	2
235	10.07	1.25	Male	No	Sat	Dinner	2
236	12.60	1.00	Male	Yes	Sat	Dinner	2
237	32.83	1.17	Male	Yes	Sat	Dinner	2
238	35.83	4.67	Female	No	Sat	Dinner	3
239	29.03	5.92	Male	No	Sat	Dinner	3
240	27.18	2.00	Female	Yes	Sat	Dinner	2

241	22.67	2.00	Male	Yes	Sat	Dinner	2
242	17.82	1.75	Male	No	Sat	Dinner	2
243	18.78	3.00	Female	No	Thur	Dinner	2

[244 rows x 7 columns]

```
sns.pairplot(df6, hue='sex')
```


<seaborn.axisgrid.PairGrid at 0xace7ad0>



DIST PLOT

```
sns.distplot(df5['total_bill'])
```

<matplotlib.axes._subplots.AxesSubplot at 0xb2a02b0>



```
x= [1,6,2,8,6,23,4,2,32,546,2312,4]
plt.boxplot(x,vert=False)

{'whiskers': [<matplotlib.lines.Line2D at 0xb186030>,
<matplotlib.lines.Line2D at 0xb1862b0>],
'caps': [<matplotlib.lines.Line2D at 0xb186510>,
<matplotlib.lines.Line2D at 0xb186770>],
'boxes': [<matplotlib.lines.Line2D at 0xb17bd90>],
'medians': [<matplotlib.lines.Line2D at 0xb186a30>],
'fliers': [<matplotlib.lines.Line2D at 0xb186c50>],
'means': []}
```

