ENROLMENT NO.: 186407279

NAME: Aman Tiwari

ADDRESS: G-284 gazipur village Delhi 110096

PROGRAMME TITLE: BCA 5

COURSE CODE: BCSL-057

COURSE TITLE: Web Programming Lab

ASSIGNMENT CODE:

STUDY CENTRE CODE: 0769 (Shyamlal College sahadra)

PHONE NO.: 9891062743 / 8448179216

EMAIL ID: amantiwari8861@gmail.com

Aman

Date   **SIGNATURE**

BCSL - 057

Ans(a)

```html
<html>
<head>
<links href = "Style.1.css" rel = "stylesheet" type = "
      text/css" media = "all" />
</head>
<body>
<div class = "fixed-header" id = "top">
<div style = "margin-left:30 Px"><img src = "logo.
      png" height = "40"
width = "40" /><span style = "font-size:25 Px; margin-
left:280 Px;">St Michael School</span><br/>
<center><a href = "home.html">Home</a><a href
= "atrendance.html">Attendance</a>|<a href =
"result.html">
Result</a>|<a href = "feedback.html">feedback.
html</a>
</center>
</div>
</div>

<div class = "fixed-link"; id="menu">
      <div>
<nav>
<a href = "home.html">Home</a>|<a href = "attendance
html"> Attendance</a>|<a href = "result.html">
Result</a>|<a href = "feedback.html">Feedback.html</a>
      </center>
```

```
</div>
  </div>
    <div class = "fixed-links" id = "menu">
      <div>
        <nav>
    <a href = "home.html"> Home </a> <br/>
    <a href = "attendance.html"> Attendance </a> <br>
    <a href = "result.html"> Results </a> <br/>
    <a href = "feedback.html"> feed Back </a> <br/>
      </nav>
      </div>
    </div>

    </div>
    <div class = "container" id = "Content">
    <h1> Contents here </h1>
    </div>
    <div class = "fixed-footer" id = "footer">
      & copy Developer abc
        </body>
        </html>
```

Home Page!
```
<html>
<head>
<link href = "Style1.css" rel = "stylesheet" type = "text/css"
  media = "all"/>
  </head>
  <body>
```

```html
<body>
<div class = "fixed-header" id = "top">
<div style = "margin-left : 30Px"><img src = "bge.Png"
  height="40"    width="40"/> <span style = "font-size:
25 Px; margin-left : 280 Px; "> St Micheal School
  </span><br/>
  <center><a href ="home.html"> Home </a>| <a href
= " atrendance.html"> Attendance </a>| <a href="result
.html">
Result </a>| <a href ="feedback.html"> feedback.html
  </a>
</center>
</div>
</div>

<div class = "fixed-link" id = "menu">
  <div>
  <nav>
<a href = "home.html"> Home </a><br>
<a href=" attendance.html" > Attendance </a><br/>
<a href= "result.html"> Result </a><br/>
<a href=" feedback.html" > feed back </a><br/>
  </nav>
  </div>
  </div>
  </div>
<div class ="container" id = "content">
<h1> welcome to School</h1>
```

```html
<h2> Our Strengths </h2>
<b> St Michael School focuses on the following
aspects: </b>
```

I am very pleased to welcome You to the st Michael School website. St michael school officially opened on the 1st september 2011. following the amalgamation of St. Michael Infant school and st Michael Junior school.

```html
</div>
<div class = "fixed-footer" id = "footer">
& Copy Developer abc </div>
</body>
</html>
```

Attendance Page.

```html
<html>
<head>
<link herf = "Style.css" rel = "stylesheet" type="
text/css" media = " all"/>
<script>
function Valid()
{
If (f1.uid.value =="''" || f1.t2.Pass.length < 6)
Alert ("wrong id & password")
}
</script>
</head>
```

```html
<body>
<div class = "fixed-header" id ="top">
<div Style ="margin.left: 30px "><img src ="logo.png "height=
    "40" width =" 40"/> <span style = "font-size:25
px; margin-left:280px," >
    St Mychael School </span><br/>
    <center> <a href = "home.html">Home </a>/ <a href=
"attendance.html"> Attendance </a>/ <a href = "result.html">
Result </a>/ <a href ="feedback.html"> Feedback.html</a>
    </center>
    </div>
    <div>
    <div class = "fixed link" id = "menu">
        <div>
        <nav>
        <a href = "home.html" >Home </a><br/>
    <a href = "attendance.html"> Attendance </a><br>
    <d href = "result.html"> Results </a><br/>
    <a href = "feedback.html" >feedback </a><br/>
        </nav>
        </div>
        </div>
        </div>
    <div class="Container" id = "Content">
    <h1> Attendance </h1>
        <form name = "p1" >
Uder ID:<Input type = "text" name = "uid"/>
```

```
Pass! <input type = "Password" name = "Pass">
<input type = "Submit" value = "Submit" onclick = "valid()">
</form>
</div>
<div class = "fixed-footer" id = "footer'>
   & Copy Developer abc
</div>
<body>
</html>
```

Result page:-

```
<html>
<head>
<link href = "Style1.css" rel = "Stylesheet" type = "text/css"
   media = "all/>
</head>

<body>
<div class="fixed-header' id = "top">
<div style = "margin-left 30px & img src= "lngo.png"
   height ="40'   width = "40' /> <span style ="font-size:
25px;  margin-left: 28px;">st Micheal school</span><s>
<center><a href = "home.html"> Home </a>/ <a href="
attendance.html"> Attendance </a>/ <a href ="result.html">
Result </a>/<a href = "feedback.html"> feedback.html</a>
   </center>
   </div>
   </div>
```

```html
<div class = "fixed-link" id = "menu">
  <div>
  <nav>
<a href = "home.html">Home</a><br>
<a href = "attendance.html">Attendance</a><br>
<a href = "result.html">Result</a><br>
<a href = "feedback.html">Feedback</a><br/>
  </nav>
  </div>
</div>
</div>
<div class = "container" id = "Content">
  <h1>Result :</h1>
<form action = "result.jsp" method = "post">
Center Roll No: <input type = "text" name = "t1">
<input type = "Submit" value = "Submit">
  </form>
  </div>
  <div class = "fixed-footer" id = "footer">
& Copy Developer abc
  </body>
  </html>
```

feed back Page:-

```html
<html>
<head>
<link href = "Style.1.css" rel = "Stylesheet" type = "text/css"
```

```
media = " all"/ >
</head >
  <body >
<div class = "fixed -header">
  <div style = " margin -left:30 px "> <img src = "loge.ing "
  height = "40" width = "40" /> <span style = " font-size :25/x;
  margin -left :280 px;"> st Micheal school </span ><br/>
<center > < a href = "home. html"> Home </a > / < a href = "
atredance. html " > Attendance </a >/ <a href = "result. html">
Result </a> |<a href= " feedback. html " > feedback. html</a>
  </center >
  </div >
  </div >
  <div class = " fixed- link "id = " menu ">
      <div >
      <nav >
<div class = " fixed- link " id = " menu ">
  <div >
  <nav >
<a href = " home .html" > Home </a ><br>
<a href = " attendance.html" > Att endare </a ><br/>
< a href = "result. html" >Result </a>< br >
< a href = " feedback. html " > feedback</a> <br >
  </nav >
  </div>
  </div >
  </div>
```

```
< div class = "Container ">
 <h1 > feedback </h1 >
 <form name = "f1" action = " feedback.html " method = " Post"><table>
 <tr>
 <td >User id: </td>
 <td > <input type = "text" name = "t1"> </td >
 </tr>
 <tr >
 <td >Name: </td >
 < td ><input type = "text" name= "t2"> </td >
 </tr>
 <tr>
 <td >info: </td >
  < td >< textarea Cals= " 16" rows = "5" name ="B">
 </textarea ></td >
 </tr>
 <tr >
 < td Colspan = "2">
 <td Calspan="2">
 <input type = "Submit" value = " Submit'>
 </td >
 </tr >
 </form >
 </div >
 <div class = " fixed = footer ">
 & Copy Develpoper abc
 </div>
```

```
</body>
</html>


(b)    .fixed - header,..fixed - footer {
           width : 100%;
           Position : fixed;
           background : #ff00aa;
               Padding : 20px 0;
               Color : #fff;
           }
       .fixed - link {
           width : 20%;
           Position : fixed;
           background : #600;
           Padding : 10px 10px;
           Color : #fff;
           left : 10px;
           top : 110;
           height : 100%;
           }
       .fixed - header {
           top : 0;
           }
       .fixed - footer {
           bottom : 0;
           }
        .Container {
```

```
</body>
</html>
```

(b)
```css
.fixed - header,. fixed - footer {
    width : 100%;
    Position : fixed;
    background : # ff00aa;
    Padding : 20 Px 0;
    Color : # fff;
}
.fixed = link {
    width : 20%;
    Position : fixed;
    background : # 600;
    Padding : 10Px 10Px;
    Color : # fff;
    left : 10 Px;
    top : 110;
    height : 100%;
}
.fixed - header {
    top : 0;
}
.fixed - footer {
    bottom : 0;
}
.Container {
```

```css
    Width : 80%;
    margin-top: 100Px;
      margin-left : 25%;
    }

  nav a {
    Color :#FFF;
    text. decoration: none ;
      Padding ! 7Px 25Px;
      display : in line -block;
    }
```

(c)
```html
  < Script >
  function valid()
  {
  if (f1. Vid. Value == "" || f1.t2 .Pass.length < 6)
  alert ("Wrong Id & Password")
  }
  <script >
```
(d) Implement the following using Jsp Program

Ans:-
```jsp
  result
  <%
    try
  {

String username = request. get Parameter ("upd");
String Password = request. get Parameter ("Pass");
```

```
Class. for Name ("com.mysql.jdbc.Driver");
Connection Conn = Driver Manger. getConnection (Path
  PreparedStatement Pst = Conn.Prepare statement ("Select* from
    Student where user=? && pass=?");
    Pst. set string (1, user name);
    Pst.set string (2, Password);
    Result set rs = Pst. execute Query ();
    while (rs.next())
    {
    Out. print (" name" + rs. getstring(3))
    Out. Print (" Class" + rs. get string (4))
    Out. Print (" absent"+rs. getstring (5))
    Out. Print (" Present" +rs. getstring (6))
    }
  Cookie firstName = newCookie ("uid", request. get Parameter
    ("uid"));
  Cookie clastName = new cookie ("Pass", request. get Parameter ("Pass"))
  // Set expiry date after 24Hrs for both the Cookies.
    firstName. set Max Age (60* 60* 24);
    lastName. set Max Age (60* 60* 24);
  // Add both the Cookies in the response header.
    response. add Cookie (uid);
    response. add cookie (Pass);
  }
  Catch (Exception e){
  Out. Println (" Something went wrong!! Please try again");
  }
%>
```

(d) Feedback.jsp
`<%`
`<String t1, t2, t3,`
`t1 = request.getParameter("t1");`
`t2 = request.getParameter("t2");`
`t3 = request.getParameter("t3");`
`    try`
`    {`

`Class.forName("Sun.jdbc.odtcodbcDriver");`
`Connection Con = DriverManager.getConnection("jdbc:odbc:pix`
`        data");`
`System.out.Println("Crot Connection");`
`Statement s = Con.create statement();`
`String Sql = "INSERT INTO feedback VALUES (?,?,?,?)";`
`S.setString(1,1);`
`S.setString(2,t2);`
`S.setString(3,t3);`
`S.executeUpdate(Sql);`
`S.close();`
`Con.Clenx();`
`}`

`Catch(Class Not found Exception e1)`
`{`
`System.out.println(e1.to String());`
`}`
`%>`