HTML Cheatsheet by Aman(amantiwari8861)

Head Elements:

Tag	Description	Attributes	Possible Values
<title>	Specifies the title of the web page.	None	
<link>	Specifies the hyperlink to an external source.	href, rel	rel="stylesheet" href="mystyle.css"
<style>	Specifies the CSS styling inside HTML page.	None	
<script>	Specifies the JavaScript Code for the web page.	None	
<meta>	Specifies the additional meta information for the web page.	name,content	name='description', content="details of web page content"

Page Layout and Content Tags:

Tag	Description	Attributes	Possible Values
<header>	Specifies the wrapped text as the header of the web page document.	None	
<footer>	Specifies the wrapped text as the footer of the web page document.	None	
<article>	Specifies independent and self-contained content.	None	
<section>	Specifies a section in a web page document such as chapters.	None	
<aside>	Keeps the content aside from the main content.	None	
<nav>	Specifies the navbar portion of the web page.	None	
<main>	Specifies the main content of the document.	None	
<a>	Specifies hyper-link to either an external web page or some other division of the same web page.	href, rel, target	href ="dummy.com" rel=" noopener noreferrer" target="_blank, _self,_parent or _top"

HTML Cheatsheet by Aman(amantiwari8861)

Tag	Description	Attributes	Possible Values
<div>	Separate block-level division of the web page document.	None	
<span>	Specifies the Inline division of an HTML element.	None	
	Specifies the unordered list.		
	Specifies the ordered list.	type, start, reversed	1,I,I,a,A
	Specifies the list item element.	None	
<dl>	Specifies the description list.	None	
<dt>	Specifies the Title of the description list element.	None	
<dd>	Specifies the definition/ details of the description list element.	None	

Text Content and Text Formatting Tags:

Tag	Description	Attributes	Possible Values
<h1>,<h2>, <h3>, <h4>,<h5>, <h6>	Heading tags where <h1> is the most important heading and <h6> is the least important heading.	None	
<p>	Specifies paragraph element.	None	
 	Specifies the line break.	None	
<blockquote>	Specifies quotes.	cite	cite="dummy.com"
<sup>	Format the text content as superscript.	None	
<sub>	Format the text content as a subscript.	None	
<em>	Emphasize the text content.	None	
<strong>	Highlight the text content as important making it bold.	None	
<mark>	Highlight the text content marking it with a yellow background.	None	
<del>	Specifies deleted text by striking off.	None	None
<ins>	Specifies inserted text by underline.	None	None

HTML Cheatsheet by Aman(amantiwari8861)

Forms Element:

Tag	Description	Attributes	Possible Values
<form>	Specifies the form element.	action, method	action="target.html" method="GET"
<input>	Specifies the input field.	type, placeholder, value, formaction	type=" text", placeholder="Enter Username" value="" formmethod-"POST"
<button>	Specifies an input button element.	None	None
<label>	Specifies label for an input element.	for	for = "id1"
<select>	Specifies the drop-down list.	value	
<option>	Specifies the options in the <select> drop down.	value, selected	value ="abc" selected= "true"
<datalist>	Specifies the auto-completion list.	None	None
<progress>	Specifies a progress bar	min, max, step, value	min ="0", max="10", step="1", value="5"
<meter>	Specifies a meter guage	min,max,step,value	min="0", max="10", step="1", value="1"
<output>	Displays output of user input	None	None
<textarea>	Custom sized text box to collect input.	rows, cols	rows ="2" cols="2"

Table Elements:

Tag	Description	Attributes	Possible Values
<table>	Specifies the table element.	None	None
<thead>	Specifies the header portion of the table element.	None	None
<tbody>	Specifies the content portion of the table	None	None
<caption>	Specifies the heading of the table	None	None
<colspan>	The element that is used to logically group the related columns	None	None
<tr>	Specifies a new table row.	None	None
<td>	Specifies a new table column.	None	None

HTML Cheatsheet by Aman(amantiwari8861)

Embedded Elements:

Tag	Description	Attributes	Possible Values
<img>	The element that is used to embed an image into the web page.	src, alt	src="./demo.img" alt="Alternative text"
<audio>	The element that is used to embed audio into the web page.	src, controls, loop, autoplay, preload, muted	src='./audio.mp3' controls ="controls"
<video>	The element that is used to embed video into the web page.	src, controls, loop, autoplay, preload	src="./video.mp4" controls="controls"
<source>	Specifies the different formats for video/ audio elements to be embedded into the web page.	src	src= "abc.mp4"
<figure>	Specifies a self-contained content along with a caption.	None	None
<figcaption>	Specifies a caption for a <figure> element	None	None