ExamGOAL
PYQ PDF

Free · With answer key

NEET · BIOLOGY · CHAPTER-WISE PYQS

Body Fluids and Its Circulation

NEET Biology · Previous Year Questions with Answer Key

112	51	1988 – 2026	2	English
QUESTIONS	PAPERS COVERED	YEARS	OUT OF SYLLABUS	LANGUAGE

INSIDE THIS PDF

MCQ (Single Correct Answer)	110 questions
Out of syllabus	2 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

MCQ (Single Correct Answer) 110 questions

Q1. RE-NEET 2026

Which of the following statements is incorrect?

(A) Fibrinogen is produced from fibrin

(B) Blood coagulates in response to an injury

(C) Blood clot consists of fibrins

(D) Fibrin is produced from fibrinogen

Open solution

Q2. RE-NEET 2026

The number of action potentials generated by sino-atrial node (SAN) in a healthy human is ____ per minute.

(A) $120 - 140$ (B) $28 - 30$ (C) $70 - 75$ (D) $100 - 110$

Open solution

Q3. RE-NEET 2026

The opening between the right atrium and the right ventricle is guarded by ____ .

(A) sino-atrial node (B) bicuspid valve (C) tricuspid valve (D) semilunar valve

Open solution

Q4. NEET 2026

The WBC count of a person's blood sample is $8000/\text{cumm}$. How many eosinophils and lymphocytes would be in the same blood sample approximately?

(A) $300 - 500/\text{cumm}$ and $1200 - 1500/\text{cumm}$ respectively

(B) $160 - 240/\text{cumm}$ and $1600 - 2000/\text{cumm}$ respectively

(C) $300 - 500/\text{cumm}$ and $500 - 700/\text{cumm}$ respectively

(D) $100 - 120/\text{cumm}$ and $160 - 200/\text{cumm}$ respectively

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q5. NEET 2026

Open solution

Select the incorrect statement with reference to Rh grouping.

A. Erythroblastosis foetalis is a condition observed having foetus with $\mathrm{Rh}^{-\mathrm{ve}}$ blood and mother with $\mathrm{Rh}^{+\mathrm{ve}}$ blood.

B. Rh antigen is observed on RBCs in the majority of human beings.

C. Before blood transfusion, Rh group should also be matched.

D. Rh incompatibility is observed when a pregnant mother is $\mathrm{Rh}^{-\mathrm{ve}}$ and the foetus is $\mathrm{Rh}^{+\mathrm{ve}}$.

E. Erythroblastosis foetalis can be avoided by administering anti-Rh antibodies to the mother immediately after the delivery of the second child.

Choose the answer from the options given below :

(A) C and D only **(B)** A and B only **(C)** A and E only **(D)** B and C only

Q6. NEET 2025

Open solution

Cardiac activities of the heart are regulated by:

A. Nodal tissue

B. A special neural centre in the medulla oblongata

C. Adrenal medullary hormones

D. Adrenal cortical hormones

Choose the correct answer from the options given below :

(A) A, C and D Only **(B)** A, B and D Only **(C)** A, B and C Only **(D)** A, B, C and D

Q7. NEET 2024 (Re-Examination)

Open solution

A person with blood group ARh– can receive the blood transfusion from which of the following types?

A. BRh^{-}

B. ABRh^{-}

C. ORh^{-}

D. ARh^{-}

E. ARh^{+}

Choose the correct answer from the options given below :

(A) D and E only **(B)** D only **(C)** A and B only **(D)** C and D only

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q8. NEET 2024 (Re-Examination)

'Lub' sound of Heart is caused by the _____.

(A) closure of the semilunar valves

(B) opening of tricuspid and bicuspid valves

(C) opening of the semilunar valves

(D) closure of the tricuspid and bicuspid valves

Open solution

Q9. NEET 2024

Following are the stages of pathway for conduction of an action potential through the heart

A. AV bundle

B. Purkinje fibres

C. AV node

D. Bundle branches

E. SA node

Choose the correct sequence of pathway from the options given below

(A) E-C-A-D-B (B) A-E-C-B-D (C) B-D-E-C-A (D) E-A-D-B-C

Open solution

Q10. NEET 2024

Match List I with List II :

	List - I		List - II
A.	P wave	(i)	Heart muscles are electrically silent.
B.	QRS complex	(ii)	Depolarisation of ventricles.
C.	T wave	(iii)	Depolarisation of atria.
D.	T-P gap	(iv)	Repolarisation of ventricles.

Choose the correct answer from the options given below :

(A) A-I, B-III, C-IV, D-II (B) A-III, B-II, C-IV, D-I

(C) A-II, B-III, C-I, D-IV (D) A-IV, B-II, C-I, D-III

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. NEET 2023 Manipur

Open solution

Match List-I with List-II.

	List - I (ECG)		List - II (Electrical activity of heart)
(A)	P-wave	(I)	Depolarisation of ventricles
(B)	QRS complex	(II)	End of systole
(C)	T wave	(III)	Depolarisation of atria
(D)	End of T wave	(IV)	Repolarisation of ventricles

Choose the correct answer from the options given below :

(A) A-(IV), B-(I), C-(III), D-(II)

(B) A-(I), B-(IV), C-(III), D-(II)

(C) A-(IV), B-(III), C-(I), D-(II)

(D) A-(III), B-(I), C-(IV), D-(II)

Q12. NEET 2023 Manipur

Open solution

Match List-I with List-II.

	List - I		List - II
(A)	Eosinophils	(I)	6 - 8%
(B)	Lymphocytes	(II)	2 - 3%
(C)	Neutrophils	(III)	20 - 25%
(D)	Monocytes	(IV)	60 - 65%

Choose the correct answer from the options given below :

(A) A-(IV), B-(I), C-(II), D-(III)

(B) A-(IV), B-(I), C-(III), D-(II)

(C) A-(II), B-(III), C-(IV), D-(I)

(D) A-(II), B-(III), C-(I), D-(IV)

Q13. NEET 2023

Open solution

Match List I with List II.

	List I		List II
(A)	P-wave	(I)	Beginning of systole
(B)	Q-wave	(II)	Repolarisation of ventricles
(C)	QRS complex	(III)	Depolarisation of atria
(D)	T-wave	(IV)	Depolarisation of ventricles

Choose the correct answer from the options given below :

(A) A-IV, B-III, C-II, D-I

(B) A-II, B-IV, C-I, D-III

(C) A-I, B-II, C-III, D-IV

(D) A-III, B-I, C-IV, D-II

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. NEET 2023

Open solution

Which of the following statements are correct?

A. Basophils are most abundant cells of the total WBCs

B. Basophils secrete histamine, serotonin and heparin

C. Basophils are involved in inflammatory response

D. Basophils have kidney shaped nucleus

E. Basophils are agranulocytes

Choose the correct answer from the options given below:

(A) C and E only **(B)** B and C only **(C)** A and B only **(D)** D and E only

Q15. NEET 2022 Phase 2

Open solution

A unique vascular connection between the digestive tract and liver is called_____.

(A) Hepato-cystic system **(B)** Hepato-pancreatic system

(C) Hepatic portal system **(D)** Renal portal system

Q16. NEET 2022 Phase 2

Open solution

Arrange the following formed elements in the decreasing order of their abundance in blood in humans:

(a) Platelets

(b) Neutrophils

(c) Erythrocytes

(d) Eosinophils

(e) Monocytes

Choose the most appropriate answer from the options given below:

(A) (a), (c), (b), (d), (e) **(B)** (c), (a), (b), (e), (d)

(C) (c), (b), (a), (e), (d) **(D)** (d), (e), (b), (a), (c)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q17. NEET 2022 Phase 1

Given below are two statements:

Statement I : The coagulum is formed of network of threads called thrombins.

Statement II : Spleen is the graveyard of erythrocytes.

In the light of the above statements, choose the most appropriate answer from the options given below :

(A) Both Statement I and Statement II are correct

(B) Both Statement I and Statement II are incorrect

(C) Statement I is correct but Statement II is incorrect

(D) Statement I is incorrect but Statement II is correct

Open solution

Q18. NEET 2022 Phase 1

Which one of the following statements is correct?

(A) The atrio-ventricular node (AVN) generates an action potential to stimulate atrial contraction

(B) The tricuspid and the bicuspid valves open due to the pressure exerted by the simultaneous contraction of the atria

(C) Blood moves freely from atrium to the ventricle during joint diastole.

(D) Increased ventricular pressure causes closing of the semilunar valves.

Open solution

Q19. NEET 2021

Persons with 'AB' blood group are called as "Universal recipients". This is due to :

(A) Absence of antibodies, anti-A and anti-B, in plasma

(B) Absence of antigens A and B on the surface of RBCs

(C) Absence of antigens A and B in plasma

(D) Presence of antibodies, anti-A and anti-B, on RBCs

Open solution

Q20. NEET 2021

Which enzyme is responsible for the conversion of inactive fibrinogens to fibrins?

(A) Thrombokinase (B) Thrombin (C) Renin (D) Epinephrine

Open solution

Q21. NEET 2020 Phase 2

Which of the following is associated with decrease in cardiac output ?

(A) Adrenal medullary hormones (B) Sympathetic nerves

(C) Parasympathetic neural signals (D) Pneumotaxic centre

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q22. NEET 2020 Phase 2

Which of the following conditions cause erythroblastosis foetalis ?

(A) Both mother and foetus Rh^{+ve}

(B) Mother Rh^{+ve} and foetus Rh^{-ve}

(C) Mother Rh^{-ve} and foetus Rh^{+ve}

(D) Both mother and foetus Rh^{-ve}

Open solution

Q23. NEET 2020 Phase 1

Match the following columns and select the correct option.

Column-I	Column-II
(a) Eosinophils	(i) Immune response
(b) Basophils	(ii) Phagocytosis
(c) Neutrophils	(iii) Release histaminase, destructive enzymes
(d) Lymphocytes	(iv) Release granules containing histamine

(A) (A) → (iii), (B) → (iv), (C) → (ii), (D) → (i)

(B) (A) → (iv), (B) → (i), (C) → (ii), (D) → (iii)

(C) (A) → (i), (B) → (ii), (C) → (iii), (D) → (iv)

(D) (A) → (ii), (B) → (i), (C) → (iii), (D) → (iv)

Open solution

Q24. NEET 2020 Phase 1

The QRS complex in a standard ECG represents

(A) Repolarisation of ventricles

(B) Repolarisation of auricles

(C) Depolarisation of auricles

(D) Depolarisation of ventricles

Open solution

Q25. NEET 2019 (Odisha)

All the components of the nodal tissue are autoexcitable. Why does the SA node act as the normal pacemaker?

(A) SA node has the highest rate of depolarisation.

(B) SA node has the lowest rate of depolarisation.

(C) SA node is the only component to generate the threshold potential.

(D) Only SA node can convey the action potential to the other components.

Open solution

Q26. NEET 2019 (Odisha)

A specialised nodal tissue embedded in the lower corner of the right atrium, close to Atrio-ventricular septum, delays the spreading of impulses to heart apex for about 0.1 sec. This delay allows

(A) the atria to empty completely.

(B) blood to enter aorta.

(C) the ventricles to empty completely.

(D) blood to enter pulmonary arteries.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q27. NEET 2019

Match the Column-I with Column-II :

Column-I	Column-II
(a) P-wave	(i) Depolarisation of ventricles
(b) QRS complex	(ii) Repolarisation of ventricles
(c) T-wave	(iii) Coronary ischemia
(d) Reduction in the size of T-wave	(iv) Depolarisation of atria
	(v) Repolarisation of atria

Open solution

Select the correct option.

(A)

(a)	(b)	(c)	(d)
(iv)	(i)	(ii)	(iii)

(B)

(a)	(b)	(c)	(d)
(iv)	(i)	(ii)	(v)

(C)

(a)	(b)	(c)	(d)
(ii)	(i)	(v)	(iii)

(D)

(a)	(b)	(c)	(d)
(ii)	(iii)	(v)	(iv)

Q28. NEET 2019

What would be the heart rate of a person if the cardiac output is 5L, blood volume in the ventricles at the end of diastole is 100 mL and at the end of ventricular systole is 50 mL ?

Open solution

(A) 100 beats per minute

(B) 125 beats per minute

(C) 50 beats per minute

(D) 75 beats per minute

Q29. NEET 2018

Match the items given in column I with those in column II and select the correct option given below.

Open solution

Column I	Column II
A. Tricuspid valve	(i) Between left atrium and left ventricle
B. Bicuspid valve	(ii) Between right ventricle and pulmonary artery
C. Semilunar valve	(iii) Between right atrium and right ventricle

(A) A → (i), B → (ii), C → (iii)

(B) A → (iii), B → (i), C → (ii)

(C) A → (i), B → (iii), C → (ii)

(D) A → (ii), B → (i), C → (iii)

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q30. NEET 2018

Match the items given in column I with those in column II and select the correct option given below.

Column I	Column II
A. Fibrinogen	(i) Osmotic balance
B. Globulin	(ii) Blood clotting
C. Albumin	(iii) Defence mechanism

Open solution

(A) A → (i), B → (iii), C → (ii)
(B) A → (iii), B → (ii), C → (i)
(C) A → (ii), B → (iii), C → (i)
(D) A → (i), B → (ii), C → (iii)

Q31. NEET 2017

Adult human RBCs are enucleate. Which of the following statement(s) is/are most appropriate explanation for this feature?
(1) They do not need to reproduce.
(2) They are somatic cells.
(3) They do not metabolise.
(4) All their internal space is available for oxygen transport.

Open solution

(A) Only (1)
(B) (1), (3) and (4)
(C) (2) and (3)
(D) Only (4)

Q32. NEET 2017

The hepatic portal vein drains blood to liver from

Open solution

(A) stomach
(B) kidneys
(C) intestine
(D) heart.

Q33. NEET 2016 Phase 2

Name the blood cells, whose reduction in number can cause clotting disorder, leading to excessive loss of blood from the body.

Open solution

(A) Erythrocytes
(B) Leucocytes
(C) Neutrophils
(D) Thrombocytes

Q34. NEET 2016 Phase 2

Serum differs from blood in

Open solution

(A) lacking globulins
(B) lacking albumins
(C) lacking clotting factors
(D) lacking antibodies.

Q35. NEET 2016 Phase 1

Blood pressure in the pulmonary artery is

Open solution

(A) more than that in the pulmonary vein
(B) less than that in the venae cavae
(C) same as that in the aorta
(D) more than that in the carotid.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q36. AIPMT 2015

Which one of the following animals has two separate circulatory pathways?

(A) Whale (B) Shark (C) Frog (D) Lizard

Open solution

Q37. AIPMT 2015

Doctors use stethoscope to hear the sounds produced during each cardiac cycle. The second sound is heard when

(A) AV node receives signal from SA node

(B) AV valves open up

(C) Ventricular walls vibrate due to gushing in of blood from atria

(D) Semilunar valves close down after the blood flows into vessels from ventricles.

Open solution

Q38. AIPMT 2015 Cancelled Paper

Erythropoiesis starts in

(A) spleen (B) red bone marrow (C) kidney (D) liver

Open solution

Q39. AIPMT 2015 Cancelled Paper

Which one of the following is correct?

(A) Lymph = Plasma + RBC + WBC

(B) Blood = plasma + RBC + WBC + Platelets

(C) Plasma = Blood – Lymphocytes

(D) Serum = Blood + Fibrinogen

Open solution

Q40. AIPMT 2015 Cancelled Paper

Blood pressure in the mammalian aorta is maximum during

(A) systole of the left ventricle

(B) diastole of the right atrium

(C) systole of the left atrium

(D) diastole of the right ventricle.

Open solution

Q41. AIPMT 2014

Person with blood group AB is considered as universal recipient because he has

(A) both A and B antigens on RBC but no antibodies in the plasma

(B) both A and B antibodies in the plasma

(C) no antigen on RBC and no antibody in the plasma

(D) both A and B antigens in the plasma but no antibodies.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q42. AIPMT 2014

How do parasympathetic neural signals affect the working of the heart?

(A) Reduce both heart rate and cardiac output.

(B) Heart rate is increased without affecting the cardiac output.


(C) Both heart rate and cardiac output increase.

(D) Heart rate decreases but cardiac output increases.

Open solution

Q43. NEET 2013 (Karnataka)

The figure shows blood circulation in humans with labels A to D. Select the option which gives correct identification of label and functions of the part.



(A) A - Artery-Thick walled and blood flows evenly

(B) C - Vein-Thin walled and blood flows in jerks/spurts

(C) D - Pulmonary vein-Takes oxygenated blood to heart, pO_2 = 95 mmHg

(D) B - Capillary-Thin without muscle layer and wall two cell layers thick

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q44. NEET 2013 (Karnataka)

Open solution

The figure shows a human blood cell. Identify it and give its characteristics.



(A) **Blood cell** → Monocyte, **Characteristics** → Life span of 3 days, produces antibodies

(B) **Blood cell** → B-lymphocyte, **Characteristics** → Forms about 20% of blood cells involved in immune response


(C) **Blood cell** → Basophil, **Characteristics** → Secretes serotonin, inflammatory response

(D) **Blood cell** → Neutrophil, **Characteristics** → Most abundant blood cells, phagocytic

Q45. NEET 2013

Open solution

The diagram given here is the standard ECG of a normal person. The P-wave represents the



(A) beginning of the systole

(B) end of systole

(C) contraction of both the atria


(D) initiation of the ventricular contraction.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q46. NEET 2013

The given figure shows schematic plan of blood circulation in humans with labels A to D. Identify the label and give its functions?

Open solution



(A) A - Pulmonary vein - takes impure blood from body parts, pO_2 = 60 mm Hg

(B) B - Pulmonary artery - takes blood from heart to lungs, pO_2 = 90 mm Hg

(C) C - Vena cava - takes blood from body parts to right auricle, pCO_2 = 45 mm Hg

(D) D - Dorsal aorta - takes blood from heart to body parts, pO_2 = 95 mm Hg

Q47. AIPMT 2012 Mains

Which one of the following human organs is often called the "graveyard" of RBCs?

(A) Gall blader (B) Kidney (C) Spleen (D) Liver

Open solution

Q48. AIPMT 2012 Prelims

A certain road accident patient with unknown blood group needs immediate blood transfusion. His one doctor friend at once offers his blood. What was the blood group of the donar?

(A) Blood group B (B) Blood group AB (C) Blood group O (D) Blood group A


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q49. AIPMT 2011 Mains

Given below is the ECG of a normal human. Which one of its components is correctly interpreted below?

Open solution



NEETCARE.COM

(A) Complex QRS - one complete pulse

(B) Peak T - initiation of total cardiac contraction

(C) Peak P and peak R together - systolic and diastolic blood pressures

(D) Peak P- initiation of left atrial contraction only

Q50. AIPMT 2011 Prelims

'Bundle of his' is a part of which one of the following organs in humans?

(A) Brain (B) Heart (C) Kidney (D) Pancreas

Open solution

Q51. AIPMT 2011 Prelims

Which one of the following plasma proteins is involved in the coagulation of blood?

(A) Albumin (B) Serum amylase (C) Globulin (D) Fibrinogen

Open solution

Q52. AIPMT 2011 Prelims

Arteries are best defined as the vessels which

(A) supply oxygenated blood to the different organs

(B) carry blood away from the heart to different organs

(C) break up into capillaries which reunite to form a vein

(D) carry blood from one visceral organ to another visceral organ.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q53. AIPMT 2011 Prelims

Which one of the following statements is correct regarding blood pressure?

(A) 130/90 mm Hg is considered high and requires treatment.

(B) 100/55 mm Hg is considered an ideal blood pressure.

(C) 105/50 mm Hg makes one very active.

(D) 190/110 mm Hg may harm vital organs like brain and kidney.

Open solution

Q54. AIPMT 2011 Prelims

A person with unknown blood group under ABO system, has suffered much blood loss in an accident and needs immediate blood transfusion. His friend who has valid certificate of his own blood type, offers for blood donation without delay. What would have been the type of blood group of the donar friend?

(A) Type B (B) Type AB (C) Type O (D) Type A

Open solution

Q55. AIPMT 2010 Mains

Fastest distribution of some injectible material/medicine and with no risk of any kind can be achieved by injecting it into the

(A) muscles (B) arteries (C) veins (D) lymph vessels.

Open solution

Q56. AIPMT 2010 Mains

Given below are four statements (i-iv) regarding human blood circulatory system.
(i) Arteries are thick-walled and have narrow lumen as compared to veins.
(ii) Angina is acute chest pain when the blood circulation to the brain is reduced.
(iii) Persons with blood group AB can donate blood to any person with any blood group under ABO system.
(iv) Calcium ions play a very important role in blood clotting.
Which two of the above statements are correct?

(A) (i) and (iv) (B) (i) and (ii) (C) (ii) and (iii) (D) (iii) and (iv)

Open solution

Q57. AIPMT 2010 Mains

The haemoglobin content per 100 ml of blood of a normal healthy human adult is

(A) 5 - 11 g (B) 25 - 30 g (C) 17 - 20 g (D) 12 - 16 g.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q58. AIPMT 2010 Prelims

If due to some injury the chordae tendinae of the tricuspid valve of the human heart is partially non-functional, what will be the immediate effect?

(A) The flow of blood into the aorta will be slowed down

(B) The 'pacemaker' will stop working

(C) The blood will tend to flow back into the left atrium

(D) The flow of blood into the pulmonary artey will be reduced

Open solution

Q59. AIPMT 2010 Prelims

Which two of the following changes (i – iv) usually tend to occur in the plain dwellers when they move to high altitudes (3,500 m or more)?

(i) Increase in red blood cell size

(ii) Increase in red blood cell production

(iii) Increased breathing rate

(iv) Increase in thrombocyte count

Changes occurring are

(A) (ii) and (iii) (B) (iii) and (iv) (C) (i) and (iv) (D) (i) and (ii).

Open solution

Q60. AIPMT 2009

There is no DNA in

(A) mature RBCs

(B) a mature spermatozoan

(C) hair root

(D) an enucleated ovum.

Open solution

Q61. AIPMT 2009

In a standard ECG which one of the following alphabets is the correct representation of the respective activity of the human heart?

(A) S - start of systole

(B) T - end of diastole

(C) P - depolarisation of the atria

(D) R - repolarisation of ventricles

Open solution

Q62. AIPMT 2009

Globulins contained in human blood plasma are primarily involved in

(A) osmotic balance of body fluids

(B) oxygen transport in the blood

(C) clotting of blood

(D) defence mechanisms of body.

Open solution

Q63. AIPMT 2009

Compared to blood our lymph has

(A) plasma without proteins

(B) more WBCs and no RBCs

(C) more RBCs and less WBCs

(D) no plasma.

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q64. AIPMT 2008

In humans, blood passes from the post caval to the diastolic right atrium of heart due to

(A) stimulation of the sino auricular node

(B) pressure difference between the post caval and atrium

(C) pushing open of the venous valves

(D) suction pull.

Open solution

Q65. AIPMT 2008

The most active phagocytic white blood cells are

(A) cosinophils and lymphocytes

(B) neutrophils and monocytes

(C) neutrophils and eosinophils

(D) lymphocytes and macrophages,

Open solution

Q66. AIPMT 2008

Which type of white blood cells are connected with the release of histamine and the natural anticoagulant heparin?

(A) Eosinophils (B) Monocytes (C) Neutrophils (D) Basophils

Open solution

Q67. AIPMT 2007

A drop of each of the following, is placed separately on four slides. Which of them will not coagulate?

(A) Blood serum

(B) Sample from the thoracic duct of lymphatic system

(C) Whole blood from pulmonary vein

(D) Blood plasma

Open solution

Q68. AIPMT 2007

Which one of the following mammalian cells is not capable of metabolising glucose to carbon dioxide aerobically?

(A) Unstriated muscle cells

(B) Liver cells

(C) Red blood cells

(D) White blood cells

Open solution

Q69. AIPMT 2006

Which one of the following has an open circulatory system?

(A) *Octopus* (B) *Pheratima* (C) *Periplaneta* (D) *Hirudinaria*

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q70. AIPMT 2005

Which of the following substances, if introduced in the blood stream, would cause coagulation at the site of its introduction?

(A) Fibrinogen (B) Prothrombin (C) Heparin (D) Thromboplastin

Open solution

Q71. AIPMT 2004

You are required to draw blood from a patient and to keep it in a test tube for analysis of blood corpuscles and plasma. You are also provided with the following four types of test tubes. which of these you will not use for the purpose.

(A) Test tube containing calcium bicarbonate (B) Chilled test tube

(C) Test tube containing heparin (D) Test tube containing sodium oxalate.

Open solution

Q72. AIPMT 2004

The cardiac pacemaker in a patient fails to function normally. The doctors find that an artificial pacemaker is to be grafted in him. It is likely that it will be grafted at the site of

(A) atrioventricular bundle (B) Purkinje system

(C) sinuatrial node (D) atrioventricular node.

Open solution

Q73. AIPMT 2004

In the ABO system of blood groups, if both antigens are present but no antibody, the blood group of the individual would be

(A) B (B) O (C) AB (D) A.

Open solution

Q74. AIPMT 2003

Bundle of His is a network of

(A) muscle fibres distributed throughout the heart walls

(B) muscle fibres found only in the ventricle wall

(C) nerve fibres distributed in ventricles

(D) nerve fibres found throughout the heart.

Open solution

Q75. AIPMT 2002

Impulse of heart beat originates from

(A) SA node (B) AV node (C) vagus nerve (D) cardiac nerve

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q76. AIPMT 2002

Which of the following statements is true for lymph?

(A) WBC + serum
(B) Blood minus RBCs and some proteins
(C) RBCs + WBCs + plasma
(D) RBCs + proteins + platelets

Open solution

Q77. AIPMT 2001

What is correct for blood group O?

(A) No antigens but both a and b antibodies are present
(B) A antigen and b antibody present
(C) Antigen and antibody both absent
(D) A and B antigens and a, b antibodies present

Open solution

Q78. AIPMT 2000

In which point, pulmonary artery is different from pulmonary vein?

(A) Its lumen is broad
(B) Its wall is thick
(C) It has valves
(D) It does not possess endothelium.

Open solution

Q79. AIPMT 2000

Which statement is true for WBC?

(A) Non-nucleated
(B) In deficiency, cancer is caused
(C) Manufactured in thymus
(D) Can squeeze through blood capillaries

Open solution

Q80. AIPMT 2000

Erythroblastosis foetalis is caused when :

(A) Rh^- female & Rh^+ male
(B) Rh^- female & Rh^- male
(C) Rh^+ female & Rh^+ male
(D) Rh^+ female & Rh^- male

Open solution

Q81. AIPMT 1999

Rate of heart-beat is determined by

(A) Purkinje fibres
(B) Papillary muscles
(C) SA node
(D) AV node

Open solution

Q82. AIPMT 1999

Which is the principal cation in the plasma of the blood?

(A) Magnesium (B) Sodium (C) Potassium (D) Calcium

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q83. AIPMT 1999

The blood group with antibody-a and antibody-b is

(A) B (B) A (C) O (D) AB

Open solution

Q84. AIPMT 1999

The thickening of walls of arteries are called

(A) arthritis (B) atherosclerosis (C) aneurysm (D) both (a) and (c)

Open solution

Q85. AIPMT 1999

The problem due to Rh factor arises when the blood of two (Rh^+ and Rh^-) mix-up :

(A) during pregnancy (B) through transfusion

(C) in a test tube (D) both (a) and (b)

Open solution

Q86. AIPMT 1998

An adult human with average health has systolic and diastolic pressures as

(A) 80 mm Hg and 80 mm Hg (B) 70 mm Hg and 120 mm Hg

(C) 120 mm Hg and 80 mm Hg (D) 50 mm Hg and 80 mm Hg

Open solution

Q87. AIPMT 1997

Which of the following is agranulocyte?

(A) Basophil (B) Neutrophil (C) Lymphocyte (D) Eosinophil

Open solution

Q88. AIPMT 1997

The life span of human WBC is approximately

(A) between 2 to 3 months (B) more than 4 months

(C) less than 10 days (D) between 20 to 30 days

Open solution

Q89. AIPMT 1996

Which vertebrate organ receives only oxygenated blood?

(A) Spleen (B) Liver (C) Gill (D) Lung

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q90. AIPMT 1995

The correct route through which pulse-making impulse travels in the heart is

(A) SA node → Purkinje fibres → bundle of His → AV node → heart muscles

(B) SA node → AV node → bundle of His → Purkinje fibres → heart muscles

(C) AV node → bundle of His → SA node → Purkinje fibres → heart muscles

(D) AV node → SA node → Purkinje fibres → bundle of His → heart muscles

Open solution

Q91. AIPMT 1995

The lymph serves to

(A) return the interstitial fluid to the blood

(B) return the WBCs and RBCs to the lymph nodes

(C) transport CO_2 to the lungs

(D) transport O_2 to the brain

Open solution

Q92. AIPMT 1995

In veins, valves are present to check backward flow of blood flowing at

(A) atmospheric pressure

(B) high pressure

(C) low pressure

(D) all of these

Open solution

Q93. AIPMT 1995

The neurogenic heart is the characteristic feature of

(A) humans

(B) arthropods

(C) rabbits

(D) rats

Open solution

Q94. AIPMT 1994

The heart sound 'dup' is produced when

(A) mitral valve is closed

(B) semi-lunar valves at the base of aorta get closed

(C) tricuspid valve is opened

(D) mitral valve is opened

Open solution

Q95. AIPMT 1994

The pacesetter in the heart is called

(A) sino-atrial node (SAN)

(B) atrio-ventricular node (AVN)

(C) Purkinje fibres

(D) papillary muscle

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q96. AIPMT 1993

Blood capillaries are made of

(A) endothelium, connective tissue and muscle fibres

(B) endothelium and muscle fibres

(C) endothelium and connective tissue

(D) endothelium only

Open solution

Q97. AIPMT 1992

Cells formed in bone marrow include

(A) RBC

(B) RBC and leucocytes

(C) leucocytes

(D) lymphocytes

Open solution

Q98. AIPMT 1992

Component of blood responsible for producing antibodies is

(A) thrombocytes (B) monocytes (C) erythrocytes (D) lymphocytes

Open solution

Q99. AIPMT 1991

Blood group AB has

(A) no antigen

(B) no antibody

(C) neither antigen nor antibody

(D) both antigen and antibody

Open solution

Q100. AIPMT 1991

Wall of blood capillary is formed of

(A) haemocytes

(B) parietal cells

(C) endothelial cells

(D) oxyntic cells

Open solution

Q101. AIPMT 1991

Splenic artery arises from

(A) anterior mesenteric artery

(B) coeliac artery

(C) posterior mesenteric artery

(D) intestinal artery

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q102. AIPMT 1990

A vein possesses a large lumen because

(A) tunica media and tunica externa form a single coat

(B) tunica interna and tunica media form a single coat

(C) tunica interna, tunica media and tunica externa are thin

(D) tunica media is a thin coat

Open solution

Q103. AIPMT 1989

Arteries carry oxygenated blood except

(A) pulmonary (B) cardiac (C) hepatic (D) systemic

Open solution

Q104. AIPMT 1989

Removal of calcium from freshly collected blood would

(A) cause delayed clotting (B) prevent clotting

(C) cause immediate clotting (D) prevent destruction of haemoglobin

Open solution

Q105. AIPMT 1989

Tricuspid valve is found in between

(A) sinus venosus and right auricle (B) right auricle and right ventricle

(C) left ventricle and left auricle (D) ventricle and aorta

Open solution

Q106. AIPMT 1989

Lymph differs from blood in possessing

(A) only WBC (B) more RBC and WBC

(C) more RBC and few WBC (D) more WBC and few RBC

Open solution

Q107. AIPMT 1989

Mineral found in red pigment of vertebrate blood is

(A) magnesium (B) iron (C) calcium (D) copper

Open solution

Q108. AIPMT 1989

A person with blood group A requires blood. The blood group which can be given is

(A) A and B (B) A and AB (C) A and O (D) A, B, AB and O

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q109. AIPMT 1988

Child death may occur in the marriage of

(A) Rh^+ man and Rh^+ woman
(B) Rh^+ man and Rh^- woman
(C) Rh^- man and Rh^- woman
(D) Rh^- man and Rh^+ woman

Open solution

Q110. AIPMT 1988

Breakdown product of haemoglobin is

(A) bilirubin
(B) iron
(C) biliverdin
(D) calcium

Open solution

Out of syllabus 2 questions

These questions are on topics no longer in the current syllabus. They are kept for practice, after everything else.

Q111. AIPMT 1999 · MCQ (Single Correct Answer)

Glucose is carried from digestive tract to liver by :

(A) pulmonary vein
(B) hepatic portal vein
(C) hepatic artery
(D) none of these

Open solution

Q112. AIPMT 1998 · MCQ (Single Correct Answer)

One of the factors required for the maturation of erythrocytes is

(A) vitamin D
(B) vitamin A
(C) vitamin B_{12}
(D) vitamin C

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

MCQ (Single Correct Answer)

1. **A**	2. **C**	3. **C**	4. **B**	5. **C**
6. **C**	7. **D**	8. **D**	9. **A**	10. **B**
11. **D**	12. **C**	13. **D**	14. **B**	15. **C**
16. **B**	17. **D**	18. **C**	19. **A**	20. **B**
21. **C**	22. **C**	23. **A**	24. **D**	25. **A**
26. **A**	27. **A**	28. **A**	29. **B**	30. **C**
31. **D**	32. **C**	33. **D**	34. **C**	35. **A**
36. **A**	37. **D**	38. **B**	39. **B**	40. **A**
41. **A**	42. **A**	43. **C**	44. **C**	45. **C**
46. **C**	47. **C**	48. **C**	49. **A**	50. **B**
51. **D**	52. **B**	53. **D**	54. **C**	55. **C**
56. **A**	57. **D**	58. **D**	59. **A**	60. **A**
61. **C**	62. **D**	63. **B**	64. **B**	65. **B**
66. **D**	67. **A**	68. **C**	69. **C**	70. **D**
71. **A**	72. **C**	73. **C**	74. **B**	75. **A**
76. **B**	77. **A**	78. **B**	79. **D**	80. **A**
81. **C**	82. **B**	83. **C**	84. **B**	85. **D**
86. **C**	87. **C**	88. **C**	89. **A**	90. **B**
91. **A**	92. **C**	93. **B**	94. **B**	95. **B**
96. **D**	97. **B**	98. **D**	99. **B**	100. **C**
101. **B**	102. **D**	103. **A**	104. **B**	105. **B**
106. **A**	107. **B**	108. **C**	109. **B**	110. **A**

Out of syllabus

111. **B**	112. **C**

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs